

TAR
Aerolíneas



PROGRAMA DE MANTENIMIENTO EMB-145LR



Link Conexión Aérea S.A. de C.V.

PROGRAMA DE MANTENIMIENTO PARA LA AERONAVE EMB-145LR

Sello de Aprobación DGAC

Dirección de Aviación

Revisión 1

Fecha: 01 de Febrero del 2020



PROGRAMA DE MANTENIMIENTO EMB-145LR

HOJA DEJADA
INTENCIONALMENTE
EN BLANCO

01-Ago-2019	Re-edición 02	P-2
Link Conexión Aérea S.A. de C.V.		

ÍNDICE GENERAL

Índice General	3
Introducción	5
Registro de Revisiones	8
Listado De Páginas Efectivas	10
Revisiones Del Programa	14
Procedimiento de Notificación a la Autoridad Aeronáutica sobre cambios	14
Distribución del Programa de Mantenimiento	15
SECCIÓN 1 PROGRAMA DE MANTENIMIENTO	16
Descripción del Programa	16
Directivas Aeronavegabilidad y/o Boletines de Servicio	18
Aplicabilidad	20
Agrupamiento de tareas de acuerdo a su requerimiento de inspección	21
Tipos de Tareas	22
Presentación del Programa	23
SECCIÓN 2 REQUISITOS DE LA INSPECCIÓN DE RUTINA	25
SECCIÓN 3 INSPECCIÓN DE SISTEMAS Y PLANTA MOTRIZ	29
SECCIÓN 4 INSPECCIONES ESTRUCTURALES	53
SECCIÓN 5 PROGRAMA DE CONTROL Y PREVENCIÓN DE CORROSIÓN	132
Diagrama Lógico para la implementación del CPCP	133
SECCIÓN 6 REQUERIMIENTOS DE INSPECCIÓN ZONAL	158
SECCIÓN 7 REQUERIMIENTOS DE CERTIFICACIÓN DE MANTENIMIENTO	175
SECCIÓN 8 REQUERIMIENTOS DE LIMITACIONES DE AERONAVEGABILIDAD	178
SECCIÓN 9 LIMITACIONES DE SISTEMA DE COMBUSTIBLE	186
SECCIÓN 10 REQUERIMIENTOS DE MANTENIMIENTO DE REDUCCIÓN MÍNIMA DE SEPARACIÓN VERTICAL	190
SECCIÓN 11 TAREAS DE MANTENIMIENTO RECOMENDADAS	193



PROGRAMA DE MANTENIMIENTO EMB-145LR

SECCIÓN 12 TAREAS DE MANTENIMIENTO OPCIONALES	197
SECCIÓN 13 TAREAS DE MANTENIMIENTO INTERNAS	201
SECCIÓN 14 GUÍAS DE MANTENIMIENTO	204

01-Ago-2019

Re-edición 2

I-2

Link Conexión Aérea S.A. de C.V.

INTRODUCCIÓN

Link Conexión Aérea S.A. de C.V., es una empresa mexicana localizada en Boulevard Bernardo Quintana No. CS9800, piso 7, Santiago de Querétaro, Querétaro, México 76090.

El presente documento ha sido desarrollado para servir como el **Programa de Mantenimiento de la Aeronave EMB-145LR** y cumple con la NOM-006-SCT3-2001 que establece el contenido del Manual General de Mantenimiento, así como con el **Maintenance Review Board Report (MRB)**, revisión 20 de fecha 28 de Junio del 2019.

Link Conexión Aérea, S.A. de C.V. es denominado de manera comercial como **TAR Aerolíneas**; por lo que en lo sucesivo y para uso de este documento, se utilizará el término TAR por ser la oración corta al referirse al nombre de la Empresa.

Derivado que TAR Aerolíneas solo cuenta en su flota únicamente con aeronaves, ERJ-145LR. El presente Programa de Mantenimiento contiene únicamente las tareas de mantenimiento correspondiente a las aeronaves ERJ-145, en las cuales se especifica la aplicabilidad de cada una de estas, de acuerdo al modelo específico de la aeronave, según lo indicado a en el MRBR de Embraer.

La Dirección de Mantenimiento a través del personal a su cargo es responsable de controlar y que se lleve a cabo cada una de las tareas de mantenimiento asegurando que se efectúen antes de su vencimiento y de manera personalizada para cada una de las aeronaves, así como la revisión del MRBR y la actualización según aplique al presente manual.

Las guías de mantenimiento contenidas en el presente manual, están elaboradas de manera generalizada, esto es conteniendo el código de la tarea y los campos que se requieren llenar por el personal técnico en blanco.

Por lo anterior, las guías podrán ser personalizadas por el área de planeación de acuerdo a la aplicación de cada aeronave de la flota; esto en base a la información proporcionada y con apoyo del área de Ingeniería. En caso de existir alguna duda el área planeación solicitará apoyo del área de ingeniería para determinar su aplicabilidad, con lo cual podrá personalizar la guía respectiva y colocar la leyenda pertinente en los cuadros en blanco, como ejemplo:

“N/A por ser Post boletín”

Cuando se requiera por las necesidades de operación, las guías de mantenimiento correspondientes a cualquier servicio “A, 2A, etc”, estos podrán efectuarse en su totalidad en una pernocta o más pernoctas (con un máximo de 3 pernoctas) siempre respetando su intervalo límite de aplicación. En caso de no terminarse en los trabajos durante este periodo indicado la aeronave deberá ponerse en tierra hasta que se cumpla la totalidad de los trabajos necesarios.

Estos servicios deberán declararse como terminado una vez cumplido con la aplicación de todas las tareas correspondientes al formato del que se trate. De igual manera la siguiente aplicación del formato, deberá ser considerando a partir del inicio de aplicación del formato respectivo, con lo que se respecta el intervalo original de acuerdo al MRB de las tareas.

01-Ago-2019	Re-edición 02	IN-1
Link Conexión Aérea S.A. de C.V.		

La certificación de los trabajos de mantenimiento existentes en las guías de mantenimiento autorizadas a TAR, deberá ser registrada conforme a lo autorizado en la “Liberación de Mantenimiento” del taller en su MPTA y en cumplimiento con lo establecido con la normatividad vigente, así mismo tendrá que contener como mínimo los siguientes datos:

1. Fecha
2. Marca de la aeronave
3. Modelo de la aeronave
4. Matrícula de la aeronave
5. Tiempos de la aeronave
6. Código de la guía de mantenimiento
7. Datos del Manual de Programa de Mantenimiento de TAR MPM (número de la revisión o re-edición y fecha)
8. Condición de aeronavegabilidad de aeronave.
9. Nombre y firma de la persona responsable que efectúa la liberación de mantenimiento No. De cédula profesional o No. De licencia (según aplique).

El material ha sido compilado, arreglado y publicado en un formato conveniente y de uso cómodo. El Programa de Mantenimiento está basado en los siguientes documentos:

Documento	Referencia	Revisión
Scheduled Maintenance Requirements Document	SMRD-145/1137 Rev. 20	17 Sep, 2019
Maintenance Review Board Report	MRB-145/1150 Rev. 20	28 Jun. 2019
Engine Maintenance Manual	CSP34022 Rev. 85	Apr. 20, 2018
APU Maintenance Manual	40C14-1 Rev. 13	Mar. 01, 2016
Ley de Aviación Civil	--	26 Jun. 2017
Reglamento de la Ley de Aviación Civil, Cap. VII, Sec. 1ª, Art. 135	--	14 Mar. 2014
Carta de Política	CP AV-03/05	15 Abr. 2005
Circular Obligatoria	CO AV-43.2/07 R2	16 Nov. 2009
Norma Oficial Mexicana	NOM-091-SCT3-2004	23 Mar. 2009
Norma Oficial Mexicana	NOM-003-SCT3-2010	24 Feb. 2012
Norma Oficial Mexicana	NOM-012-SCT3-2012	10 Ago. 2015
Norma Oficial Mexicana	NOM-022-SCT3-2011	09 Feb. 2012
Norma Oficial Mexicana	NOM-039-SCT3-2010	26 Abr. 2011
Norma Oficial Mexicana	NOM-006-SCT3-2001	14 Sep. 2015

FICHA TÉCNICA DE LA AERONAVE EMB-145LR

MODELO	SERIE	MATRICULA	FABRICACIÓN	MODELO DE MOTORES	MODELO DE APU
EMB-145LR	145507	XA-BPK	2001	AE3007A1	T-62T-40C14
EMB-145LR	145568	XA-MFH	2002	AE3007A1	T-62T-40C14
EMB-145LR	145481	XA-RHF	2001	AE3007A1	T-62T-40C14
EMB-145LR	145063	XA-NFP	1998	AE3007A1P	T-62T-40C14
EMB-145LR	145067	XA-SFH	1998	AE3007A1P	T-62T-40C14
EMB-145LR	145075	XA-JFH	1998	AE3007A1P	T-62T-40C14
EMB-145LR	145080	XA-MAF	1998	AE3007A1P	T-62T-40C14
EMB-145LR	145078	XA-AFH	1998	AE3007A1P	T-62T-40C14
EMB-145LR	145071	XA-EFH	1998	AE3007A1P	T-62T-40C14
EMB-145LR	145138	XA-PFL	1999	AE3007A1P	T-62T-40C14
EMB-145LR	145241	XA-IFP	2000	AE3007A1P	T-62T-40C14



PROGRAMA DE MANTENIMIENTO EMB-145LR

REGISTRO DE REVISIONES

Revisión	Fecha de Efectividad	Fecha de Inserción	Nombre y Firma
Re-edición 2	01 Agosto 19	16 ENE 20	RMR
Revisión 1	01 Febrero 20		

LISTADO DE PÁGINAS EFECTIVAS

La siguiente relación concentra la información de todas las páginas que conforman el programa de mantenimiento.

Para su control, cada hoja del programa de mantenimiento es identificada en la parte inferior (pie de página) por número de página, número de revisión y fecha de revisión; mismas que deben coincidir con la relación indicada a continuación:

Sección	Página	Revisión	Fecha
Portada 1	P-1	RVISIÓN 1	01-FEB-2020
Portada 2	P-2	RE-EDICIÓN 02	01-AGO-2019
Índice	I-1	RE-EDICIÓN 02	01-AGO-2019
Índice	I-2	RE-EDICIÓN 02	01-AGO-2019
Introducción	IN-1	RE-EDICIÓN 02	01-AGO-2019
Introducción	IN-2	RVISIÓN 1	01-FEB-2020
Introducción	IN-3	RE-EDICIÓN 02	01-AGO-2019
R.R.	RR 1-1	RVISIÓN 1	01-FEB-2020
LPE	LPE-1	RVISIÓN 1	01-FEB-2020
LPE	LPE-2	RE-EDICIÓN 02	01-AGO-2019
LPE	LPE-3	RE-EDICIÓN 02	01-AGO-2019
LPE	LPE-4	RVISIÓN 1	01-FEB-2020
RP	RP-1	RE-EDICIÓN 02	01-AGO-2019

Sección	Página	Revisión	Fecha
DIS	DIS-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 1	SEC 1-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 1	SEC 1-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 1	SEC 1-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 1	SEC 1-4	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 1	SEC 1-5	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN1	SEC 1-6	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 1	SEC 1-7	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 1	SEC 1-8	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 1	SEC 1-9	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 2	SEC 2-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 2	SEC 2-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 2	SEC 2-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 2	SEC 2-4	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-4	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-5	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-6	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-7	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-8	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-9	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-10	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-11	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 3	SEC 3-12	RE-EDICIÓN 02	01-AGO-2019

Sección	Página	Revisión	Fecha
SECCIÓN 4	SEC 4-71	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 4	SEC 4-72	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 4	SEC 4-73	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 4	SEC 4-74	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 4	SEC 4-75	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 4	SEC 4-76	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 4	SEC 4-77	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 4	SEC 4-78	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 4	SEC 4-79	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-4	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-5	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-6	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-7	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-8	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-9	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-10	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-11	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-12	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-13	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-14	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-15	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-16	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-17	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-18	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-19	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-20	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-21	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-22	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-23	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-24	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-25	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 5	SEC 5-26	RE-EDICIÓN 02	01-AGO-2019

Sección	Página	Revisión	Fecha
SECCIÓN 6	SEC 6-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-4	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-5	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-6	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-7	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-8	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-9	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-10	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-11	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-12	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-13	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-14	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-15	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-16	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 6	SEC 6-17	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 7	SEC 7-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 7	SEC 7-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 7	SEC 7-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 8	SEC 8-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 8	SEC 8-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 8	SEC 8-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 8	SEC 8-4	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 8	SEC 8-5	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 8	SEC 8-6	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 8	SEC 8-7	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 8	SEC 8-8	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 9	SEC 9-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 9	SEC 9-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 9	SEC 9-3	RE-EDICIÓN 02	01-AGO-2019
SECCION 9	SEC 9-4	RE-EDICIÓN 02	01-AGO-2019



PROGRAMA DE MANTENIMIENTO EMB-145LR

Sección	Página	Revisión	Fecha
SECCIÓN 10	SEC 10-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 10	SEC 10-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 10	SEC 10-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 11	SEC 11-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 11	SEC 11-2	RVISIÓN 1	01-FEB-2020
SECCIÓN 11	SEC 11-3	RVISIÓN 1	01-FEB-2020
SECCIÓN 11	SEC 11-4	RVISIÓN 1	01-FEB-2020
SECCIÓN 12	SEC 12-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 12	SEC 12-2	RVISIÓN 1	01-FEB-2020
SECCIÓN 12	SEC 12-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 12	SEC 12-4	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 13	SEC 13-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 13	SEC 13-2	RVISIÓN 1	01-FEB-2020
SECCIÓN 13	SEC 13-3	RVISIÓN 1	01-FEB-2020
SECCIÓN 14	SEC 14-1	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 14	SEC 14-2	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 14	SEC 14-3	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 14	SEC 14-4	RE-EDICIÓN 02	01-AGO-2019
SECCIÓN 14	SEC 14-5	RVISIÓN 1	01-FEB-2020
SECCIÓN 14	SEC 14-6	RVISIÓN 1	01-FEB-2020
SECCIÓN 14	SEC 14-7	RVISIÓN 1	01-FEB-2020

01-Feb-2020

Revisión 1

LPE-4

Link Conexión Aérea S.A. de C.V.

REVISIONES DEL PROGRAMA

El Programa de Mantenimiento es revisado y modificado de acuerdo a las siguientes políticas:

- Por enmienda al Programa de Mantenimiento del fabricante.
- Cuando se instala un Certificado Tipo Suplementario.
- A solicitud de la Autoridad Aeronáutica.
- De acuerdo al Programa de Confiabilidad.

Los cambios al programa son elaborados para incorporar la aplicación de modificaciones mandatorias y no mandatorias, inspecciones, tareas de mantenimiento, recomendaciones o requerimientos del fabricante y como resultado de la experiencia operacional.

TAR Aerolíneas podrá efectuar las tareas opcionales y/o recomendadas (consideradas como **NO obligatorias**) en el momento que crea conveniente derivado de un análisis de confiabilidad / condiciones de temporada o algún otro factor que así lo amerite. Debiendo colocar la(s) tarea(s) en el formato MGM-519.

Las revisiones generales al Programa de Mantenimiento son aprobadas por la DGAC para incorporarse posteriormente. Cada modificación incluye un listado de marcadores indicando los cambios.

Cada revisión general es dada de alta en el Registro de Revisiones. Las barras de revisión están localizadas de manera adyacente y por la izquierda del texto afectado.

En caso que por incremento en la redacción en una página y por mismo motivo el contenido se recorra en la siguiente no existiendo ninguna modificación real sino únicamente el recorrido del texto la página llevará línea de indicación al costado izquierdo en el pie de página se colocará los datos de la nueva revisión.

El área de la Gerencia de Ingeniería y Planeación revisa los requerimientos, incluyendo la efectividad del Programa de Mantenimiento, para su continua validación y aeronavegabilidad, cuando existen cambios que así lo requieran.

PROCEDIMIENTO DE NOTIFICACIÓN A LA AUTORIDAD AERONÁUTICA SOBRE CAMBIOS

El Gerente de Ingeniería y Planeación y/o Representante Legal, es el responsable de asegurar que se notifique a la DGAC sobre cualquier cambio en el programa.

Estos cambios son notificados mediante un escrito y con los soportes necesarios para el trámite que corresponda.

Cuando se lleven a cabo una revisión temporal, esta se notificará a la autoridad en un plazo no mayor de 60 días a partir de la incursión de la misma. Esta notificación de la revisión temporal se realizará de igual manera que una revisión formal.



PROGRAMA DE MANTENIMIENTO EMB-145LR

DISTRIBUCIÓN DEL PROGRAMA DE MANTENIMIENTO

La distribución del programa es controlada por la Gerencia de Ingeniería y Planeación. El mismo es distribuido en CD-R o sistema interno y se lleva un número de control para cada usuario. El original se resguarda en la Gerencia de Ingeniería y Planeación y las copias se distribuyen de la siguiente manera:

RESPONSIBLE	NÚMERO DE EJEMPLAR	FORMAT
GERENCIA DE INGENIERIA Y PLANEACION	ORIGINAL	PAPEL & DIGITAL
DGAC – DIRECCIÓN DE AVIACIÓN	01	DIGITAL
COMANDANCIA AEROPUERTO INTERCONTINENTAL DE QUERETARO	02	DIGITAL
DIRECCIÓN DE OPERACIONES	03	SISTEMA DE RED INTERNO
DIRECCIÓN DE MANTENIMIENTO	04	SISTEMA DE RED INTERNO
CENTRO DE CONTROL DE MANTENIMIENTO	05	SISTEMA DE RED INTERNO
TALLER AERONÁUTICO	06	DIGITAL ó INTERNET
TALLER AERONÁUTICO	07	DIGITAL

01-Ago-2019

Re-edición 02

DIS-1

Link Conexión Aérea S.A. de C.V.



SECCIÓN 1 PROGRAMA DE MANTENIMIENTO (MAINTENANCE PROGRAM)

DESCRIPCIÓN DEL PROGRAMA

El Programa de Mantenimiento de la aeronave Embraer EMB-145LR está basado en el Maintenance Review Board Report. Las tareas que componen el Programa de Mantenimiento se controlan Horas de Vuelo. (FH), Ciclos de Vuelo (FC), Ciclos de Motor (EC), Horas APU (AH) o Días Calendario. Los Días Calendario se pueden cuantificar por Días, Meses o Años. Cuando una tarea cuenta con dos intervalos o más, se aplica siempre el que ocurra primero. En el caso de existir un umbral (threshold), éste será el primer parámetro a alcanzar antes de continuar con el intervalo especificado. También, los intervalos están indicados con letras que representan los servicios y sus múltiplos van de acuerdo a la tabla siguiente según recomendaciones del fabricante:

INTERVALS	LETTER CHECK	MAINTENANCE PACKAGES
2 DAYS	N/A	32-49-04-610-001-A00 32-49-01-610-001-A00
50 FH	N/A	79-34-00-212-001-A00
100 FH OR 14 DAYS	ROUTINE	ROUTINE
500 FH	A (INTERMEDIATE)	A
1000 FH	2A	A+2A
1500 FH	3A	A+3A
2000 FH	4A	A+2A+4A
2500 FH / FC o 15 Meses	5A	A+5A
5000 FH / FC o 30 Meses	C (BASIC)	A+2A+5A+C
10000 FH / FC o 60 Meses	2C	A+2A+4A+5A+C+2C
15000 FH / FC o 90 Meses	3C	A+2A+3A+5A+C+3C
20000 FH / FC o 120 Meses	4C	A+2A+4A+5A+C+2C+4C

Nota: consultar todos los paquetes (Guías de Mantenimiento) para identificar las tareas relacionadas en cada uno de estos.

En el presente programa de mantenimiento solo son consideradas todas aquellas tareas que por indicación del MRB tengan efectividad al modelo EMB-145LR, y/o que estén identificadas como para "ALL" y/o EMB-145 (ALL), por lo que todas las tareas que en su indicación de efectividad solo indiquen el modelo 135 en cualquiera de sus variantes ó que no esté indicado el modelo de aeronave de nuestra flota no se mencionaran en el presente documento.

En la ejecución de cualquier servicio "A" o "C" también se podrán efectuar a conveniencia del operador todas aquellas tareas que son controladas como FC, EH, AH a fin de aprovechar la estancia de la aeronave en tierra y la optimización del cumplimiento en el Programa de Mantenimiento.

Para el caso del APU, Modelo T-62T-40C14, se considera que un AFH y AFC, es cada vez que se lleva a cabo un evento de operación del APU (arranque, operación).

En este Programa de Mantenimiento se incluyen las tareas e intervalos correspondientes a los motores AE3007A1 de Rolls- Royce instalados en las aeronaves EMB-145LR. De igual forma se incluyen las tareas de mantenimiento y los intervalos aplicables para la Unidad de Potencia Auxiliar (APU) Hamilton (Modelo APS500R).



PROGRAMA DE MANTENIMIENTO EMB-145LR

Los motores modelo CAE3007A1 y CAE3007A1P, se conservan a condición por monitoreo de acuerdo a las recomendaciones del fabricante y en base al contenido del manual de mantenimiento del mismo. El monitoreo de los mismos, se lleva a cabo mediante las descargas de datos a motor, dichos datos son evaluados por un proveedor o por el mismo fabricante para así considerar las futuras visitas a taller y obtener resultados sobre el desempeño de los equipos.

Las tareas en sus distintos y variados intervalos de mantenimiento, son planificados por TAR para adecuar los periodos del avión fuera de servicio, de manera afecte lo menos posible la operación sin exceder los intervalos aquí establecidos.

En caso de requerirse extender por única ocasión un servicio de mantenimiento, podrá solicitarse a la Autoridad Aeronáutica una tolerancia de hasta el diez por ciento en el caso de tareas de mantenimiento que sus intervalos se controlan por horas y/o por ciclos, en el caso de las tareas que se controlan por fecha calendario podrá extenderse hasta un máximo de 90 días naturales, lo que sea más restrictivo. Dicha extensión será aplicada previa autorización de la DGAC.

01-Ago-2019

Re-edición 02

SEC 1-3

Link Conexión Aérea S.A. de C.V.

DIRECTIVAS DE AERONAVEGABILIDAD Y/O BOLETINES DE SERVICIO.

Directivas de Aeronavegabilidad y/o Boletines de Servicio Mandatorios que requieran aplicación periódica o alguna acción terminal, y que estén relacionadas con alguna tarea del Programa de Mantenimiento, serán incorporadas como notas en "letras negritas" en la descripción de la tarea para indicar que el cumplimiento de la Directiva de Aeronavegabilidad o Boletín de Servicio se efectúa con la tarea especificada.

Lista de Directivas de Aeronavegabilidad que se cumplen periódicamente con tareas programadas del Programa de Mantenimiento de TAR.

Referencias MRB	DESCRIPCION	FAA AD	ANAC AD
25-40-01-220-001-A00	Inspection of the Lavatory Waste Disposal Door	74-08-09 R3	
28-21-01-220-001-A00	Inspect Electric Fuel Pump Connector	2005-13-22	2000-08-01 R3
78-34-01-720-001-A00	Functionally Check Stow / Transit Thrust Reverser Microswitches for insulation	2004-13-16	2001-05-03 R3
27-12-01-212-002-A05 27-12-01-720-001-A03 27-12-03-212-001-A00	Inspect Ailerons PCA and Damper	2006-20-08	1999-02-01 R6
53-23-00-220-819-A01	Externally inspect the fuselage components: Skin and reinforcement around escape hatch cutout (SSI 53-20-51).	2009-01-05	
53-12-00-220-808-A00 53-12-00-220-818-A00 53-12-00-220-803-A00 53-12-00-250-801-A00 53-12-00-250-801-A01	Inspect for cracks in the cockpit windshield post lower eyelet fitting at the attachment of the center post on the forward fuselage (SSI 53-10-19).	2010-11-01	2007-07-02
54-50-00-230-802-A00 54-50-00-220-808-A01 57-26-00-250-813-A00 57-26-00-250-813-A02 57-10-00-250-801-A00 57-10-00-250-801-A01	Threshold Reduction for SSI Wing Components	2010-12-07	2009-05-02
28-11-00-720-001-A00 28-21-01-220-001-A00 28-23-03-220-001-A00 28-23-04-220-001-A00 28-41-03-220-001-A00 28-41-01-720-001-A01	Maintenance tasks in the Critical Design Configuration Control Limitations (CDCCL) and in the Fuel System Limitations (FSL)	2010-16-01	2007-08-02
53-Z311-214-001-A00 (05-20-47-200-801-A) 53-Z313-214-001-A00 (05-20-57-200-801-A)	Inspection to detect APU Firewall Cracking	2011-21-15	2010-06-03 R1
54-50-00-220-812-A00 54-50-00-220-812-A01 53-12-00-210-802-A00 53-12-00-250-802-A00 53-12-00-250-802-A01 53-12-00-250-803-A00	To prevent fatigue cracking to the Pylon Yokes I and II, and the skin panel of the Windshield Pillar revising the Airplane Airworthiness Limitations of the MRB TR 15-3 and 15-4.	2015-02-13	2014-01-01



PROGRAMA DE MANTENIMIENTO EMB-145LR

APLICABILIDAD

Este programa de mantenimiento es aplicable para las aeronaves operadas por TAR, así como el modelo de motor y APU instalados para cada una de las aeronaves, datos mostrados en la página IN-3.

01-Ago-2019

Re-edición 02

SEC 1-5

Link Conexión Aérea S.A. de C.V.

AGRUPAMIENTO DE TAREAS DE ACUERDO A SU REQUERIMIENTO DE INSPECCIÓN

Los requisitos de mantenimiento del MRB-145/1150 y de los fabricantes de motores y APU están incluidos dentro del Programa de Mantenimiento, dentro de las siguientes secciones:

- Sección 2 Inspección de Rutina.
- Sección 3 Inspección de Sistemas y Planta Motriz.
- Sección 4 Inspecciones Estructurales.
- Sección 5 Control y Prevención de la Corrosión (CPCP).
- Sección 6 Inspección por Zonas.
- Sección 7 Requerimientos de Mantenimiento por Certificación (CRMs).
- Sección 8 Limitaciones de Aeronavegabilidad (ALIs).
- Sección 9 Limitaciones del sistema de combustible
- Sección 10 Reducción de Límite de Separación Vertical (RVSM).
- Sección 11 Tareas Recomendadas.
- Sección 12 Tareas opcionales.
- Sección 13 Tareas internas.
- Sección 14 Guías de mantenimiento.

Siempre que se efectúa una inspección cualquiera en la aeronave, la estructura, sistemas y área adyacente al área afectada son revisadas por condición y daños antes de dejar el área.

La incorporación de nuevas tareas de mantenimiento o la modificación a cualquiera de ellas, salvo que el fabricante indique diferente, se incorporará a conveniencia de la compañía, según afecte el intervalo de vencimiento sin afectar la aeronavegabilidad de los equipos.

El fabricante maneja Componentes de Mantenimiento Relevante (Maintenance Significant Items) cuya falla puede afectar la seguridad en tierra y/o en vuelo, resulta de difícil detección y/o puede afectar significativamente de manera operacional o económica.

De tal forma, las tareas están categorizadas según el impacto que tienen a la seguridad:

CATEGORIA DE LAS TAREAS DE ACUERDO A SU CLASIFICACIÓN

Category	Task Classification
5	Evident Safety
6	Evident Operational
7	Evident Economic
8	Hidden Safety
9	Hidden Non-Safety

TIPOS DE TAREAS

TAREA	DEFINICIÓN
Inspección (GVI, DET, or SDI) O Revisión Funcional (FNC)	<p>GVI –Una inspección visual de una área interior o exterior, instalación o montaje para detectar daño obvio, falla o irregularidades. Este tipo de inspección es efectuada a una distancia que se pueda tocar el área a inspeccionar, a menos que se especifique algo diferente. Puede ser necesario un espejo para mejorar el acceso visual de toda la superficie en el área inspeccionada. Este tipo de inspección se realiza normalmente bajo condiciones de luz natural (de día), luces de hangar o linternas, puede llegar a requerirse abrir o remover paneles de acceso. Aunado puede llegar a requerirse plataformas de trabajo, escaleras o rampas para tener acceso al área a revisar.</p> <p>DET –Es una inspección detallada (intensiva) de un área estructural específica, sistema, instalación o ensamble para detectar daños, fallas o irregularidades. La iluminación disponible es normalmente con una fuente directa con una intensidad apropiada. Aunado a esto se pueden ocupar espejos lupas u otra herramienta que pueda ser necesaria. Se pueden requerir accesos determinados y limpieza del área.</p> <p>SDI – Una minuciosa inspección de una parte o componente específico su instalación o ensamble para detectar daños, fallas o irregularidades. La inspección es posible que su realización se ocupen técnicas especializadas y/o equipo especializado. Los procedimientos pueden requerir un desensamble, acceso o limpieza específica.</p> <p>FNC – Es una verificación cuantitativa para determinar si una o más funciones de un componente o sistema están dentro de los límites o estándares establecidos.</p>
Restauración (RST)	Trabajo (on/off aircraft) necesario para regresar un componente a un estándar específico.
Descartado (DIS)	La remoción de un parte o componente de servicio por un límite de vida específico.
Lubricación (LUB) o Servicio (SVC)	Trabajo de lubricación o servicio, con el propósito de mantener las capacidades de diseño.
Operacional (OPC) o Revisión Visual Check (VCK)	Una tarea u observación para determinar que un sistema o componente está cumpliendo completamente con su propósito de trabajo. No requiere tolerancias cuantitativas. Esta es una tarea de búsqueda de fallas

Las siguientes Tareas se llevarán el control dentro de la Bitácora de Mantenimiento, cada vez que se efectuó un cambio de llanta o remplazo de frenos.

- 1) 32-49-02-220-001-A00
- 2) 32-49-03-220-001-A00
- 3) 32-49-07-710-001-A00

PRESENTACIÓN DEL PROGRAMA

A continuación, se muestran algunos de los parámetros que pueden contener las diferentes tablas presentadas en el programa como a continuación se muestra.

MRBR Número de tarea- Se coloca el Número de referencia de acuerdo al fabricante Ejemplo: 32-20-01-211-001-A00
Categoría.- Es la Categoría de Tarea que le corresponde y esta puede ser de la 5 a la 9 como se describe anteriormente.

Tipo de inspección.- Significa el tipo de Tarea que le corresponde de acuerdo a la sección arriba descrita Ejemplo VCK, GVI, Etc.

Descripción.- En esta sección se coloca la Descripción de la Tarea o Inspección.

Umbral.- En esta sección se coloca el intervalo de inicio y este es dictado por el Fabricante de la Aeronave.

Intervalo.- En esta sección se coloca el intervalo de la tarea, establecido en el MRB.

Efectividad.- En esta sección se coloca la aplicabilidad del modelo afectado.

El programa está dispuesto con un formato que proporciona la siguiente información por columnas:

A. MRBR NÚMERO DE TAREA

El número de tarea esta codificado de la siguiente manera:

1. Capítulo. Sistema de acuerdo al código ATA.
2. Sección. El número de subsistema.
3. Sub sección. Item / Componente.
4. Código de función.
5. Número consecutivo
6. Identificador de efectividad

B. CATEGORÍA

Ver "Clasificación de las Tareas por Categorías" (CATEGORY TASK CLASSIFICATION)

- 5 Evident Safety (Seguridad Evidente)
- 6 Evident Operational (Evidencia Operacional)
- 7 Evident Economic (Evidencia Economica)
- 8 Hidden Safety (Seguridad Oculta)
- 9 Hidden Non-Safety (Oculta no segura)

C. TIPO DE INSPECCIÓN (TYPE)

Estos son los distintos tipos de inspección utilizados:

- DET: Detailed Inspection
- OPC: Operational Check
- DIS: Discard
- RTF: Mandatory Retrofit
- FNC: Functional Check
- RST: Restoration
- GVI: General Visual Inspection
- SDI: Special Detailed Inspection
- INS: Inspection



PROGRAMA DE MANTENIMIENTO EMB-145LR

SVC: Servicing
LUB: Lubrication
VCK: Visual Check

D. INTERVALO DE INSPECCIÓN

Las siguientes seis columnas (cuando aplique) hacen referencia a los umbrales de inspección, los intervalos e intervalos alternativos con sus respectivas unidades de medición.

E. DESCRIPCIÓN

Descripción de la tarea a ser desarrollada.

F. EFECTIVIDAD

La efectividad está indicada por la palabra ALL, ó ALL145 ó por el código de los modelos, casilla que deberá contener la el modelo EMB-145 LR

01-Ago-2019

Re-edición 02

SEC 1-9

Link Conexión Aérea S.A. de C.V.

SECCIÓN 2

REQUISITOS DE LA


INSPECCIÓN DE RUTINA

(ROUTINE INSPECTION)

REQUISITOS DE LA INSPECCIÓN DE RUTINA (RUOTINE INSPECTION)

Esta sección contiene los requerimientos de inspección rutinarios de todos los sistemas y planta de motriz como resultado de un análisis de MSG3. Las inspecciones qui contenidas establecen un conjunto de tareas rutinarias que cubren servicios e inspecciones visuales de toda la aeronave por condición general. La condición general incluye las verificaciones de las placas, daño estructural, indicaciones de fuga de fluidos, puertas, cubiertas inferiores, paneles de acceso, orificios libres de obstrucción, estáticas de descarga eléctrica por integridad y cubiertas y tapones que estén en su posición correcta.

Las inspecciones de rutina no deben exceder las 100 horas de vuelo o 14 días tiempo calendario, lo primero que ocurra.



- | | |
|---|--|
| 1. FUSELAGE FORWARD SECTION & NOSE LANDING GEAR | 5. VERTICAL/HORIZONTAL STABILIZER AND TAIL |
| 2. FUSELAGE & WING CENTER SECTIONS | 6. FUSELAGE AFT SECTION |
| 3. WING & MAIN LANDING SECTION (RH) | 7. NACELLE SECTION (LH) |
| 4. NACELLE SECTION (RH) | 8. WING & MAIN LANDING GEAR SECTION (LH) |

FUSELAJE FORWARD SECTION & NOSE LANDING GEAR

REFERENCE NUMBER	TYPE	CAT	DESCRIPTION	EFFECTIVITY
32-20-01-211-001-A00	VCK	9	VISUALLY CHECK NOSE LANDING GEAR AND SPRING CARTRIDGES FOR CONDITION AND SHOCK ABSORBER EXTENSION	ALL
32-33-15-720-001-A00	FNC	8	FUNCTIONALLY CHECK LANDING GEAR ACCUMULATOR NITROGEN PRE-CHARGE (SIDE HINGED MAIN DOOR MODEL ONLY).	ALL
32-49-04-212-001-A00	GVI	6	INSPECT (VISUAL INSPECTION) NLG TIRES FOR WEAR AND GENERAL CONDITION	ALL
32-49-05-212-001-A00	GVI	6	INSPECT (VISUAL INSPECTION) NLG WHEEL ASSEMBLY	ALL
34-13-00-212-001-A00	GVI	7	INSPECT (VISUAL INSPECTION) PITOT/STATIC PORTS FOR ABSENCE OF FOREIGN MATTER	ALL
35-10-00-211-001-A00	VCK	7	CHECK CREW OXYGEN PRESSURE	ALL
35-11-03-211-001-A00	VCK	7	VISUALLY CHECK OXYGEN CYLINDER PRESSURE RELIEF DISC	ALL

WING AND MAIN LANDING GEAR (RH & LH)

REFERENCE NUMBER	TYPE	CAT	DESCRIPTION	EFFECTIVITY
12-11-03-680-001-A00	SVC	7	DRAIN FUEL TANKS TO CHECK FOR THE PRESENCE OF WATER	ALL
27-12-01-212-002-A03	GVI	8	INSPECT (VISUALLY INSPECT) AILERON PCA ROD ENDS/FITTING LUGS FOR INTEGRITY AND GENERAL CONDITION PCA P/N 394900-1007	EMB-145 ALL N/A BY P/N INSTALLED 418800- 1005, -1007
28-11-00-212-001-A00	GVI	7	VISUALLY CHECK UNDERWING SURFACES, TANK ACCESS PANELS, DUMP VALVES AND DRAIN VALVES FOR ABSENCE OF FUEL LEAKAGE	ALL
28-12-03-212-001-A00	GVI	7	VISUALLY CHECK NACA AIR INLET FOR ABSENCE OF OBSTRUCTION	ALL
28-20-00-212-001-A00	GVI	7	VISUALLY CHECK FUEL LINE SHROUD DRAINS FOR ABSENCE OF FUEL LEAKAGE	ALL
32-10-00-211-001-A00	VCK	9	VISUALLY CHECK MAIN LANDING GEAR, INCLUDING DOORS AND SPRING CARTRIDGES	ALL
32-10-02-211-001-A00	VCK	9	VISUALLY CHECK MLG SHOCK ABSORBER EXTENSION	ALL

REFERENCE NUMBER	TYPE	CAT	DESCRIPTION	EFFECTIVITY
32-49-01-212-001-A00	GVI	6	INSPECT (VISUAL INSPECTION) MLG TIRES FOR WEAR AND GENERAL CONDITION	ALL
32-49-02-212-001-A00	GVI	6	INSPECT (VISUAL INSPECTION) MLG WHEEL ASSEMBLY	ALL
32-49-03-212-001-A00	GVI	6	INSPECT (VISUAL INSPECTION) BRAKE ASSEMBLY FOR GENERAL CONDITION	ALL
26-14-00-710-001-A00	OPC	8	OPERATIONALLY CHECK LAVATORY SMOKE DETECTION SYSTEM	ALL
26-15-00-710-001-A00	OPC	8	OPERATIONALLY CHECK BAGGAGE SMOKE DETECTION SYSTEM (CLASS "D" BAGGAGE COMPARTMENT ONLY)	ALL N/A, TAR WITH AIRPLANES CLASS C
29-10-04-710-001-A00	OPC	8	OPERATIONALLY CHECK ELECTRIC MOTOR-DRIVEN PUMP (EMDP) IN AUTO AND ON MODES	ALL
30-00-00-710-001-A00	OPC	8	OPERATIONALLY CHECK ANTI-ICING SYSTEM MESSAGES	ALL
72-00-00-970-001-A00	DRC	9	ENGINE TREND DOWNLOAD/ANALYSIS NOTE: OR 75 FC, WHICHEVER OCCURS FIRST	ALL

FUSELAGE AFT SECTION

REFERENCE NUMBER	TYPE	CAT	DESCRIPTION	EFFECTIVITY
12-13-01-610-001-A00	SVC	7	HYDRAULIC SYSTEM RESERVOIR FLUID LEVEL CHECK	ALL
32-44-02-610-001-A00	SVC	7	PARKING/EMERG BRAKE NITROGEN ACCUMULATOR PRESSURE CHARGE	ALL
49-11-01-212-001-A00	GVI	7	INSPECT (VISUAL INSPECTION) APU AND STARTER GENERATOR AIR INTAKE AND EXHAUSTDUCTS FOR FOREIGN MATERIAL OR OBSTRUCTION	ALL

NACELLE SECTION (RH & LH)

REFERENCE NUMBER	TYPE	CAT	DESCRIPTION	EFFECTIVITY
71-12-01-212-002-A00	GVI	7	INSPECT (VISUAL INSPECTION) ENGINE AND GENERATOR COOLING AIR INLETS/OUTLETS FOR ABSENCE OF	ALL

SECCIÓN 3

INSPECCIÓN DE SISTEMAS

Y PLANTA DE POTENCIA

(SYSTEMS AND POWER

PLANT)

INSPECCIONES REQUERIDAS PARA SISTEMAS Y MOTORES

Esta sección contiene todos los requerimientos de inspección de los sistemas y planta motriz resultado del análisis de MSG-3. Estos requerimientos consisten en las tareas de mantenimiento e intervalos asociados desarrollados de acuerdo a las capacidades de operación certificadas de la aeronave.

La organización, de las tareas se encuentran de acuerdo al código ATA.

- 20 Prácticas Estándar
- 21 Aire Acondicionado
- 22 Vuelo Automático
- 23 Comunicación
- 24 Eléctrico
- 25 Equipo y Mobiliario
- 26 Protección contra fuego
- 27 Controles de Vuelo
- 28 Combustible
- 29 Hidráulico
- 30 Protección Contra Hielo y Lluvia
- 31 Indicación
- 32 Tren de Aterrizaje
- 33 Luces
- 34 Navegación
- 35 Oxígeno
- 36 Neumático
- 38 Agua Potable y Aguas Negras
- 45 Sistema Central de Mantenimiento
- 49 Potencia Auxiliar
- 52 Puertas
- 53 Fuselaje
- 71 Planta Motriz
- 72 Motor
- 73 Combustible del Motor
- 74 Ignición del Motor
- 76 Control del Motor
- 78 Escape del Motor
- 79 Aceite del Motor
- 80 Arranque.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
20-00-00-140-002-A00		RST	2C	Clean Center Fuselage III Lower Side including wiring, lines and omega beams (Zones: 151, 152, 153, 154, 155, 156, 157). NOTE: EWIS	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
20-00-00-140-003-A00		RST	2C	Clean Center Fuselage IV Lower Side including wiring, lines and omega beams (Zones: 161, 162). NOTE: EWIS	ALL
20-00-00-140-004-A00		RST	4C	Clean Center Fuselage IV Upper Side surrounding ELT unit (Zones: 262, 264). NOTE: EWIS	ALL
20-00-00-140-005-A00		RST	C	Clean Rear Fuselage I Lower Side, including wiring and lines (Zones: 171, 172). NOTE: EWIS	ALL
20-00-00-140-006-A00		RST	2C	Clean Rear Fuselage I Lateral Side, including electronic rear compartment wiring (Zones: 271, 272). NOTE: EWIS	ALL
20-00-00-140-007-A00		RST	2C	Clean Center Fuselage II Lower Side including wiring, lines and omega beams (Zones: 141, 142). NOTE: EWIS	ALL
20-00-00-140-008-A00		RST	2C	Clean Center Fuselage I Lower Side including wiring, lines and omega beams (Zones: 131, 132). NOTE: EWIS	ALL
20-00-00-140-009-A00		RST	4C	Clean NLG & FWD Electronic Compartments, FWD Pressure Bulkhead Upper Side (Zones: 113, 114, 213, 214, 215, 216). NOTE: EWIS	ALL
20-00-00-140-010-A00		RST	2C	Clean Cockpit Lateral Side and FWD Pressure Bulkhead Upper Side (Zones: 221, 222, 223, 224). NOTE: EWIS	ALL
20-00-00-140-011-A00		RST	2C	Clean Cockpit Lower Side and FWD Pressure Bulkhead Lower Side (Zones: 121, 122, 123, 124). NOTE: EWIS	ALL

01-Ago-2019

Re-edición 02

SEC 3-3

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
20-00-00-212-002-A00		GVI	2C	Inspect (General Visual) Center Fuselage III Lower Side - EWIS Components of APU and Engines Generators Power cables, Hydraulic Pumps Power cables and wiring bundles (Zones: 151, 152, 153, 154, 155, 156, 157). NOTE: EWIS	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
20-00-00-212-003-A00		GVI	2C	Inspect (General Visual) Center Fuselage IV Lower Side - EWIS Components of APU and Engines Generators Power cables, Hydraulic Pumps Power cables and wiring bundles (Zones: 161, 162). NOTE: EWIS	ALL
20-00-00-212-004-A00		GVI	C	Inspect (General Visual) Rear Fuselage I Lower Side – EWIS Components of APU and Engines Generators Power cables and wiring bundles (Zones: 171, 172 / Task applicable to Baggage Compartment Class D). NOTE: EWIS	ALL
20-00-00-212-005-A00		GVI	2C	Inspect (General Visual) Rear Fuselage I Lateral Side - EWIS Components of Engines Generators Power cables and wiring bundles (Zones: 271, 272 / Task applicable to Baggage Compartment Class D). NOTE: EWIS	ALL
20-00-00-212-006-A00		GVI	2C	Inspect (General Visual) Rear Fuselage I Upper Side - EWIS Components of wiring bundles (Zones: 273, 274 / Task applicable to Baggage Compartment Class D). NOTE: EWIS	ALL
20-00-00-212-007-A00		GVI	2C	Inspect (General Visual) Rear Fuselage I, Pressure Bulkhead Pressurized area side - EWIS Components of APU Power Cables and wiring bundles (Zones: 275, 276). NOTE: EWIS	ALL
20-00-00-212-008-A00		GVI	2C	Inspect (General Visual) Rear Fuselage II, Structural area aft of rear pressure bulkhead - EWIS Components of Power cables and wiring bundles (Zones: 311, 312). NOTE: EWIS	ALL
20-00-00-212-010-A00		GVI	2C	Inspect (General Visual) Wing-to-fuselage attachment fairings -EWIS Components of wiring bundles (Zones: 191, 193, 194, 195). NOTE: EWIS	EMB-145LR EMB-145LU EMB-135LR EMB-135KL

01-Ago-2019

Re-edición 02

SEC 3-4

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
20-00-00-212-012-A00		GVI	4C	Inspect (General Visual) NLG Electronic Compartment - EWIS Components of wiring bundles (Zones: 113, 114) NOTE: EWIS	ALL
20-00-00-212-013-A00		GVI	C	Inspect (General Visual) Engine Pylon - EWIS Components of Engines Generators Power cables and wiring bundles (Zones: 414,424). NOTE: EWIS	ALL
20-00-00-212-014-A00		GVI	C	Inspect (General Visual) Engines - EWIS Components of Engines Generators Power cables (Zones: 415, 425). NOTE: EWIS	ALL
20-00-00-220-001-A00		DET	2C	Inspect (Detailed Inspection) - EWIS Components of Wing Tank Unit Harness (Zones: 155, 156, 157, 531, 631, 541, 641). NOTE: EWIS	EMB-145LR EMB-145LU EMB-145XR EMB-135LR EMB-135KL
20-00-00-220-003-A00		DET	2C	Inspect (Detailed Inspection) - Electric Fuel Pump Connector (Zones: 155, 156, 157). NOT E: EWIS	EMB-145LR EMB-145LU EMB-145XR EMB-135LR EMB-135KL
20-00-00-220-007-A00		DET	2C	Inspect (Detailed Inspection) Wing Middle Section - EWIS Components of Pilot Valve harness inside the conduit (Zones: 541,641). NOTE: EWIS	ALL
20-00-00-220-008-A00		DET	2C	Inspect (Detailed Inspection) Wing Middle Section - EWIS Components of Vent Valve harness inside the conduit (Zones: 541,641). NOTE: EWIS	ALL
20-00-00-220-009-A00		DET	4C	Inspect (Detailed Inspection) FWD Electronic Compartment/FWD Pressure Bulkhead Upper Side - EWIS Components of wiring bundles (Zones: 213, 214, 215, 216). NOTE: EWIS	ALL
20-00-00-220-010-A00		DET	2C	Inspect (Detailed Inspection) Cockpit Lower Side – EWIS Components of Power cables (Zones: 123, 124). NOTE: EWIS	ALL

01-Ago-2019

Re-edición 02

SEC 3-5

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
20-00-00-220-011-A00		DET	2C	Inspect (Detailed Inspection) Cockpit Lateral Side - EWIS Components of Power cables (Zones: 223, 224). NOTE: EWIS	ALL
20-00-00-220-012-A00		DET	2C	Inspect (Detailed Inspection) Center Fuselage I Lower Side - EWIS Components of APU and Engines Generators Power cables, Hydraulic Pumps Power cables and wiring bundles (Zones: 131,132).NOTE: EWIS	ALL
20-00-00-220-013-A00		DET	2C	Inspect (Detailed Inspection) Center Fuselage II Lower Side - EWIS Components of APU and Engines Generators Power cables, Hydraulic Pumps Power cables and wiring bundles (Zones: 141,142). NOTE: EWIS	ALL
20-00-00-220-014-A00		DET	10000 FH	Inspect (Detailed Inspection) Forward Fuselage II - EWIS Components of Relay Support Panels wiring bundles (Zones: 223, 224). NOTE: EWIS	ALL
21-20-00-710-001-A00	7	OPC	2C	Operationally Check Air Conditioned Distribution System	ALL
21-21-00-720-001-A00	9	FNC	C	Functionally Check Display Ventilation System	ALL
21-25-01-710-001-A00	8	OPC	C	Operationally Check Ram Air Valve	ALL
21-26-00-710-001-A00	9	OPC	C	Operationally Check Electronic Compartment Ventilation System	ALL
21-26-08-960-001-A00	9	DIS	5A	Discard Exhaust Hoses of the Electronic Bay Compartment Pre-Mod. SB 145-21-0013	ALL
21-26-08-960-001-A01	9	DIS	180 MO	Discard Exhaust Hoses of the Electronic Bay Compartment Post- Mod. SB 145-21-0013	ALL
21-27-00-710-001-A00	9	OPC	A	Operationally Check Baggage Compartment Ventilation System (including High and Low Speed of Fan) (Baggage Compartment with Ventilation System only)	ALL
21-27-02-640-001-A00	8	LUB	C	Lubricate Baggage Compartment Check Valves (Baggage Compartment with Ventilation System only)	ALL
21-27-02-710-001-A00	8	OPC	5A	Operationally Check Baggage Compartment Check Valve (manual check for free movement and correct seating) (Baggage Compartment with Ventilation System only)	ALL
21-31-00-710-001-A00	9	OPC	2C	Operationally Check Pressurization Control System in Manual Mode	ALL
21-31-00-720-002-A00	8	FNC	6000 FH	Functionally Check Outflow Valves Pressure Relief Devices	ALL

01-Ago-2019

Re-edición 02

SEC 3-6

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
21-31-00-720-005-A00	9	FNC	2C	Functionally Check Line for Leakage Post-Mod. SB 145-21-0002	ALL
21-31-03-140-001-A00	6	RST	5A	Clean Electropneumatic Outflow Valve (Non-smoking Flights)	ALL
21-31-03-140-001-A01	6	RST	2A	Clean Electropneumatic Outflow Valve (Smoking Flights)	ALL
21-31-04-140-001-A00	6	RST	1000 FH	Clean Pneumatic Outflow Valve (Non-smoking Flights)	ALL
21-31-04-140-001-A01	6	RST	400 FH	Clean Pneumatic Outflow Valve (Smoking Flights)	ALL
21-31-08-960-001-A00	6	DIS	3200 FH	Replace Air Filter Element (Non-smoking Flights)	ALL
21-31-08-960-001-A01	6	DIS	1800 FH	Replace Air Filter Element (Smoking Flights)	ALL
21-51-00-710-001-A00	8	OPC	C	Operationally Check Cooling Pack System to Verify ECS OFF Signal	ALL
21-51-00-720-001-A00	6	FNC	2C	Functionally Check Cooling Pack System	ALL
21-51-00-720-003-A00	8	FNC	C	Functionally Check Pack Duct Overtemperature Protection	ALL
21-51-01-130-001-A00	6	RST	5A	Clean Pack Valve Filter Using Ultrasonic Method	ALL
21-51-02-170-001-A00	6	RST	C	Clean Dual Heat Exchanger and Visually Check Condition of Core	ALL
21-51-10-710-001-A00	8	OPC	2C	Operationally Check Pack Leak Switch	ALL
21-60-00-710-001-A00	9	OPC	2C	Operationally Check Temperature Control	ALL
22-11-00-710-001-A00	9	OPC	C	Operationally Check AFCS Go-Around Mode NOTE: Also Check TCS Mode.	ALL
23-51-00-710-001-A00	8	OPC	A	Operationally Check Audio System Emergency Mode	ALL
23-60-00-720-001-A00	9	FNC	8000 FH	Functionally Check Static Discharger	ALL
23-71-00-710-001-A00	9	OPC	C	Operationally Check Voice Recorder 4 Channels and Area Microphone NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
23-71-02-710-001-A00	9	OPC	24 MO	Operationally Check CVR Underwater Locator Beacon	ALL
23-71-02-960-001-A00	9	DIS	(*)	Discard CVR Underwater Locator Beacon Battery (*) NOTE: ULB battery change in accordance with manufacturer's dataplate expiration date.	ALL
24-31-00-710-001-A00	9	OPC	C	Operationally Check Main Generation Switching Circuit	ALL
24-31-00-710-002-A00	9	OPC	C	Operationally Check Main Generation Overcurrent Protection Circuit	ALL
24-31-01-900-001-A00	7	RST	3200 FH	Restore Main Generator P/N 30086-010	ALL
24-31-01-900-001-A01	7	RST	4000 FH	Restore Main Generator P/N 30086-011	ALL
24-34-00-710-001-A00	9	OPC	C	Operationally Check APU Generation Overcurrent Protection Circuit	ALL
24-34-00-710-002-A00	9	OPC	C	Operationally Check APU Generation Switching Circuit	ALL
24-34-01-900-001-A00	7	RST	1200 AH	Restore APU Starter/Generator	ALL

01-Ago-2019

Re-edición 02

SEC 3-7

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
24-34-01-960-001-A00	7	DIS	800 AH	Discard APU Starter/Generator Brushes	ALL
24-35-01-720-001-A00	8	FNC	6 MO	Functionally Check Back-up Battery NOTE: From the manufacture date or last restoration.	ALL
24-35-01-900-001-A00	8	RST	12 MO	Restore Back-up Battery NOTE: From the manufacture date or last restoration.	ALL
24-36-01-610-001-A00	6	SVC	500 FH	Service Main Battery MARATHON P/N 32248-001NOTE: From the manufacture date or last restoration.	ALL
24-36-01-610-001-A02	6	SVC	2000 FH	Service Main Battery MARATHON M3 P/N 32845-001NOTE: From the manufacture date or last restoration.	ALL
24-36-01-720-001-A00	6	FNC	1000 FH	Functionally Check Main Battery SAFT P/N 442CH1NOTE: From the manufacture date or last restoration.	ALL
24-36-01-900-001-A00	6	RST	12 MO	Restore Main Battery SAFT P/N 442CH1NOTE: From the manufacture date or last restoration.	ALL
24-40-00-720-001-A00	7	FNC	C	Functionally Check GPU Overvoltage Protection	ALL
24-54-00-212-001-A00	7	GVI	C	Inspect (General Visual) PC Power Components NOTE: If PC Power System installed.	ALL
24-60-00-710-001-A00	8	OPC	C	Operationally Check Electrical Emergency Transfer Circuit	ALL
24-60-00-710-002-A00	9	OPC	A	Operationally Check Electrical Emergency Abnormal Alarm	ALL
25-11-01-140-001-A00	8	RST	A	Clean Flight Crew Seats Locking System	ALL
25-11-01-220-001-A00	8	DET	4000 FH	Inspect (detailed inspection) cockpit seats for security of attachment to the track, including restraint system (seat belt).	ALL
25-11-01-710-001-A00	8	OPC	4000 FH	Operationally Check Pilot/Copilot Seat Restraint System (seat belt).	ALL
25-21-00-212-001-A00	7	GVI	C	Inspect (General Visual) Passenger Seats (Fabric Cover, Tray, Safety Belt Integrity and Attachment to the Track)	ALL
25-21-00-220-002-A00	8	DET	C	Inspect (Detailed Inspection) Flight Attendant Seats Harness, Inertial Reel for Condition and the Seat Bottom for Freedom of Movement and Returning Back to Upright Position	ALL
25-21-00-220-003-A00	8	DET	5000 FH	Inspect (Detailed Inspection) Passenger Pivot Fittings for Cracks.	ALL
25-60-00-212-001-A00	8	GVI	6 MO	Inspect (General Visual) First Aid Kit and Medical Kit for condition and validation P/N 106 A, 6240-37, S6-01-0005-311, S6-01-0005-314, 70004-00, 01-00-48, 25-60-109-2, 25-60-109SL, 01-70-90, LAI 5532, 4531 and 73S601005107	ALL
25-60-02-900-001-A00	8	RST	24 MO	Restore Flotation Vest PN 3505-101CW, 3505-101W, 3500-111W and 2000-105Y NOTE: In accordance with expiration date or Local Regulatory Authority Requirements.	ALL
25-60-02-900-001-A01	8	RST	48 MO	Restore Flotation Vest PN MK3 NOTE: Every 24 MO after 120 MO from date of manufacture; every 12 MO after 168 MO from date of manufacture; in accordance with expiration date or Local Regulatory Authority Requirements.	ALL
25-60-02-900-001-A02	8	RST	120 MO	Restore Flotation Vest PN MK20SV and MK22SV NOTE: Every 12 MO after 240 MO from date of manufacture; in accordance with expiration date or Local Regulatory Authority Requirements.	ALL

01-Ago-2019

Re-edición 02

SEC 3-8

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
25-60-02-900-001-A03	8	RST	120 MO	Restore Flotation Vest PN 63600-Series (Vacuum Packed) NOTE: Every 60 MO for sewn packed; in accordance with expiration date or Local Regulatory Authority Requirements.	ALL
25-60-02-900-001-A04	8	RST	12 MO	Restore Flotation Vest PN 35-21-02 NOTE: In accordance with expiration date or Local Regulatory Authority Requirements.	ALL
25-60-04-710-001-A00	8	OPC	6 MO	Operationally Check Megaphone P/N ACR/EM-1A	ALL
25-60-04-960-001-A00	6	DIS	12 MO	Discard of Megaphone Batteries P/N ACR/EM-1A	ALL
25-60-05-212-001-A00	8	GVI	2C	Inspect (General Visual) Cockpit Escape Rope P/N 120-15112-001	ALL
25-61-00-212-001-A00	8	GVI	12 MO	Inspect (General Visual) Emergency Locator Transmitter for Condition – Proper Installation – Battery Corrosion and Leakage NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
25-61-00-710-001-A00	8	OPC	12 MO	Operationally Check Emergency Locator Transmitter System – Proper Operation – Crash Switch Operation NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
25-61-04-960-001-A00	8	DIS	26 MO	Replace ELT battery ARTEX P/N 452-0130 NOTE: ELT battery change in accordance with manufacturer data plate expiration date or Local Regulatory Authority Requirements.	ALL
25-61-04-960-001-A01	8	DIS	60 MO	Replace ELT batteries SOCATA P/Ns ELT90A2560102000 and L94 NOTE: ELT batteries change in accordance with manufacturer data plate expiration date or Local Regulatory Authority Requirements.	ALL
25-61-04-960-001-A02	8	DIS	60 MO	Replace ELT battery ARTEX P/N 452-0133 NOTE: ELT battery change in accordance with manufacturer data plate expiration date or Local Regulatory Authority Requirements.	ALL
26-14-01-100-001-A01	8	RST	3000 FH	Lavatory Smoke Detector Restoration (Cleaning). NOTE: Only applicable to Smoke Detector P/N FTA719-01.	ALL
26-14-01-710-001-A00	8	OPC	5000 FH	Operational Check of Lavatory Smoke Detector. PRE-MOD SB 145-26-0014	ALL
26-15-00-720-001-A00	8	FNC	A	Functionally Check JAMCO Baggage Compartment Smoke Detection System (actuating each Smoke Sensor in the Baggage Compartment with a Smoke Tester) NOTE: Or 3 MO, whichever occurs first.	ALL

01-Ago-2019

Re-edición 02

SEC 3-9

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
26-15-01-710-001-A00	8	OPC	2500 FH	Operational check of WALTER KIDDE Baggage Compartment Smoke Detection System Maintenance LED	ALL
26-21-00-720-001-A00	9	FNC	2C	Functionally Check Engine Fire Extinguishing System NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
26-21-02-720-001-A00	9	FNC	60 MO	Perform Hydrostatic Check of the Engine Fire Extinguishing Bottle NOTE: From the manufacture date or last task accomplishment.	ALL
26-21-02-720-002-A00	9	FNC	12 MO	Functionally check Engine Fire Extinguishing Bottle for weight and Check Bottle Gauge pressure NOTE: From the manufacture date or last task accomplishment.	ALL
26-21-03-720-001-A00	9	FNC	60 MO	Functionally Check Engine Fire Extinguishing Bottle Pressure Switch NOTE: Check at each Bottle Hydrostatic Test (60 MO).	ALL
26-21-04-960-001-A00	9	DIS	72 MO	Discard Engine Fire Extinguishing Bottle Cartridges NOTE: The cartridge has a maximum installed life of 72 MO not exceeding 108 MO from the manufacturing date. Or in accordance with manufacturer's recommendation.	ALL
26-21-05-720-001-A00	9	FNC	2C	Functionally Check Two-Way "Tee" Check Valves	ALL
26-22-00-720-001-A00	9	FNC	2C	Functionally Check APU Fire Extinguishing System (between Switch and Bottle Connector) and verify APU isolation by APU Fuel Shutoff Valve actuation NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
26-22-01-720-001-A00	9	FNC	60 MO	Perform Hydrostatic Check of APU Fire Extinguishing Bottle NOTE: From the manufacture date or last task accomplishment.	ALL
26-22-01-720-002-A00	9	FNC	12 MO	Functionally check APU Fire Extinguishing Bottle for weight and Check Bottle Gauge pressure. NOTE: From the manufacture date or last task accomplishment.	ALL
26-22-02-720-001-A00	9	FNC	60 MO	Functionally Check APU Fire Extinguishing Bottle Pressure Switch NOTE: Check at each Bottle Hydrostatic Test (60 MO).	ALL
26-22-03-960-001-A00	9	DIS	72 MO	Discard APU Fire Extinguishing Bottle Cartridges NOTE: The cartridge has a maximum installed life of 72 MO not exceeding 108 MO from the manufacturing date. Or in accordance with manufacturer's recommendation.	ALL
26-23-00-720-001-A00	8	FNC	C	Functionally Check Baggage Compartment Fire Extinguishing System (covering the Pressure Switch, Cartridge, Baggage Fire Extinguishing Switch and Electrical Hardware. Class "C" Baggage Compartment only)	ALL

01-Ago-2019

Re-edición 02

SEC 3-10

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
26-23-01-720-001-A00	6	FNC	120 MO	Perform Hydrostatic Check of Baggage Compartment Fire Extinguishing Bottles (High Rate and Metering) NOTE: From the manufacture date or last task accomplishment.	ALL
26-23-01-720-002-A00	8	FNC	60 MO	Functionally check Baggage Compartment Fire Extinguishing Bottles (High Rate and Metering) for weight (Class "C" Baggage Compartment only) NOTE: From the manufacture date or last task accomplishment	ALL
26-23-02-960-001-A00	6	DIS	120 MO	Discard Baggage Compartment Fire Extinguishing Bottles (High Rate and Metering) Cartridges (Class "C" Baggage Compartment only) NOTE: 180 months from date of manufacture (DOM) or 120 months from date of installation, whichever occurs first.	ALL
26-23-04-720-001-A00	8	FNC	2C	Functionally Check Two Way Check "Tee" Valve (Class "C" Baggage Compartment only)	ALL
26-23-05-212-001-A00	8	GVI	10000 FH	Inspect (General Visual) discharge piping for cracks, bent and loose fittings, and nozzles for damage	ALL
26-24-00-211-001-A00	8	VCK	1 MO	Visually Check Portable Fire Extinguishers NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
26-24-00-720-001-A00	8	FNC	12 MO	Inspect Portable Fire Extinguishing Bottle for Weight (see Placard attached to the Bottle) NOTE: From the manufacture date or last task accomplishment	ALL
26-24-01-720-001-A00	8	FNC	60 MO	Perform Hydrostatic Check of Portable Fire Extinguishing Bottles P/N 892480 NOTE: From the manufacture date or last task accomplishment.	ALL
26-24-01-720-001-A01	8	FNC	144 MO	Perform Hydrostatic Check of Portable Fire Extinguishing Bottles P/N 100-9750, 466090, 898052, A352 Series and C352 Series NOTE: from manufacture date or last task accomplishment.	ALL
26-24-01-960-001-A00	8	DIS	144 MO	Discard the Portable Fire Extinguisher P/N RTA1200. NOTE: From the manufacture date.	ALL
26-25-01-720-001-A00	9	FNC	12 MO	Functionally check Lavatory Fire Extinguisher Bottle P/N BA22653-1 and P/N BA22654-1 for weight. NOTE: From the manufacture date or last task accomplishment	ALL
26-25-01-720-001-A01	9	FNC	60 MO	Functionally check Lavatory Fire Extinguisher Bottle P/N BA24320E-1 for weight. NOTE: From the manufacture date or last task accomplishment	ALL
27-11-00-220-001-A00	8	DET	C	Inspect (Detailed Inspection) Aileron Primary Mechanical Control from Control Wheel to Aileron PCAs, Checking Cables, Pulleys, NRUs, Quadrants, Disconnect System and Mechanical Links	ALL
27-11-00-640-001-A00	6	LUB	C	Lubricate Control Wheel Chain	ALL

01-Ago-2019

Re-edición 02

SEC 3-11

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
27-11-00-720-001-A00	6	FNC	C	Functionally Check Aileron Primary Mechanical Control Backlash NOTE: Threshold at 3C.	ALL
27-11-01-720-001-A00	6	FNC	C	Functionally Check Tension of Aileron Control Cables NOTE: For new cables, check tension of the cable loop affected at first A and 2A before escalating to C.	ALL
27-12-00-720-001-A00	8	FNC	2C	Functionally Check Aileron Hydraulic Actuation	ALL
27-12-00-720-002-A00	8	FNC	A	Functionally Check Aileron Hydraulic Damping Pre-Mod. SB 145-27-0062	EMB-145 ALL
27-12-00-720-003-A03	8	FNC	3A	Functionally Check External Leakage of Aileron Hydraulic Actuator Pre-Mod. SB 145-27-0063 for aircraft Certificated Under ANAC/FAA Regulations	EMB-145 (ALL)
27-12-00-720-003-A04	8	FNC	5A	Functionally check External Leakage of Aileron Hydraulic Actuator Post-Mod. SB 145-27-0063 for aircraft Certificated Under ANAC/FAA Regulations	EMB-145 (ALL)
27-12-00-720-003-A05	8	FNC	2A	Functionally check External Leakage of Aileron Hydraulic Actuator for aircraft Certificated Under EASA Regulations	EMB-145 (ALL)
27-12-01-212-001-A00	7	GVI	C	Inspect (Visual Inspection) Aileron PCA Hoses	ALL
27-12-01-212-002-A04	8	GVI	25 FH or 3 days	Inspect (Visual Inspection) Aileron PCA Rod Ends/Fitting Lugs for Integrity and General Condition for aircraft Equipped with PCA P/N 394900-1003 or P/N 394900-1005	EMB-145 (ALL)
27-12-01-212-002-A05	8	GVI	A	Inspect (Visual Inspection) Aileron PCA Rod Ends/Fitting Lugs for Integrity and General Condition Post-Mod. SB145-27-0061 and Post-Mod. SB 145-27-0062 and Post-Mod. SB 145-57-0019 and Pre-Mod. SB 145-27-0063	EMB-145 (ALL)
27-12-01-212-002-A06	8	GVI	2A	Inspect (Visual Inspection) Aileron PCA Rod Ends/Fitting Lugs for Integrity and General Condition Post-Mod. SB 145-27-0061 and Post-Mod. SB 145-27-0062 and Post-Mod. SB 145-57-0019 and Post-Mod. SB 145-27-0063, for aircraft Certificated Under ANAC/FAA Regulations	EMB-145 (ALL)
27-12-01-212-002-A07	8	GVI	2A	Inspect (Visual Inspection) Aileron PCA Rod Ends/Fitting Lugs for Integrity and General Condition Post-Mod. SB 145-27-0061 and Post-Mod. SB 145-27-0062 and Post-Mod. SB 145-57-0019, for aircraft Certificated Under EASA Regulations	EMB-145 (ALL)
27-12-01-720-001-A03	8	FNC	A	Functionally Check Aileron Actuator Damping Components and Monitoring Devices Post-Mod. SB 145-27-0062 and Pre-Mod. SB 145-27-0063 for aircraft Certificated Under ANAC/FAA Regulations	EMB-145 (ALL)
27-12-01-720-001-A04	8	FNC	5A	Functionally Check Aileron Actuator Damping Components and Monitoring Devices Post-Mod. SB 145-27-0062 and Post-Mod. SB 145-27-0063 for aircraft Certificated Under ANAC/FAA Regulations	EMB-145 (ALL)
27-12-01-720-001-A05	8	FNC	2A	Functionally Check Aileron Actuator Damping Components and Monitoring Devices Post-Mod. SB 145-27-0062 for aircraft Certificated Under EASA Regulations	EMB-145 (ALL)

01-Ago-2019

Re-edición 02

SEC 3-12

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
27-12-01-720-002-A01	9	FNC	C	Functionally Check Aileron Actuator Force Fight Post-Mod. SB 145-27-0062 for aircraft Certificated Under ANAC/FAA Regulations	ALL
27-12-01-720-002-A02	9	FNC	2A	Functionally Check Aileron Actuator Force Fight Post-Mod. SB 145-27-0062 for aircraft Certificated Under EASA Regulations	EMB-145 (ALL)
27-12-03-212-001-A00	9	VCK	2A	Inspect (Visual Inspection) Aileron Damper Rod Ends/Fitting Lugs for Integrity and General Condition Post-Mod. SB 145-27-0063 NOTE: This task is applicable only to aircraft under ANAC/FAA Certifications.	EMB-145 (ALL)
27-12-03-720-001-A00	9	FNC	5A	Functionally Check Aileron Damper Damping Force Post-Mod. SB 145-27-0063 NOTE: This task is applicable only to aircraft under ANAC/FAA Certifications.	EMB-145 (ALL)
27-12-03-720-002-A00	9	FNC	5A	Functionally Check External Leakage of Aileron Damper Post-Mod. SB 145-27-0063 NOTE: This task is applicable only to aircraft under ANAC/FAA Certifications.	EMB-145(ALL)
27-13-00-710-001-A00	8	OPC	C	Operationally Check Aileron Solenoid Manifold Shutoff Function	ALL
27-14-00-720-001-A00	9	FNC	C	Functionally Check Roll Trim	ALL
27-15-00-710-001-A00	8	OPC	C	Operationally Check Aileron Disconnect System	ALL
27-15-02-640-001-A00	8	LUB	2C	Lubricate Aileron Disconnect System NOTE: The Plate Mechanism is Bench Lubricated.	ALL
27-21-01-220-001-A00	9	DET	C	Inspect (Detailed Inspection) Rudder Primary Mechanical Control Checking Cables, Pulleys and Quadrants	ALL
27-21-01-720-001-A00	9	FNC	C	Functionally Check Tension of Rudder Control Cables NOTE: For new cables, check tension of the cable loop affected at first A and 2A before escalating to C.	ALL
27-21-02-220-001-A00	8	DET	C	Inspect (Detailed Inspection) Rudder Main Control Feedback Path, PCU Linkage and Mounting Points, Rudder Actuator Attachments, Hinges, and Connecting Rods NOTE: Requires removal of Concentric and Eccentric Pins.	ALL
27-22-00-720-001-A00	9	FNC	C	Functionally Check Rudder Backlash	ALL
27-22-01-720-001-A00	9	FNC	C	Functionally Check Rudder Power Control Unit/Actuators Differential Pressure	ALL
27-22-02-212-001-A00	6	GVI	C	Inspect (Visual Inspection) Rudder Actuators	ALL
27-31-00-720-001-A00	6	FNC	C	Functionally Check Elevator Primary Mechanical Control Backlash	ALL
27-31-01-220-001-A00	6	DET	C	Inspect (Detailed Inspection) Elevator Control Cables	ALL

01-Ago-2019

Re-edición 02

SEC 3-13

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
27-31-01-720-001-A00	6	FNC	C	Functionally Check Tension of Elevator Control Cables NOTE: For new cables, check tension of the cable loop affected at first A and 2A before escalating to C.	ALL
27-31-04-710-001-A00	9	OPC	A	Operationally Check Spring/Servo Tab	ALL
27-31-05-220-002-A00	8	DET	C	Inspect (Detailed Inspection) Spring Tab Attachment Link	ALL
27-35-00-640-001-A00	8	LUB	2C	Lubricate Elevator Disconnect System NOTE: The Plate Mechanism is Bench Lubricated.	ALL
27-35-00-710-001-A00	8	OPC	C	Operationally Check Elevator Disconnect System	ALL
27-36-00-710-001-A00	8	OPC	500 FH	Operationally Check Stall Protection System	ALL
27-36-00-720-001-A00	9	FNC	500 FH	Functionally Check ICE/SPS Speeds Interface Circuit	ALL
27-40-00-710-002-A00	9	OPC	C	Operationally Check Backup/Main Cut-out Switch and Quick Disconnect Switch	ALL
27-40-00-710-003-A00	9	OPC	A	Operationally Check Lockout Logic of Horizontal Stabilizer Control Unit Post-Mod. SB-145-27-0106	ALL
27-40-00-720-001-A00	8	FNC	5000 FH	Functionally Check Horizontal Stabilizer Backlash	ALL
27-40-02-220-001-A00	8	DET	C	Inspect (Detailed Inspection) Horizontal Stabilizer Actuator Integrity and Attachments	ALL
27-40-02-610-001-A00	6	SVC	2000 FH	Service Horizontal Stabilizer Actuator and check for leakage	ALL
27-40-03-640-001-A00	6	LUB	5A	Lubricate Main Pitch Trim Switches	ALL
27-51-00-212-001-A00	7	GVI	C	Inspect (Visual Inspection) Flap Mechanical Line	ALL
27-51-00-220-001-A00	6	DET	C	Inspect (Detailed Inspection) Flap Flexible Shafts	ALL
27-51-00-610-001-A00	6	SVC	C	Service Flap Screw-jack Actuators Gearbox PRE-MOD SB 145-27-0118 145-27-0118	ALL
27-51-00-610-001-A01	6	SVC	2C	Service Flap Screw-jack Actuators Gearbox POST-MOD SB 145-27-0118 145-27-0118	ALL
27-51-00-640-001-A00	6	LUB	2A	Lubricate Flap Screw-Jack Actuators (FSAs)	ALL
27-51-01-720-001-A00	8	FNC	5A	Functionally Check Flap Transmission Brake Holding Capability	ALL
27-51-15-220-001-A00	8	DET	2C	Inspect (Detailed Inspection) Flap Rollers for Structural Integrity	ALL
27-51-17-720-001-A00	8	FNC	C	Functionally Check MTB (Flap Drive Motor Unit) Holding Capability	ALL
27-53-00-710-001-A00	9	OPC	A	Operationally Check FLAP FAIL Message	ALL
27-53-00-710-002-A00	8	OPC	A	Operationally Check of Take-off Flap Aural Warning and No Take-off Configuration Visual Warning	ALL
27-63-01-710-001-A00	9	OPC	C	Operationally Check Spoiler System	ALL
27-70-00-710-001-A00	7	OPC	C	Operationally Check Mechanical Gust Lock Mechanism	ALL
27-70-00-720-001-A00	9	FNC	4000 FH	Functionally Check the Gap of Elevator Secondary Stop (Mechanical Gust Lock System only) Pre-Mod. SB 145-27-0079	ALL
27-71-00-220-001-A00	9	DET	C	Inspect (Detailed Inspection) Electromechanical Gust Lock Mechanism	ALL
27-71-00-710-003-A00	9	OPC	A	Operationally Check Electromechanical Gust Lock System	ALL

01-Ago-2019

Re-edición 02

SEC 3-14

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
28-11-04-710-001-A00	9	OPC	2C	Operationally Check (Manual Check for Free Movement and Sealing Condition) Flap Valves (Ribs 1 and 7) NOTE: Check during Internal Tank Inspection.	ALL
28-12-01-710-001-A00	9	OPC	2C	Operationally Check (Manual Check) Vent Float Valves NOTE: Check during Internal Tank Inspection.	ALL
28-12-04-710-001-A00	9	OPC	2C	Operationally Check Flap Valve (Manual Check for Free Movement and Sealing Condition) NOTE: Check during Internal Tank Inspection.	ALL
28-12-05-211-001-A00	8	VCK	C	Visually Check Flame Arrestor for Honey Comb Clogging, and Attaching Parts for Security	ALL
28-12-05-710-001-A00	8	OPC	C	Operationally Check Flame Arrestor in/out Flow Valves for Freedom Movement	ALL
28-21-03-720-001-A00	9	FNC	2C	Functionally Check Relief Valve	ALL
28-21-04-710-001-A00	9	OPC	C	Operationally Check Crossfeed Valve	ALL
28-21-10-710-001-A00	8	OPC	8000 FH	Operationally Check Fuel Feed Line Shroud	ALL
28-22-03-710-001-A00	8	OPC	10000 FH	Operationally check APU Fuel Feed Line Shroud	ALL
28-41-00-710-001-A00	9	OPC	C	Operationally Check Electrical Fuel Quantity Indicating System (Fuel Low Level Logic)	ALL
28-43-00-720-001-A00	9	FNC	2C	Functionally Check Fuel Temperature Indication System	ALL
28-44-00-720-001-A00	9	FNC	2C	Functionally Check Low Level Warning System NOTE: Check during Internal Tank Inspection.	ALL
28-45-00-710-001-A00	9	OPC	2A	Operationally Check Low Pressure Warning System	ALL
28-50-01-220-001-A00	8	DET	2C	Inspect (Detailed Inspection) Fuel Pump Electrical Harness NOTE: EWIS/SFAR 88.	ALL
28-50-02-220-001-A00	8	DET	2C	Inspect (Detailed Inspection) Wing Tank Unit NOTE: This task complies with Fuel Tank Ignition Source Prevention (SFAR 88)	ALL
28-50-04-212-001-A00	8	GVI	2C	Inspect (General Visual) Wing Stub Harnesses NOTE: EWIS/SFAR 88.	ALL
28-50-05-212-001-A00	8	GVI	2C	Inspect (General Visual) Trailing Edge Harnesses NOTE: EWIS/SFAR 88.	ALL
28-50-06-212-001-A00	8	GVI	2C	Inspect (General Visual) Leading Edge Harnesses NOTE: EWIS/SFAR 88.	ALL
29-10-00-710-001-A00	9	OPC	C	Operationally Check Electric Motor Driven Pumps Input Signals	ALL
29-10-00-790-001-A00	9	FNC	2C	Functionally Check of Hydraulic Power System for Internal Leakage	ALL
29-10-01-710-001-A00	8	OPC	C	Operationally Check Shutoff Valve by means of the Hydraulic Panel Switch	ALL
29-10-04-900-001-A00	7	DIS	6000 FH	Replace EMDP Brushes	ALL
29-10-08-211-001-A00	9	VCK	A	Visually Check Differential Pressure Indicators for Red Pins Popped out	ALL

01-Ago-2019

Re-edición 02

SEC 3-15

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
29-10-10-720-001-A00	8	FNC	C	Functionally Check Return Filter By-Pass Valve NOTE: 2C if fluid contamination is checked at C interval.	ALL
29-10-13-720-001-A00	9	FNC	C	Functionally Check Priority Valve	ALL
29-30-03-720-001-A00	9	FNC	C	Functionally Check Hydraulic Filters Differential Pressure Indicators NOTE: 2C if fluid contamination is checked at C interval.	ALL
29-30-05-710-001-A00	9	OPC	2C	Operationally Check HYD SYS OVHT Message	ALL
30-11-05-710-001-A00	9	OPC	2C	Operationally Check Wing Leak Thermostat	ALL
30-12-00-710-001-A00	8	OPC	C	Operationally Check Electrical Hardware of the Horizontal Stabilizer Thermal Anti-Icing System	ALL
30-12-05-710-001-A00	9	OPC	2C	Operationally Check Horizontal Stabilizer Leak Thermostat	ALL
30-20-00-220-001-A00	9	DET	C	Inspect (Detailed Inspection) Thermal Anti-Ice (TAI) Exhaust Duct for Condition and Security of Installation	ALL
30-20-01-720-001-A00	9	FNC	C	Functionally Check Thermal Anti-Ice (TAI) Interbulkhead Assembly for Leakage	ALL
30-31-00-710-001-A00	9	OPC	C	Operationally Check Pitot & Anemometric Static Port Heating	ALL
30-31-00-710-002-A00	9	OPC	C	Operationally Check Pressurization Static Port Heating	ALL
30-31-08-710-001-A00	9	OPC	2C	Operationally Check Pitot Lines Heater. NOTE: If installed.	ALL
30-32-00-710-001-A00	9	OPC	C	Operationally Check AOA Sensor Heating	ALL
30-33-00-710-001-A00	9	OPC	C	Operationally Check TAT Sensor Heating	ALL
30-42-00-710-001-A00	9	OPC	C	Operationally Check Windshield Heating	ALL
30-43-01-211-001-A00	9	VCK	(*)	Visually Check Rain Repellent Coating (RRC), if installed. (*) NOTE: 24 MO or 1500 FH whichever occurs first.	ALL
31-21-00-710-001-A00	9	OPC	C	Operationally Check Digital Clock NOTE: Or in accordance with Local Regulatory Authority Requirements. Check together with task 31-31-00-720-001-A00.	ALL
31-31-00-710-001-A00	9	DRC	12 MO	FDR DATA - Personal Computer Downloading	ALL
31-31-00-720-001-A00	6	FNC	C	Functionally Check Flight Data Recorder System NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
31-31-02-710-001-A00	9	OPC	24 MO	Operationally Check FDR Underwater Locator Beacon	ALL
31-31-02-960-001-A00	9	DIS	(*)	Discard FDR Underwater Locator Beacon Battery (*) NOTE: ULB battery change in accordance with manufacturer's dataplate expiration date.	ALL
31-41-00-710-001-A00	9	OPC	C	Operationally Check DAU Channel Reversion Function	ALL

01-Ago-2019

Re-edición 02

SEC 3-16

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
32-10-01-900-001-A00	8	RST	144 MO	Restore Main Landing Gear (MLG) Leg Strut Assy (PNs 2309-2002-Series, 2309-3002-Series, 2309-3100-Series and 2309-4002-Series). NOTE: Or 20000 FC, whichever occurs first.	ALL
32-10-01-900-002-A00	8	RST	144 MO	Restore MLG Trailing Arm Assy (PNs 2309-2037-Series, 2309-3037-Series and 2309-4037-Series), including wheel axle. NOTE: Or 20000 FC, whichever occurs first.	ALL
32-10-02-610-001-A00	9	SVC	5A	Service MLG Shock Absorber NOTE: Or 15 MO, whichever occurs first.	ALL
32-10-02-900-001-A00	8	RST	144 MO	Restore MLG Shock Absorber Assy (PNs 2309-2005-Series) NOTE: Or 20000 FC, whichever occurs first.	ALL
32-10-03-900-001-A00	8	RST	144 MO	Restore MLG Main Side Strut Assy (PNs 2309-2500-Series and 2309-3500-Series) NOTE: Or 20000 FC, whichever occurs first.	ALL
32-10-04-900-001-A00	8	RST	144 MO	Restore MLG Secondary Side Strut Assy (PNs 2309-2600-Series) NOTE: Or 20000 FC, whichever occurs first.	ALL
32-20-01-610-001-A00	9	SVC	5A	Service NLG Shock Absorber NOTE: Or 15 MO, whichever occurs first.	ALL
32-20-01-720-001-A00	8	FNC	144 MO	Functionally Check NLG Leg for Centering Cam Play NOTE: Perform at the opportunity of NLG Leg Strut Restoration.	ALL
32-20-01-900-001-A00	8	RST	144 MO	Restore Nose Landing Gear (NLG) Strut, including Torque Link, Steering Cuff, Sliding Tube and Web Assy components; and their attaching parts. NOTE: Or 20000 FC, whichever occurs first.	ALL
32-20-02-900-001-A00	8	RST	144 MO	Restore NLG Main Drag Strut NOTE: Or 20000 FC, whichever occurs first.	ALL
32-20-03-900-001-A00	8	RST	144 MO	Restore NLG Auxiliary Drag Strut NOTE: Or 20000 FC, whichever occurs first.	ALL
32-32-00-710-001-A00	9	OPC	C	Operationally Check Landing Gear Extension and Retraction (Electrical) Indication and Downlock Relays by Channels A and B	ALL
32-32-02-710-001-A00	8	OPC	2C	Operationally Check Solenoid and Downlock Release Button of the Landing Gear Control Lever	ALL
32-34-00-640-001-A00	8	LUB	500 FH	Lubricate Landing Gear (MLG & NLG) and Steering System	ALL
32-34-00-710-001-A00	9	OPC	C	Operationally Check Landing Gear Emergency Extension (Override Switch)	ALL

01-Ago-2019

Re-edición 02

SEC 3-17

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
32-34-00-720-001-A00	8	FNC	A	Functionally Check Landing Gear Emergency Extension Pre-Mod. SB 145-32-0036 and/or SB 145-32-0037	ALL
32-34-00-720-001-A01	8	FNC	C	Functionally Check Landing Gear Emergency Extension Post-Mod. SB 145-32-0036 and Post-Mod. SB 145-32-0037	ALL
32-34-03-720-001-A00	8	FNC	2C	Functionally Check Condition and Tension of Free-Fall Control Cables	ALL
32-41-00-720-001-A00	6	FNC	C	Functionally Check Main Brake System	ALL
32-41-01-710-001-A00	8	OPC	2C	Operationally Check Brake Pedal Transducer	ALL
32-41-07-720-001-A00	9	FNC	C	Functionally Check Brake Hydraulic Fuse	ALL
32-41-09-710-001-A00	8	OPC	C	Operationally Check Return Line Check Valve of Main Brake System	ALL
32-44-00-720-001-A00	8	FNC	2C	Functionally Check Emergency Parking Brake System	ALL
32-44-02-720-001-A00	8	FNC	2A	Functionally Check Hydraulic Accumulator for Nitrogen Pre-Charge	ALL
32-44-06-720-001-A00	8	FNC	2C	Functionally Check Thermal Relief Valve of the Emergency/Parking Brake System	ALL
32-44-08-710-001-A00	8	OPC	C	Operationally Check Return Line Check Valve of Emergency/ Parking Brake System	ALL
32-44-10-640-001-A00	8	LUB	C	Lubricate Mechanical Hardware (Handle) and Roller of Emergency Parking Brake Valve	ALL
32-49-01-610-001-A00	6	SVC	2 days	Check MLG Tire Inflation Pressure	ALL
32-49-02-220-001-A00	7	DET	(*)	Inspect (Detailed Inspection) of Wheels Speed Transducer Clip in the Hub Cap Drive Clip (*) NOTE: At each Tire change.	ALL
32-49-03-220-001-A00	6	DET	(*)	Inspect (Detailed Inspection) of Brake Wear Indicator (*) NOTE: At each Tire change.	ALL
32-49-04-610-001-A00	6	SVC	2 days	Check NLG Tire Inflation Pressure	ALL
32-49-07-710-001-A00	8	OPC	(*)	Operationally Check Brake Shuttle Valve (*) NOTE: At each Brake replacement.	ALL
32-50-00-710-001-A00	8	OPC	A	Operationally Check Nosewheel Steering System Disengage	ALL
32-50-06-720-001-A00	8	FNC	C	Functionally Check 7-Degree Proximity Switch	ALL
32-62-00-710-001-A00	8	OPC	A	Operationally Check Landing Gear Warning System	ALL
33-47-03-720-001-A00	8	FNC	800 FH	Functionally Check White Strobe Lighting System Pre-Mod. SB 145-33-0008 NOTE: This task is applicable only to aircraft under ANAC/FAA Certifications.	ALL
33-47-03-720-001-A01	8	FNC	3A	Functionally Check White Strobe Lighting System Post-Mod. SB 145-33-0008 NOTE: This task is applicable only to aircraft under ANAC/FAA Certifications.	ALL
33-50-00-710-001-A00	8	OPC	600 FH	Operationally Check Emergency Lighting System	ALL

01-Ago-2019

Re-edición 02

SEC 3-18

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
33-50-04-720-001-A00	8	FNC	18 MO	Functionally Check Emergency Lighting Battery Pack NOTE: From the manufacture date or last task accomplishment.	ALL
33-50-12-212-001-A00	8	GVI	5000 FH	General Visual Inspection of Photoluminescent Strip for missing pieces or polycarbonate covered track damage	ALL
33-51-00-720-001-A00	8	FNC	12 MO	Functionally Check Rechargeable Flashlight System (MODEL EF-2C)	ALL
33-51-00-720-001-A01	8	FNC	6 MO	Functionally Check Non Rechargeable Flashlight System (MODEL EF-1)	ALL
34-01-00-720-001-A00	8	FNC	C	Functionally Check Integrated Standby Instrument System - ISIS (if installed). NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
34-11-00-720-001-A00	6	FNC	C	Functionally Check Standby Altimeter Indicator (If installed). NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
34-12-00-720-001-A00	6	FNC	C	Functionally Check Standby Airspeed Indicator (If installed). NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
34-13-00-610-001-A00	6	SVC	2C	Clean Pitot-Static System NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
34-13-00-680-001-A00	6	SVC	C	Drain Pitot Lines Pre-Mod. SB 145-34-0021	ALL
34-13-00-680-001-A01	6	SVC	A	Drain Pitot Lines Post-Mod. SB 145-34-0021	ALL
34-13-00-790-001-A00	6	FNC	C	Functionally Check Pitot-Static System for Leakage NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
34-15-00-720-001-A00	8	FNC	C	Functionally Check ADC system NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
34-21-00-710-001-A00	9	OPC	C	Operationally Check AHRS DG Mode (AHRS AH-800 only)	ALL
34-21-03-140-001-A00	6	RST	2A	Clean AHRS Fan Filter	ALL
34-22-00-710-001-A00	9	OPC	C	Operationally Check Electronic Flight Instrument System Reversion Function	ALL
34-25-00-720-001-A00	6	FNC	24 MO	Functionally Check Standby Compass for proper compensation NOTE: Or in accordance with Local Regulatory Authority Requirements. NOTE: Or in accordance with Local Regulatory Authority	ALL
34-27-03-140-001-A00	6	RST	A	Clean Dual IRS Mounting Tray Fan Filter (Dual IRS System only)	ALL

01-Ago-2019

Re-edición 02

SEC 3-19

Link Conexión Aérea S.A. de C.V.

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
34-41-00-710-001-A00	9	OPC	C	Operationally Check GPWS / Windshear	ALL
34-41-00-710-003-A00	9	OPC	C	Operationally Check EGPWS / Windshear	ALL
34-52-00-720-001-A00	6	FNC	24 MO	Functionally Check Transponder System NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
35-10-00-710-001-A00	8	OPC	C	Operationally Check Crew Oxygen Masks Eros	ALL
35-10-00-710-001-A01	8	OPC	2350 FH	Operationally Check Crew Oxygen Mask Puritan and/or B/E Aerospace.	ALL
35-10-07-720-001-A00	8	FNC	60 MO	Functionally Check Crew Oxygen Cylinder Pressure Regulator NOTE: At the time of Cylinder Hydrostatic Test.	ALL
35-10-07-720-002-A00	9	FNC	60 MO	Functionally Check (Hydrostatic Test) Crew Oxygen Cylinder NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
35-11-02-212-001-A00	8	VCK	5A	Visually Check Pressure Transducer Indication on MFD Versus External Gauge Indication	ALL
35-20-00-710-001-A00	8	OPC	4A	Operationally Check Passenger Oxygen System in MANUAL Mode (Chemical Oxygen System only)	ALL
35-20-00-720-001-A00	9	FNC	C	Functionally Check Passenger Oxygen System in AUTO Mode (Chemical Oxygen System only)	ALL
35-20-01-211-001-A00	8	VCK	C	Visually Check Chemical Oxygen Generator (Chemical Oxygen System only)	ALL
35-20-01-960-001-A00	8	DIS	180 MO	Discard Chemical Oxygen Generator (Chemical Oxygen System only)	ALL
35-20-04-211-001-A00	8	VCK	C	Visually Check Passenger Oxygen Mask (Except Shuttle Configuration)	ALL
35-20-06-212-001-A00	8	GVI	7500 FH	General Visual Inspection of Lavatory Gaseous Oxygen Cylinder. NOTE: POST-MOD SB 145-35-0008	ALL
35-20-06-960-001-A00	8	DIS	180 MO	Discard of Lavatory Gaseous Oxygen Cylinder. NOTE: From the manufacturing date. POST-MOD SB 145-35-0008	ALL
35-30-01-211-001-A00	9	VCK	A	Visually Check Portable Oxygen Cylinder Gauge Pressure Indication NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
35-30-01-720-001-A00	9	FNC	60 MO	Functionally Check Portable Oxygen Cylinder Pressure Regulator NOTE: At the time of Cylinder Hydrostatic Test.	ALL
35-30-01-720-002-A00	9	FNC	60 MO	Functionally Check (Hydrostatic Test) Portable Oxygen Cylinder NOTE: Or in accordance with Local Regulatory Authority Requirements.	ALL
35-30-02-211-001-A00	9	VCK	5A	Visually Check Continuous Flow Mask	ALL
35-30-03-960-001-A00	8	DIS	120 MO	Discard Protective Breathing Equipment	ALL
36-10-01-130-001-A00	6	RST	C	Clean Crossbleed Valve Filter by Ultrasonic Method	ALL
36-11-01-220-001-A00	6	DET	C	Inspect (Detailed Inspection) Engine High Pressure Bleed Air Check Valve P/N 816603-3 and Engine Low Pressure Bleed Air Check Valve P/N 816603-3	ALL



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
36-11-02-130-001-A00	9	RST	C	Clean High-Stage Valve Filter by Ultrasonic Method	ALL
36-11-03-130-001-A00	6	RST	C	Clean Fan Air Valve Filter by Ultrasonic Method	ALL
36-11-04-110-001-A00	6	RST	6000 FH	Clean Pre-Cooler by Chemical Method	ALL
36-11-05-130-001-A00	6	RST	C	Clean Engine Bleed Valve Filter by Ultrasonic Method Pre-Mod. SB 145-36-0028	ALL
36-20-00-710-001-A00	8	OPC	2C	Operationally Check Bleed Valve Indicating Function	ALL
36-20-00-720-001-A00	8	FNC	2C	Functionally Check the Overtemperature Warning Circuit	ALL
36-20-00-720-002-A00	9	FNC	2C	Functionally Check Differential Pressure Protection function except Post-Mod SB 145-36-0018 or SB 145-36-A018	ALL
36-20-02-710-001-A00	8	OPC	2C	Operationally Check Thermal Switch	ALL
36-20-02-710-002-A00	8	OPC	C	Operationally Check Massive Leakage Switch	ALL
38-32-04-960-001-A00	7	DIS	18 MO	Replace Waste Drain Valve O'Ring	ALL
38-32-10-960-001-A00	7	DIS	60 MO	Replace Waste Drain Valve Cap Seal	ALL
49-17-00-160-001-A00	9	RST	C	Clean APU Drains Post-Mod SB 145-49-0029	ALL
49-20-05-960-001-A00	6	DIS	15000 AC	Discard of turbine wheel. NOTE: Applicable only for APU Model APS500R (T-62T-40C14).	ALL
49-31-00-710-001-A01	9	OPC	400 AH	Perform Check of the FADEC BITE Display for Fault Messages (APU Model T-62T-40C14 (APS 500R) only)	ALL
49-31-04-960-001-A00	9	DIS	800 AH	Discard Inlet Fuel Filter APU Model T-62T-40C11 (APS 500) only	ALL
49-31-04-960-001-A01	9	DIS	1200 AH	Discard Inlet Fuel Filter APU Model T-62T-40C14 (APS 500R) only)	ALL
49-41-03-220-001-A00	6	DET	1200 AH	Inspect (Detailed Inspection) Igniter Plug	ALL
49-62-00-710-001-A00	9	OPC	2C	Operationally Check Emergency Shutdown by Using APU Fuel Shutoff Switch and Fire Test Switch	ALL
49-91-00-610-001-A00	6	SVC	400 AH	Check Oil Level and Service Oil System as required	ALL
49-91-00-680-001-A00	9	SVC	2000 AH	Drain and Replace Oil Supply	ALL
49-91-01-960-001-A00	9	DIS	2000 AH	Discard Oil Filter Element	ALL
52-00-00-211-001-A00	7	VCK	C	Visually Check Locking Red Marks NOTE: Repaint if necessary.	ALL
52-11-00-640-001-A00	6	LUB	C	Lubricate Standard Main Door Actuating and Locking Mechanism	ALL
52-11-00-720-005-A00	8	FNC	C	Functionally Check Standard Main Door Actuating, Latching and Locking Mechanism	ALL
52-12-00-720-001-A00	7	FNC	5A	Functionally Check Main Door Hydraulic Accumulator Nitrogen Charge (Standard Main Door Model only)	ALL
52-12-00-710-001-A00	9	OPC	C	Operationally Check Alternate Opening System	ALL

01-Ago-2019

Re-edición 02

SEC 3-21

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
52-14-00-211-001-A00	9	VCK	C	Inspect (Visual Inspection) Standard Main Door Drain Holes for Obstruction or Damage.	ALL
52-14-01-710-001-A00	9	OPC	C	Operationally Check Main Door Drain Valves (Standard Main Door Only).	ALL
52-18-00-640-001-A00	6	LUB	C	Lubricate Side-Hinged Main Door Actuating and Locking Mechanism	ALL
52-18-06-720-001-A00	8	FNC	C	Functionally Check Side-Hinged Main door Actuating, Latching and Locking Mechanism	ALL
52-21-00-640-001-A00	8	LUB	C	Lubricate Passenger Cabin Escape Hatch Support Pins	ALL
52-21-00-710-001-A00	8	OPC	C	Operationally Check Passenger Cabin Escape Hatch Mechanism	ALL
52-22-00-710-001-A00	9	OPC	C	Operationally Check Cockpit Emergency Exit	ALL
52-22-01-640-001-A00	9	LUB	C	Lubricate Cockpit Emergency Exit Locking Mechanism	ALL
52-31-00-640-001-A00	6	LUB	C	Lubricate Baggage Door Gear Box	ALL
52-32-00-220-001-A00	7	DET	C	Inspect Baggage Door Lifting and Lowering Mechanism for General Condition and Torsion Bar for Torsion	ALL
52-42-01-220-001-A00	9	DET	C	Inspect (Detailed Inspection) Cockpit Underfloor Access Hatch Mechanism	ALL
52-43-00-640-001-A00	6	LUB	C	Lubricate Service Door Actuating and Locking Mechanism	ALL
52-43-06-720-001-A00	8	FNC	C	Functionally Check Service Door Actuating, Latching and Locking Mechanism	ALL
52-44-01-220-001-A00	9	DET	C	Inspect (Detailed Inspection) Rear Electronic Compartment Door Mechanism	ALL
52-51-00-720-001-A00	8	FNC	5000 FH	Functionally Check Reinforced Cockpit Door Blowout Panel	ALL
52-71-00-710-001-A00	8	OPC	C	Operationally Check Forward Electronic Compartment Door Warning Message	ALL
52-72-00-710-001-A00	9	OPC	C	Operationally Check Rigging Door Warning Message	ALL
52-73-00-710-001-A00	9	OPC	C	Operationally Check Main Door Warning Message	ALL
52-73-01-720-001-A00	9	FNC	C	Functionally Check Main Door Warning Microswitches	ALL
52-74-00-710-001-A00	9	OPC	C	Operationally Check Service Door Warning Message	ALL
52-74-01-720-001-A00	9	FNC	C	Functionally Check Service Door Warning Microswitches	ALL
52-75-00-710-001-A00	8	OPC	C	Operationally Check Emergency Exit Warning Message	ALL
52-76-00-710-001-A00	8	OPC	C	Operationally Check Baggage Door Warning Message	ALL
52-77-00-710-001-A00	8	OPC	C	Operationally Check Rear Electronic Compartment Door Warning Message	ALL
53-00-01-220-001-A00	9	DET	C	Inspect (Detailed Inspection) Fuselage drain valves for Obstruction or Damage	ALL
53-21-02-140-001-A00	7	RST	C	Clean Main Door-Frame Rollers	ALL
53-21-02-640-001-A00	7	LUB	A	Lubricate Main Door Frame Rollers	ALL
53-21-12-140-001-A00	7	RST	C	Clean Service Door-Frame Rollers	ALL

01-Ago-2019

Re-edición 02

SEC 3-22

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
53-21-12-640-001-A00	7	LUB	A	Lubricate Service Door Frame Rollers	ALL
71-10-00-211-001-A00	9	VCK	C	Visually Check Cowling Seals	ALL
71-10-00-220-001-A00	9	DET	C	Inspect (Detailed Inspection) Cowling Inboard/Outboard Attachment and Surrounding Structure	ALL
71-20-00-220-001-A00	8	DET	C	Inspect (Detailed Inspection) Engine Mounting Assy	ALL
71-60-01-211-001-A00	9	VCK	C	Visually Check Air Intake Attachment	ALL
71-60-01-211-002-A00	9	VCK	C	Visually Check Air Intake Rear Bulkhead and Fire Shield	ALL
72-21-01-220-001-A00	9	DET	5000 FH	Inspect (Detailed Inspection) Fan Blades	ALL
72-21-20-220-001-A00	8	DET	A	Inspect (Detailed Inspection) Fan Spinner Pre-Mod. Rolls-Royce SB 3007A-72-167	ALL
72-63-01-710-001-A00	9	OPC	800 FH	Operationally Check Starter Drain Adapter Post-Mod. SB AE3007A-72-253 and Pre-Mod SB AE3007A-72-330	ALL
73-11-10-130-001-A00	6	RST	2000 FH	Clean Fuel Nozzles Except P/N 23075904, 23077006, 23087207, or 23090046	ALL
73-11-10-130-001-A01	6	RST	10000 FH	Clean Fuel Nozzles P/N 23075904, 23077006, 23087207, or 23090046 Only.	ALL
73-21-00-211-001-A00	9	VCK	2A	Visually Check Fuel Pump and Metering Unit for Fuel Leakage	ALL
73-21-06-720-001-A00	9	FNC	3000 FH	Functionally Check Fuel Filter Impending Bypass Indicating System	ALL
73-22-01-720-003-A00	9	FNC	500 FH	Inspect Multi-Function Display for ENG() LT FAULT and ENG () SCHED MAINT REPAIR Maintenance Messages	ALL
73-30-04-220-001-A00	9	DET	5000 FH	Inspect (Detailed Inspection) the FADEC Anti-Vibration Mounts	ALL
74-21-01-960-001-A00	6	DIS	4000 FH	Discard the igniters.	ALL
76-12-00-710-001-A00	8	OPC	2C	Operationally Check WOW input signal to Fadec	ALL
76-13-03-710-001-A00	8	OPC	A	Operationally Check Idle Lockout NOTE: Only for aircraft with Thrust Reversers.	ALL
76-20-00-710-001-A00	8	OPC	5A	Operationally Check Emergency Shutdown System	ALL
78-10-01-212-002-A00	8	GVI	8000 FH	Inspect (Visual Inspection) Plain Exhaust Assy for Damage, Failure or Irregularities (for aircraft without Thrust Reversers only)	ALL
78-31-00-220-001-A00	8	DET	2C	Inspect (Detailed Inspection) Thrust Reverser Structure	ALL
78-32-00-211-001-A00	8	VCK	A	Visually Check Thrust Reverser 1RY and 3RY Locks	ALL

01-Ago-2019

Re-edición 02

SEC 3-23

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Categoría	Tipo Insp.	Intervalo	Descripción	Efectividad
78-32-00-710-001-A00	8	OPC	2A	Operationally Check Thrust Reverser 2RY and 3RY Locks	ALL
78-33-00-720-001-A00	9	FNC	2C	Functionally Check Thrust Reverser Control Lever Microswitches	ALL
78-34-01-720-001-A00	8	FNC	1200 FH	Functionally Check Stow/Transit Thrust Reverser Microswitches for Insulation P/Ns 83-990-137, 83-990-152 and 83-990-166	ALL
79-27-00-211-001-A00	9	VCK	2C	Visually Check Oil Plumbing	ALL
79-34-00-212-001-A00	6	GVI	50 FH	Inspect Multi-Function Display for ENG1(2) OIL DEBRIS Maintenance Message (Except for aircraft equipped with AE3007 A1E Engine) NOTE: This task is applicable to aircraft Pre- Mod SB 145-79-001or Post-Mod SB 145-79-002 and Pre-Mod SB 145-79-003. Task performance must not exceed 30 days.	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135ER EMB-135LR EMB-135KE EMB-135KL
79-34-01-720-001-A00	9	FNC	2C	Functionally Check Indicating Magnetic Plug Assembly	ALL
79-37-00-720-001-A00	9	FNC	2C	Functionally Check Oil Filter Impending Bypass Indicating System	ALL
80-10-01-720-001-A00	6	FNC	A	Functionally Check Air Turbine Starter including oil servicing	ALL
80-10-02-160-001-A00	6	SVC	2A	Clean Start Control Valve Filter Pre-Mod. SB 145-80-0003	ALL
80-10-02-160-001-A01	6	SVC	C	Clean Start Control Valve Filter Post-Mod. SB 145-80-0003	ALL

01-Ago-2019

Re-edición 02

SEC 3-24

Link Conexión Aérea S.A. de C.V.

**SECCIÓN 4
REQUERIMIENTOS DE
INSPECCIÓN
ESTRUCTURAL
(STRUCTURAL INSPECTION
REQUIREMENTS)**

REQUERIMIENTOS DE INSPECCIÓN ESTRUCTURAL

Esta sección contiene todos los requerimientos de inspección estructural resultado del análisis de MSG3. Estos requerimientos consisten de las tareas de mantenimiento de intervalos asociados de acuerdo a las capacidades de operación certificadas de la aeronave y tiene la intención de prevenir alguna degradación estructural causada por fatiga, deterioros ambientales o daños accidentales durante la vida de operación de la aeronave.

La detección de daños accidentales, pueden ser causadas por impacto de ave, manejo del equipo en tierra son considerados como obvios a través de reportes orales.

Los requerimientos son basados por una evaluación de la información de diseño estructural, evaluación de la tolerancia de la fatiga y daño, de reportes de análisis de tolerancia de daños y experiencia en servicio con estructuras similares y resultados al respecto.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
32-10-00-210-801-A00	GVI	EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS:- TRAILING ARM - MLG (SSI 32-10-03)		N/A	5000	FC	721/731	ALL
32-10-00-220-801-A00	DET	EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS:- WHEEL AXLE - MLG (SSI 32-10-04)		N/A	2500	FC	721/731	ALL
32-20-00-210-801-A00	GVI	EXTERNALLY INSPECT THE NOSE LANDING GEAR COMPONENTS:- STRUT (MAIN FITTING) - NLG (SSI 32-20-12)		N/A	5000	FC	711	ALL
32-20-00-210-802-A00	GVI	EXTERNALLY INSPECT THE NOSE LANDING GEAR COMPONENTS:- AUXILIARY DRAG STRUT BOTTOM STAY (SSI 32-20-16)		N/A	5000	FC	711	ALL
32-20-00-210-803-A00	GVI	EXTERNALLY INSPECT THE NOSE LANDING GEAR COMPONENTS:- MAIN DRAG STRUT TOP STAY - NLG (SSI 32-20-13)		N/A	5000	FC	711	ALL
32-20-00-210-804-A00	GVI	EXTERNALLY INSPECT THE NOSE LANDING GEAR COMPONENTS:- AUXILIARY DRAG STRUT TOP STAY - NLG (SSI 32-20-15)		N/A	5000	FC	711	ALL
32-20-00-210-805-A00	GVI	EXTERNALLY INSPECT THE NOSE LANDING GEAR COMPONENTS:- TORQUE LINKS - NLG (SSI 32-20-17)		N/A	5000	FC	711	ALL
32-20-00-210-806-A00	GVI	EXTERNALLY INSPECT THE NOSE LANDING GEAR COMPONENTS:- SLIDING TUBE - NLG (SSI 32-20-18)		N/A	2500	FC	711	ALL
32-20-00-220-801-A00	DET	EXTERNALLY INSPECT THE NOSE LANDING GEAR COMPONENTS:- WHEEL AXLE (SSI 32-20-19)		N/A	2500	FC	711	ALL
52-10-00-220-801-A00	DET	INTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- MAIN DOOR FOLDING FLAP STOPS (SSI 52-10-04)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.		N/A	5000	FC	811	ALL
52-10-00-220-801-A01	DET	INTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- MAIN DOOR FOLDING FLAP STOPS (SSI 52-10-04)NOTE: DURING THIS INSPECTION, THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.		N/A	5000	FC	811	ALL
52-10-00-220-802-A01	DET	INTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- MAIN DOOR FOLDING FLAP STRUCTURE (SSI 52-10-02)		N/A	10000	FC	811	ALL
52-10-00-220-805-A01	DET	INTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- MAIN DOOR STRUCTURE (SSI 52-10-01)		N/A	4447	FC	811	ALL

01-Ago-2019

Re-edición 02

SEC 4-3

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
52-10-00-220-806-A00	DET	INTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- MAIN DOOR FOLDING FLAP STRUCTURE (SSI 52-10-02)		N/A	10000	FC	811	ALL
52-10-00-220-806-A01	DET	EXTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- MAIN DOOR STRUCTURE (SSI 52-10-01)		N/A	4447	FC	811	ALL
52-10-00-220-807-A00	DET	INTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- MAIN DOOR STRUCTURE (SSI 52-10-01)		N/A	5000	FC	811	ALL
52-10-00-220-807-A01	DET	EXTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- MAIN DOOR FOLDING FLAP STRUCTURE (SSI 52-10-02)		N/A	10000	FC	811	ALL
52-10-00-220-808-A00	DET	EXTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- MAIN DOOR FOLDING FLAP STRUCTURE (SSI 52-10-02)		N/A	5000	FC	811	ALL
52-10-00-220-808-A01	DET	EXTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- STOP BACKUP STRUCTURES (SSI 52-10-03)	30000	FC	2502	FC	811	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-10-00-220-809-A00	DET	EXTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- STOP BACKUP STRUCTURES (SSI 52-10-03)	30000	FC	2502	FC	811	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-4

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
52-10-00-220-809-A01	DET	INTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- STOP BACKUP STRUCTURES (SSI 52-10-03)	30000	FC	4447	FC	811	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-10-00-220-810-A00	DET	INTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- STOP BACKUP STRUCTURES (SSI 52-10-03)	30000	FC	5000	FC	811	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-10-00-220-811-A00	DET	EXTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- ATTACHMENT FITTINGS-TO-FUSELAGE INTERFACE PARTS(SSI 52-10-05)	30000	FC	5000	FC	811	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-10-00-220-812-A00	DET	INTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- ATTACHMENT FITTINGS-TO-FUSELAGE INTERFACE PARTS(SSI 52-10-05)	30000	FC	10000	FC	811	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-5

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
52-21-00-220-804-A00	DET	EXTERNALLY INSPECT THE PASSENGER CABIN ESCAPE HATCH COMPONENTS:- ESCAPE HATCH STRUCTURE (SSI 52-21-06)	30000	FC	5000	FC	812/822	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-21-00-220-805-A00	DET	INTERNALLY INSPECT THE PASSENGER CABIN ESCAPE HATCH COMPONENTS:- ESCAPE HATCH STRUCTURE (SSI 52-21-06)	30000	FC	5060	FC	812/822	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-21-00-220-806-A00	DET	INTERNALLY INSPECT THE PASSENGER CABIN ESCAPE HATCH COMPONENTS:- ESCAPE HATCH WINDOW FRAME (SSI 52-21-07)	30000	FC	6060	FC	812/822	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-30-00-220-802-A00	DET	INTERNALLY INSPECT THE BAGGAGE DOOR COMPONENTS:- BAGGAGE DOOR STOPS AND FITTINGS (SSI 52-30-09)	30000	FC	4318	FC	813	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-43-00-210-801-A00	GVI	INTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR FOLDING FLAP STRUCTURE (SSI 52-43-11)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.		N/A	10000	FC	821	ALL

01-Ago-2019

Re-edición 02

SEC 4-6

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
52-43-00-210-802-A00	GVI	EXTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR FOLDING FLAP STRUCTURE (SSI 52-43-11)		N/A	10000	FC	821	ALL
52-43-00-220-801-A00	DET	EXTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR WINDOW FRAME (SSI 52-43-12)		N/A	5000	FC	821	ALL
52-43-00-220-803-A00	DET	INTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR WINDOW FRAME (SSI 52-43-12)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.		N/A	5000	FC	821	ALL
52-43-00-220-807-A00	DET	EXTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR STOPS BACKUP STRUCTURE (SSI 52-43-13)	22000	FC	2465	FC	821	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-43-00-220-808-A00	DET	INTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR STOPS BACKUP STRUCTURE (SSI 52-43-13)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	22000	FC	4640	FC	821	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-43-00-220-809-A00	DET	EXTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR FOLDING FLAP STOPS (SSI 52-43-14)	30000	FC	4975	FC	821	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-7

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
52-43-00-220-809-A00	DET	EXTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR FOLDING FLAP STOPS (SSI 52-43-14)	30000	FC	4975	FC	821	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-43-00-220-810-A00	DET	INTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR FOLDING FLAP STOPS (SSI 52-43-14)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	5000	FC	821	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
52-44-00-220-801-A00	DET	EXTERNALLY INSPECT THE REAR ELECTRONIC COMPARTMENT DOOR COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR STRUCTURE (SSI 52-44-01)	12000	FC	10000	FC	272	ALL
52-44-00-220-802-A00	DET	INTERNALLY INSPECT THE REAR ELECTRONIC COMPARTMENT DOOR COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR STRUCTURE (SSI 52-44-01)	12000	FC	10000	FC	272	ALL
53-11-00-220-803-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENT:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-10-07)	30000	FC	10000	FC	213/214	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-8

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-11-00-220-804-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FORWARD PRESSURE BULKHEAD (SSI 53-10-26)	24000	FC	10000	FC	115/116 215/216	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-11-00-220-805-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-10-43)		N/A	19737	FC	113/114 213/214	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-12-00-210-801-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-10-07)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-53-0051 OR PRE-MOD. SB 145-53-0067.	22000	FC	328	FC	123/124 223/224	ALL
53-12-00-220-802-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD CUTOUT STRUCTURE (SSI 53-10-17)	10000	FC	5896	FC	223/224	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-9

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-12-00-220-803-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD CENTER POST INCLUDING ITS ATTACHMENT AND LOWER FITTING (SSI 53-10-19)	N/A	5896	FC	223/224 EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-12-00-220-804-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- COCKPIT WINDOW CUTOUT STRUCTURE (SSI 53-10-18)	N/A	6666	FC	223/224 225/226 EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-12-00-220-806-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- COCKPIT WINDOW REAR POST AND ITS ATTACHMENT (SSI 53-10-22)	N/A	6666	FC	223/224 EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-10

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-12-00-220-807-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FORWARD PRESSURE BULKHEAD (SSI 53-10-26)	18000	FC	10000	FC	121/122	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-12-00-220-808-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD CENTER POST INCLUDING ITS ATTACHMENTS AND LOWER FITTING (SSI 53-10-19)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD SB 145-53-0007.	12000	FC	4000	FC	221/222	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-12-00-220-809-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- COCKPIT FLOOR BEAMS AND COLUMNS (SSI 53-10-27)		N/A	10000	FC	123/124	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-11

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-12-00-220-810-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD CUTOUT STRUCTURE (SSI 53-10-17)	20000	FC	5896	FC	225/226	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-12-00-220-811-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-10-43)		N/A	10000	FC	223/224	ALL
53-12-00-220-815-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FORWARD PRESSURE BULKHEAD (SSI 53-10-26)	18000	FC	9933	FC	221/222	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-12-00-220-816-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-10-07)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-53-0051 OR POST-MOD. SB 145-53-0067.		N/A	10000	FC	123/124 223/224	ALL

01-Ago-2019

Re-edición 02

SEC 4-12

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-12-00-220-817-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD LATERAL POST AND ITS ATTACHMENT(SS I 53-10-20)	30000	FC	6666	FC	223/224	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-12-00-220-818-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD CENTER POST INCLUDING ITS ATTACHMENTS AND LOWER FITTING (SSI 53-10-19)NOTE: APPLICABLE TO AIRCRAFT POST -MOD. SB 145-53-0007.	26000	FC	10000	FC	221/222	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-12-00-250-801-A00	SDE	INTERNALLY INSPECT THE FUSELAGE COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD CENTER POST INCLUDING ITS ATTACHMENT AND LOWER FITTING (SSI 53-10-19)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-53-0058 AND THE INSPECTION SHALL BE PERFORMED ON THE EYELET FITTING ONLY.	20000	FC	2672	FC	223/224	ALL
53-12-00-250-801-A01	SDE	INTERNALLY INSPECT THE FUSELAGE COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- WINDSHIELD CENTER POST INCLUDING ITS ATTACHMENT AND LOWER FITTING (SSI 53-10-19).NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB145-53-0058 AND THE INSPECTION SHALL BE PERFORMED ON THE EYELET FITTING ONLY.		N/A	30000	FC	223/224	ALL
53-21-00-210-805-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- MAIN DOOR ATTACHMENT FITTINGS AND INTERFACE PARTS (SSI 53-20-04)		N/A	10000	FC	231	ALL

01-Ago-2019

Re-edición 02

SEC 4-13

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-21-00-210-806-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- SERVICE DOOR ATTACHMENT FITTINGS AND INTERFACE PARTS (SSI 53-20-05)		N/A	10000	FC	232	ALL
53-21-00-210-811-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)	29000	FC	5000	FC	131/132	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-805-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGER AND FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)	10000	FC	9816	FC	233/234	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-21-00-220-806-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS: - FRAME 15 18 LHS SPLICES AT STRINGERS 3L 16L (SSI 53-20-12) NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	2979	FC	231 233	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-14

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-21-00-220-807-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS: - SERVICE DOOR CUTOUT REINFORCING STRUCTURES (SSI 53-20-10)NOTE: REMOVE THE BUMPLER PLATE IF INSTALLED.	12000	FC	5000	FC	132 232 234	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-811-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE ALONG MAIN DOOR CUTOUT (SSI 53-20-41)		N/A	5000	FC	231	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-812-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICES ALONG SERVICE DOOR CUTOUT (SSI 53-20-42)		N/A	5000	FC	232	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-813-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS: - STOPS AND BACKUP STRUCTURES FOR SERVICE DOOR (SSI 53-20-02)		N/A	5000	FC	232	ALL
53-21-00-220-815-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS: - PASSENGER DOOR CUTOUT REINFORCING STRUCTURE (SSI 53-20-09)	13000	FC	5000	FC	131 231 233	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-15

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-21-00-220-819-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER DOOR CUTOUT REINFORCING STRUCTURES (SSI 53-20-09)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	10000	FC	5000	FC	131 231 233	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-21-00-220-820-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- SERVICE DOOR CUTOUT REINFORCING STRUCTURES (SSI 53-20-10)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	10000	FC	5000	FC	132 232 234	EMB-145EP EMB-145EU EMB-145ER EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-21-00-220-823-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS: - STRINGER 6 16 SPLICES AT FRAMES 20 22 (SSI 53-20-13)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	2979	FC	232	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-21-00-220-824-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS: - FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKS SHALL ALSO BE PERFORMED FOR THIS SSI.	20000	FC	10000	FC	131/132 231/232	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-825-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS: - FUSELAGE PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)	20000	FC	9816	FC	231/232	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-21-00-220-827-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS: - FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)	20000	FC	10000	FC	233/234	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR

01-Ago-2019

Re-edición 02

SEC 4-17

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-21-00-220-839-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS: - FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADSAND SPLICES (SSI 53-20-07)		N/A	5000	FC	231/232 233/234	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-842-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)	18000	FC	9816	FC	233/234	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-846-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- STOPS AND BACKUP STRUCTURES FOR MAIN DOOR (SSI 53-20-01)	25000	FC	3735	FC	231	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-847-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- STOPS AND BACKUP STRUCTURE FOR MAIN DOOR(SSI 53-20-01)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	25000	FC	5000	FC	231	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-18

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-21-00-220-848-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)	30000	FC	2500	FC	231	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-849-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	5000	FC	231	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-850-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES 15 18 LHS SPLICES AT STRINGERS 3L 16L(SSI 53-20-12)	30000	FC	2764	FC	231 233	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-851-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- STRINGERS 6 16 SPLICES AT FRAMES 20 22(SSI 53-20-13)	30000	FC	2764	FC	232	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-19

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-21-00-220-852-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICES ALONG MAIN DOOR CUTOUT (SSI 53-20-41)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	4932	FC	231	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-21-00-220-853-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICES ALONG SERVICE DOOR CUTOUT (SSI 53-20-42)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	5000	FC	232	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-22-00-210-805-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGER FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)	30000	FC	2500	FC	141/142 241/242 243/244	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145EU EMB-145EP EMB-145ER
53-22-00-220-802-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUNFERENTIAL SPLICE (SSI 53-20-14)		N/A	10000	FC	243/244	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-20

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-22-00-220-803-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)		N/A	10000	FC	243/244	ALL
53-22-00-220-806-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)	30000	FC	10000	FC	243/244	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145EU EMB-145EP EMB-145ER
53-23-00-210-802-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- OVERWING FUSELAGE SKIN PANEL (SSI 53-20-16)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKS SHALL ALSO BE PERFORMED FOR THIS SSI.		N/A	10000	FC	251/252	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-23-00-210-808-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- OVERWING FUSELAGE SKIN PANEL (SSI 53-20-16)		N/A	10000	FC	251/252	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-23-00-210-809-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07).NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	30000	FC	3388	FC	253/254	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-21

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-23-00-220-804-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)		N/A	10000	FC	253/254	ALL
53-23-00-220-807-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)	30000	FC	10000	FC	251/252	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-23-00-220-808-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULKHEAD (SSI 53-20-30)	30000	FC	10000	FC	251/252 253/254	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-23-00-220-818-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADSAND SPLICES (SSI 53-20-07)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	18790	FC	2571	FC	253/254	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-23-00-220-819-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- SKIN AND REINFORCEMENT AROUND ESCAPE HATCH CUTOUT(SS I 53-20-51)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.		N/A	4725	FC	251/252	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-23-00-220-819-A01	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- SKIN AND REINFORCEMENT AROUND ESCAPE HATCH CUTOUT(SS I 53-20-51)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.		N/A	3670	FC	251/252	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-22

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-23-00-220-821-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)	30000	FC	20000	FC	251/252	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-23-00-220-822-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)	30000	FC	10000	FC	253/254	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-23-00-220-823-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULKHEAD (SSI 53-20-30)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	10000	FC	151/152 153/154	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-24-00-210-801-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS: - FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)	30000	FC	5000	FC	263/264	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-23

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-24-00-210-804-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE (SSI 53-20-14)		N/A	10000	FC	263/264	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB145MK EMB145MP EMB145MR
53-24-00-210-811-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES.(SSI 53-20-07)	30000	FC	5000	FC	161/162 261/262	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-24-00-220-806-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADSAND SPLICES (SSI 53-20-07)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	30000	FC	9521	FC	263/264	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-24-00-220-806-A01	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADSAND SPLICES (SSI 53-20-07)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	30000	FC	5337	FC	263/264	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-24-00-220-807-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)		N/A	9521	FC	263/264	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-24

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-31-00-210-807-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE TO VERTICAL STABILIZER SPAR ATTACHMENT FITTING (SSI 53-30-38)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.		N/A	10000	FC	273/274	ALL
53-31-00-210-809-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-30-07)NOTE: REMOVE THE BUMPER PLATE IF INSTALLED.		N/A	5000	FC	171/172	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-31-00-210-810-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- BAGGAGE COMPARTMENT FLOOR BEAMS AND COLUMNS (SSI 53-30-28)	14000	FC	8416	FC	171/172	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-210-811-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI 53-30-15)	30000	FC	5000	FC	273/274	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-25

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-31-00-210-821-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-30-07)	30000	FC	5000	FC	273/274	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-210-822-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD(SS I 53-30-15)	30000	FC	10000	FC	171/172 271/272	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-210-823-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULKHEAD (SSI 53-30-30)	30000	FC	10000	FC	271/272 273/274	EMB-145EP EMB-145EU EMB-145ER EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-803-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-30-43)		N/A	10000	FC	271/272	ALL

01-Ago-2019

Re-edición 02

SEC 4-26

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-31-00-220-808-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS: - BAGGAGE DOOR CUTOUT STRUCTURE (SSI 53-30-48)		N/A	2500	FC	271	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR EMB-145ER EMB-145EU EMB-145EP
53-31-00-220-810-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- BAGGAGE DOOR LATERAL L-SHAPE (SSI 53-30-03)		N/A	7093	FC	271	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-816-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- BAGGAGE DOOR CUTOUT STRUCTURE (SSI 53-30-48). NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKS SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	7091	FC	271	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-818-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR CUTOUT STRUCTURE (SSI 53-30-49) NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKS SHALL ALSO BE PERFORMED FOR THIS SSI.	12000	FC	7342	FC	272	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-27

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-31-00-220-819-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-30-07) NOTE: REMOVE BUMPER PLATE IF INSTALLED.		N/A	5000	FC	271/272	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-31-00-220-840-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- REAR ELECTRONIC COMPARTMENT DOOR CUTOUT STRUCTURE(SSI 53-30-49)	12000	FC	8101	FC	272	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-846-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-30-07)	30000	FC	10000	FC	273/274	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-847-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-30-07)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	10000	FC	271/272	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-28

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-31-00-220-848-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD(SS1 53-30-15)	30000	FC	10000	FC	271/272	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-849-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULKHEAD (SSI 53-30-30)	30000	FC	5000	FC	171/172	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-850-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULKHEAD (SSI 53-30-30)	30000	FC	10000	FC	273/274	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-851-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- BULKHEAD-TO-ENGINE PYLON ATTACHMENT (SSI 53-30-35)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	27000	FC	6256	FC	271/272	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-29

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-31-00-220-852-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- REAR PRESSURE BULKHEAD (SSI 53-30-36)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	8778	FC	273/274 275/276	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-853-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE TO VERTICAL STABILIZER SPAR ATTACHMENT FITTING(SS I 53-30-38)	30000	FC	10000	FC	273/274	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-31-00-220-855-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-30-43)	20200	FC	10000	FC	273/274	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-32-00-210-801-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- APU MOUNTING (SSI 53-30-40)		N/A	20000	FC	313	ALL
53-32-00-220-810-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE MACHINED BULKHEAD (SSI 53-30-30)	30000	FC	10000	FC	311/312	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-30

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
53-32-00-220-811-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE TO VERTICAL STABILIZER SPAR ATTACHMENT FITTING(SS1 53-30-38)	30000	FC	5000	FC	311/312	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-32-00-220-812-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- TAIL CONE ACCESS DOOR CUTOUT STRUCTURE (SSI 53-30-50)	30000	FC	10000	FC	311/312	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
53-32-00-220-813-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- TAIL CONE ACCESS DOOR CUTOUT STRUCTURE(SS1 53-30-50)	30000	FC	8193	FC	311/312	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
54-50-00-210-801-A00	GVI	EXTERNALLY INSPECT THE PYLON COMPONENTS:- PYLON SKIN (SSI 54-50-04)	18000	FC	5000	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-31

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
54-50-00-220-802-A00	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- FWD ENGINE MOUNTS INCLUDING BOLTS (SSI 54-50-03)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-54-0011.	20000	FC	4000	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
54-50-00-220-808-A00	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- AFT ENGINE MOUNTS INCLUDING BOLTS (SSI 54-50-07)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-54-0011.	20000	FC	4000	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
54-50-00-220-808-A01	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- AFT ENGINE MOUNTS INCLUDING BOLTS (SSI 54-50-07)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-54-0011 AND THE FLIGHT CYCLES ACCUMULATED SHALL BE BASED ON THE ENGINE MOUNT COMPONENTS	5000	FC	5000	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-32

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
54-50-00-220-810-A00	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- PYLON YOKES III AND IV (SSI 54-50-02)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-54-0011.	30000	FC	4090	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
54-50-00-220-810-A01	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- PYLON YOKES III AND IV (SSI 54-50-02)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-54-0011.	30000	FC	30000	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
54-50-00-220-812-A00	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- PYLON YOKES I AND II (SSI 54-50-05) NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-54-0011.	20000	FC	20000	FC	414/424	EMB-145LR
54-50-00-220-813-A00	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- PYLON SPARS I II III AND IV (SSI 54-50-01)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	27000	FC	5000	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-33

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
54-50-00-230-802-A00	SDE	INTERNALLY INSPECT THE PYLON COMPONENTS BY LIQUID PENETRANT INSPECTION METHOD:- FWD ENGINE MOUNTS INCLUDING BOLTS (SSI 54-50-03)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-54-0011 AND THE FLIGHT CYCLES ACCUMULATED SHALL BE BASED ON THE ENGINE MOUNT COMPONENTS.	15000	FC	15000	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
54-50-00-250-802-A00	SDE	INTERNALLY INSPECT THE PYLON COMPONENTS BY THE EDDY CURRENT METHOD:- PYLON YOKES I AND II UPPER FLANGE (SSI 54-50-06)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD SB145-54-0008	30000	FC	6333	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
54-50-00-250-802-A01	SDE	INTERNALLY INSPECT THE PYLON COMPONENTS BY THE EDDY CURRENT METHOD:- PYLON YOKES I AND II UPPER FLANGE (SSI 54-50-06)NOTE: APPLICABLE TO AIRCRAFT POST-MOD SB145-54-0008	30000	FC	12606	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-34

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
54-50-00-250-804-A00	SDE	INTERNALLY INSPECT THE PYLON COMPONENTS BY THE EDDY CURRENT METHOD:- PYLON YOKES I AND II (SSI 54-50-05)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-54-0011.	30000	FC	30000	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
54-50-00-290-801-A00	SDE	INTERNALLY INSPECT THE PYLON COMPONENTS USING A BORESCOPE:- PYLON SKIN (SSI 54-50-04)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	18000	FC	5000	FC	414/424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-10-00-210-803-A00	GVI	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENT: - FITTING HINGE SUPPORT STABILIZER (SSI 55-10-21)		N/A	2500	FC	337	ALL
55-10-00-210-804-A00	GVI	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENT: - PIN INTERNAL AND EXTERNAL HINGE STABILIZER (SSI 55-10-24)		N/A	2500	FC	337	ALL



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-10-00-210-805-A00	GVI	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS: - SKIN FROM FIN TO STA. YH 350 - LOWER SURFACE (SSI 55-10-06)		N/A	10000	FC	333/334	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-210-806-A00	GVI	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS: - SKIN FROM RIB STA. YH 350 TO RIB STA. YH 990 - UPPER SURFACE (SSI 55-10-07)		N/A	10000	FC	333/334	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-220-801-A00	DET	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- ELEVATOR SUPPORT FITTINGS (SSI 55-10-15)		N/A	9635	FC	333/334	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-10-00-220-802-A00	DET	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENT:- STABILIZER HINGE FITTING SUPPORT (SSI 55-10-21)		N/A	10000	FC	337	ALL

01-Ago-2019

Re-edición 02

SEC 4-36

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-10-00-220-803-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- REAR SPAR WEB AND CAP FROM FIN TO RIB STA. YH 350 INCLUDING CENTER FITTING-SPAR ATTACHMENT (SSI 55-10-12)		N/A	10000	FC	333/334	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-220-804-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- ROOT RIB (SSI 55-10-17)		N/A	10000	FC	337	ALL
55-10-00-220-808-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- FRONT-REAR AUXILIARY SPAR CENTER FITTING (SSI 55-10-19)		N/A	10000	FC	337	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-220-810-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- FRONT SPAR CENTER FITTINGS (SSI 55-10-20)		N/A	10000	FC	337	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-220-811-A00	DET	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENT:- SKIN FROM RIB STA. YH 350 TO RIB YH 990 - UPPER SURFACE (SSI 55-10-02)		N/A	7120	FC	333/334	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-37

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-10-00-220-812-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- FRONT AND REAR AUXILIARY SPAR WEBS AND CAPS INCLUDING CENTER FITTING-SPAR ATTACHMENT (SSI 55-10-11)		N/A	10000	FC	333/334	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-220-813-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- PIN INTERNAL AND EXTERNAL HINGE STABILIZER (SSI 55-10-24)		N/A	10000	FC	337	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-10-00-220-817-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- REAR SPAR CENTER FITTING (SSI 55-10-18)		N/A	5000	FC	337	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-220-823-A00	DET	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- SKIN FROM FIN TO STA. YH350 - UPPER SURFACE (SSI 55-10-01)		N/A	7120	FC	333/334	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-38

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
55-10-00-220-831-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- SKIN SPLICE AT UPPER AND LOWER SURFACE (SSI 55-10-16)	N/A	9342	FC	337 EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-240-802-A00	SDE	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS BY THE MAGNETIC PARTICLE INSPECTION METHOD:- PIN INTERNAL AND EXTERNAL HINGE STABILIZER(SS I 55-10-24)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	N/A	17598	FC	337 EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-240-802-A01	SDE	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS BY THE MAGNETIC PARTICLE INSPECTION METHOD:- PIN INTERNAL AND EXTERNAL HINGE STABILIZER (SSI 55-10-24)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	N/A	11723	FC	337 EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-250-803-A00	SDE	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- FITTING HINGE SUPPORT STABILIZER (SSI 55-10-21)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	N/A	29600	FC	337 EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-10-00-250-803-A01	SDE	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- FITTING HINGE SUPPORT STABILIZER (SSI 55-10-21)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	N/A	19811	FC	337 EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-20-00-210-801-A00	GVI	INTERNALLY INSPECT THE ELEVATOR COMPONENTS: - ELEVATOR HORN MASS BALANCE WEIGHTS AND ATTACHMENTS (SSI 55- 20-90)	N/A	2500	FC	335/336 ALL
55-20-00-210-803-A00	GVI	INTERNALLY INSPECT THE ELEVATOR COMPONENTS: - TAB WHEEL DRIVE SUPPORT FITTINGS (SSI 55-20-35)	N/A	2500	FC	335/336 ALL

01-Ago-2019

Re-edición 02

SEC 4-39

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-20-00-220-801-A00	DET	INTERNALLY INSPECT THE ELEVATOR COMPONENTS:- TORQUE TUBE FITTINGS (SSI 55-20-34)		N/A	10000	FC	335/336	ALL
55-20-00-220-802-A00	DET	INTERNALLY INSPECT THE ELEVATOR COMPONENTS:- TAB WHEEL DRIVE SUPPORT FITTINGS (SSI 55-20-35)		N/A	10000	FC	335/336	ALL
55-30-00-210-802-A00	GVI	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SPAR 2 (WEB AND CAP) FROM FUSELAGE CONTOUR LINE TO TIP RIB STA. ZV 3015 (SSI 55-30-67)		N/A	10000	FC	324	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-30-00-210-803-A00	GVI	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS: - FIN-TO-HORIZONTAL STABILIZER SUPPORT ACTUATORS INCLUDING BOLT (SSI 55-30-75)		N/A	2500	FC	325	ALL
55-30-00-210-805-A00	GVI	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SPAR 1 (WEB AND CAP) FROM FUSELAGE CONTOUR LINE TO TIP RIB (SSI 55-30-68)		N/A	10000	FC	324	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-40

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-30-00-210-806-A00	GVI	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS: - FITTING HINGE SUPPORT (SSI 55-30-76)		N/A	2500	FC	325	ALL
55-30-00-210-807-A00	GVI	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- REAR SPAR ACTUATOR SUPPORT FITTING (ELEVATOR)(SSI 55-30-77)	30000	FC	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-210-808-A00	GVI	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- PCU SUPPORT FITTINGS (SSI 55-30-80)	30000	FC	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-220-804-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SPAR 3 (WEB AND CAP) FROM FUSELAGE CONTOUR LINE TO TIP RIB INCLUDING ATTACHMENT BOLTS (SSI 55-30-63)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-41

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-30-00-220-808-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO SPAR 3 (SSI 55-30-54)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-30-00-220-809-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO AUXILIARY SPAR 52 (SSI 55-30-55)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-30-00-220-810-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO AUXILIARY SPAR 41 (SSI 55-30-56)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-42

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-30-00-220-811-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO BULKHEAD 78 (SSI 55-30-60)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-30-00-220-812-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO BULKHEAD 79 (SSI 55-30-61)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-30-00-220-813-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO BULKHEAD 80 (SSI 55-30-62)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-43

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-30-00-220-817-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO SPAR 2 (SSI 55-30-57)		N/A	10000	FC	324	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-30-00-220-818-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO SPAR 1 (SSI 55-30-58)		N/A	10000	FC	324	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-30-00-220-819-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-FUSELAGE ATTACHMENT FITTING TO BULKHEAD 77 (SSI 55-30-59)		N/A	10000	FC	324	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-44

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-30-00-220-820-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SPAR 52 (WEB AND CAP) FROM FUSELAGE CONTOUR LINE TO TIP RIB INCLUDING ATTACHMENT BOLTS (SSI 55-30-64)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-30-00-220-821-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SPAR 41 (WEB AND CAP) FROM STA. ZV2538 TO TIP RIB INCLUDING ATTACHMENT BOLTS (SSI 55-30-65)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
55-30-00-220-822-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SPAR 41 (WEB AND CAP) FROM STA. ZV1550.5 INCLUDING ATTACHMENT BOLTS (SSI 55-30-66)		N/A	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-45

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-30-00-220-833-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FITTING HINGE SUPPORT (SSI 55-30-76)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	30000	FC	5574	FC	325	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-220-833-A01	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FITTING HINGE SUPPORT (SSI 55-30-76)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	27000	FC	4591	FC	325	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-220-834-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-HORIZONTAL STABILIZER ATTACHMENT FITTING TO SPAR 3(SS1 55-30-50)	30000	FC	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-220-835-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-HORIZONTAL STABILIZER ATTACHMENT FITTING TOAUXILIARY SPAR 52 PER CENT (SSI 55-30-51)	30000	FC	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-220-836-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-HORIZONTAL STABILIZER ATTACHMENT FITTING TOAUXILIARY SPAR 41 PER CENT (SSI 55-30-52)	30000	FC	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-46

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-30-00-220-837-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SPAR 1 - TIP RIB ATTACHMENT (SSI 55-30-53)	30000	FC	10000	FC	324	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-220-838-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- TIP RIB (SSI 55-30-69)	30000	FC	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-220-839-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- FIN-TO-HORIZONTAL STABILIZER SUPPORT ACTUATORS INCLUDING BOLT (SSI 55-30-75)	30000	FC	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-220-841-A00	DET	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- RUDDER HINGE FITTINGS (SSI 55-30-78)	30000	FC	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-47

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
55-30-00-220-842-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- ACTUATOR SUPPORT FITTINGS (RUDDER) (SSI 55-30-79)	30000	FC	10000	FC	325	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-250-802-A00	SDE	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- FITTING HINGE SUPPORT (SSI 55-30-76)NOTE: APPLICABLE TO AIRCRAFT PRE- MOD. SB 145-00-0032.	30000	FC	29600	FC	325	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
55-30-00-250-802-A01	SDE	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD:- FITTING HINGE SUPPORT (SSI 55-30-76)NOTE: APPLICABLE TO AIRCRAFT POST- MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	27000	FC	19811	FC	325	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-210-802-A00	GVI	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 2 - BRACKETS AND RIB 2A WEB ATTACHMENTS(SS I 57-10-27)	30000	FC	20000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-802-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- LOWER SKIN - SPANWISE SPLICE AT SPAR 2 ACCESS HOLES STRINGERS INTEGRAL MILLED PANELS SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-01)		N/A	5000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-48

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-10-00-220-803-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - AUXILIARY CAP ATTACHMENTS AUXILIARY CAP SPLICE AT WING ATTACHMENTS (SSI 57-10-05)NOTE 1: DURING THIS INSPECTION THE CPCP BASIC TASKS SHALL ALSO BE PERFORMED FOR THIS SSI.NOTE 2: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.		N/A	5700	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-803-A01	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:SPAR 1 - AUXILIARY CAP ATTACHMENTS AUXILIARY CAP SPLICE AT WING ATTACHMENTS (SSI 57-10-05)NOTE 1: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.NOTE 2: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.		N/A	5049	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-804-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- LOWER SKIN - RIBS 1 2 3 ATTACHMENTS AND TIRE COMPARTMENT WALL ATTACHMENTS (SSI 57-10-02)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKS SHALL ALSO BE PERFORMED FOR THIS SSI.		N/A	5000	FC	155/156 157	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-10-00-220-806-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- LOWER SKIN - RIBS 1 2 3 ATTACHMENTS AND TIRE COMPARTMENT WALL ATTACHMENTS (SSI 57-10-02)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKS SHALL ALSO BE PERFORMED FOR THIS SSI.		N/A	5000	FC	155/156 157	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-49

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad	
57-10-00-220-807-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - LOWER SKIN ATTACHMENTS (SSI 57-10-03)NOTE 1: DURING THIS INSPECTION THE CPCP BASIC TASKS SHALL ALSO BE PERFORMED FOR THIS SSI.NOTE 2: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	N/A	5700	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-807-A01	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - LOWER SKIN ATTACHMENTS (SSI 57-10-03)NOTE 1: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.NOTE 2: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	N/A	5049	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-809-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - LOWER SKIN ATTACHMENTS (SSI 57-10-03)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	N/A	5700	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-809-A01	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - LOWER SKIN ATTACHMENTS (SSI 57-10-03)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	N/A	5049	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-810-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - AUXILIARY CAP ATTACHMENTS AUXILIARY CAP SPLICE AT WING ATTACHMENTS (SSI 57-10-05)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	N/A	5700	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-810-A01	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - AUXILIARY CAP ATTACHMENTS AUXILIARY CAP SPLICE AT WING ATTACHMENTS (SSI 57-10-05)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	N/A	5049	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-50

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-10-00-220-813-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS: - SPAR 2 - LOWER SKIN ATTACHMENTS (SSI 57-10-06)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	23000	FC	9583	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-813-A01	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 2 - LOWER SKIN ATTACHMENTS (SSI 57-10-06)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	22000	FC	8759	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-814-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS: - SPAR 2 - AUXILIARY CAP ATTACHMENTS AND AUXILIARY CAP SPLICE AT WING ATTACHMENTS (SSI 57-10-08)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.		N/A	9583	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-814-A01	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 2 - AUXILIARY CAP ATTACHMENTS AND AUXILIARY CAP SPLICE AT WING ATTACHMENTS (SSI 57-10-08)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.		N/A	8759	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-822-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- LOWER SKIN SPANWISE SPLICE AT SPAR 2 ACCESS HOLES STRINGERS INTEGRAL MILLED PANELS SPANWISE SPLICE OF INTEGRAL PANEL(SSI 57-10-01)NOTE 1: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED IN THIS SSI.NOTE 2: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.		N/A	4417	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-822-A01	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- LOWER SKIN SPANWISE SPLICE AT SPAR 2 ACCESS HOLES STRINGERS INTEGRAL MILLED PANELS SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-01)NOTE 1: DURING THIS INSPECTION THE CPCP BASIC TASKSHALL ALSO BE PERFORMED FOR THIS SSI.NOTE 2: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.		N/A	3825	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-10-00-220-833-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 2 - LOWER SKIN ATTACHMENTS (SSI 57-10-06)NOTE 1: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.NOTE 2: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	23000	FC	5000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-833-A01	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 2 - LOWER SKIN ATTACHMENTS (SSI 57-10-06)NOTE 1: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.NOTE 2: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	22000	FC	5000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-220-834-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 2 - BRACKETS AND RIB 2A WEB ATTACHMENTS(SSI 57-10-27)	30000	FC	5000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-10-00-250-801-A00	SDE	EXTERNALLY INSPECT THE WING STUB COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- RIB 4 - LOWER FLANGE AND WEB (SSI 57-10-11)NOTE: NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-57-0047 PART II.	23600	FC	9569	FC	155/156 157	ALL
57-10-00-250-801-A01	SDE	EXTERNALLY INSPECT THE WING STUB COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- RIB 4 - LOWER FLANGE AND WEB (SSI 57-10-11)NOTE: NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-57-0047 PART II.		N/A	24000	FC	155/156 157	ALL
57-11-00-220-814-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - LOWER FRONT FITTING ATTACHMENTS AND SPAR 2 - LOWER REAR FITTING ATTACHMENTS (SSI 57-11-18)	30000	FC	10000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-831-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - LOWER FRONT FITTING ATTACHMENTS AND SPAR 2 - LOWER REAR FITTING ATTACHMENTS (SSI 57-11-18)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	10000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-11-00-220-839-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- LOWER SKIN - REAR FITTING-TO-SKIN ATTACHMENTS AND SPARS 1 2 - STUB-TO-WING ATTACHMENTS (SSI 57-11-17)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	10000	FC	155/156 157	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-840-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- LOWER SKIN - REAR FITTING-TO-SKIN ATTACHMENTS AND SPARS 1 2 - STUB-TO-WING ATTACHMENTS (SSI 57-11-17)	30000	FC	20000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-843-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS: - SPAR 1 - TITANIUM FITTING ATTACHMENTS FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 40 L - SHAPE FUSELAGE FRAME 40 ATTACHMENTS FUSELAGE STRINGERS ATTACHMENTS (SSI 57-11-19)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	5000	FC	155/156 157	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-845-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - TITANIUM FITTING ATTACHMENTS FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 40 L - SHAPE FUSELAGE FRAME 40 ATTACHMENTS FUSELAGE STRINGERS ATTACHMENTS (SSI 57-11-19)	30000	FC	10000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-846-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 2 - TITANIUM FITTING ATTACHMENTS AND FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 46 (SSI 57-11-20)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	5000	FC	155/156 157	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-53

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-11-00-220-847-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 2 - TITANIUM FITTING ATTACHMENTS AND FUSELAGE BULKHEAD AT FRAME 46 (SSI 57-11-20)	30000	FC	5000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-850-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 3 - FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 50 L - SHAPE FUSELAGE FRAME 50 ATTACHMENTS FUSELAGE STRINGERS ATTACHMENTS (SSI 57-11-21)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKSHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	5000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-852-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 3 - FUSELAGE BULKHEAD ATTACHMENTS AT FRAME 50 L - SHAPE FUSELAGE FRAME 50 ATTACHMENTS FUSELAGE STRINGERS ATTACHMENTS (SSI 57-11-21)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKSHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	10000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-853-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 3 AND RIB 4 ROD-END LINK (SSI 57-11-22)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	10000	FC	155/156 157	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-854-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- FUSELAGE BULKHEAD AT FRAME 40 AND ITS ATTACHMENTS TO FRAME 40 (SSI 57-11-23)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	10000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-856-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- FUSELAGE BULKHEAD AT FRAME 40 AND ITS ATTACHMENTS TO FRAME 40 (SSI 57-11-23)	30000	FC	10000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-54

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-11-00-220-858-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- FUSELAGE BULKHEAD ATTACHMENTS TO FRAME 46(SSi 57-11-24)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	10000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-860-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- FUSELAGE BULKHEAD ATTACHMENTS TO FRAME 46(SSi 57-11-24)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKSHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	10000	FC	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-862-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- FUSELAGE BULKHEAD AT FRAME 50 AND ITS ATTACHMENTS TO FRAME 50 (SSI 57-11-25)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASK SHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	20000	FC	155/156 157	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-220-863-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- FUSELAGE BULKHEAD AT FRAME 50 AND ITS ATTACHMENTSTO FRAME 50 (SSI 57-11-25)NOTE: DURING THIS INSPECTION THE CPCP BASIC TASKSHALL ALSO BE PERFORMED FOR THIS SSI.	30000	FC	20000	FC	155/156 157	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-11-00-250-801-A00	SDE	INTERNALLY INSPECT THE WING STUB COMPONENTS BY USING EDDY CURRENT INSPECTION METHOD: - LOWER SKIN - REAR FITTING-TO-SKIN ATTACHMENTS AND SPARS 1 2 - STUB-TO-WING ATTACHMENTS (SSI 57-11-17).		N/A	30000	FC	155/156 157	ALL
57-21-00-210-801-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - LOWER SKIN- SPAR ATTACHMENT (SSI 57-21-36)		N/A	2500	FC	531/631 532/632 541/641	ALL

01-Ago-2019

Re-edición 02

SEC 4-55

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-21-00-210-804-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)		N/A	10000	FC	541/641	ALL
57-21-00-210-805-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN PANEL CHORDWISE JOINT (SSI 57-21-29)		N/A	20000	FC	531/631	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-21-00-210-806-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN-SPAR ATTACHMENTS (SSI 57-21-36)		N/A	5000	FC	532/632	ALL
57-21-00-210-807-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - ACTUATOR ACCESS HOLES (SSI 57-21-34)		N/A	10000	FC	551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-56

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-21-00-210-810-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- ACTUATOR ACCESS HOLES (SSI 57-21-34)		N/A	10000	FC	551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-21-00-210-811-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)		N/A	10000	FC	532/632	ALL
57-21-00-210-812-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)	20000	FC	20000	FC	541/641	ALL
57-21-00-210-814-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)		N/A	2500	FC	532/632	ALL
57-21-00-210-815-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - UPPER SKIN PANEL SPANWISE JOINT (SSI 57-21-31)		N/A	2500	FC	532/632	ALL
57-21-00-210-816-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - UPPER SKIN-SPAR ATTACHMENTS (SSI 57- 21- 37)	12000	FC	2500	FC	532/632	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-21-00-210-817-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)		N/A	20000	FC	531/631	ALL

01-Ago-2019	Re-edición 02	SEC 4-57
Link Conexión Aérea S.A. de C.V.		



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-21-00-210-818-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)	20000	FC	20000	FC	531/631	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR
57-21-00-210-820-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS: - SKIN PANELS (SSI 57-21-26)		N/A	5000	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-21-00-210-828-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)		N/A	5000	FC	532/632	ALL
57-21-00-210-829-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- SKIN PANELS (SSI 57-21-26)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.		N/A	18298	FC	551/651	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-21-00-210-830-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN-SPAR ATTACHMENTS (SSI 57-21-36)	30000	FC	5000	FC	531/631 541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-58

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-21-00-210-832-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)	30000	FC	20000	FC	551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-21-00-210-833-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)		N/A	10000	FC	551/651	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-21-00-210-834-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER VENT HOLE (SSI 57-21-33)		N/A	10000	FC	541/641	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-59

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-21-00-220-804-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS: - UPPER SKIN-SPAR ATTACHMENT (SSI 57-21-37)	12000	FC	5000	FC	532/632	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-21-00-220-805-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS: - SKIN PANELS (SSI 57-21-26)		N/A	2500	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-21-00-220-815-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN-SPAR ATTACHMENTS (SSI 57-21-36)		N/A	5000	FC	551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-60

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-21-00-220-819-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN-SPAR ATTACHMENTS (SSI 57-21-36)	30000	FC	8444	FC	551/651	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-21-00-220-821-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- SKIN PANELS (SSI 57-21-26)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.		N/A	11560	FC	551/651	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-21-00-250-803-A00	SDE	EXTERNALLY INSPECT THE WING COMPONENTS BY USING EDDY CURRENT METHOD:- LOWER SKIN PANEL CHORDWISE JOINT (SSI 57-21-29)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.		N/A	17395	FC	531/631	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-21-00-250-803-A01	SDE	EXTERNALLY INSPECT THE WING COMPONENTS BY USING EDDY CURRENT METHOD:- LOWER SKIN PANEL CHORDWISE JOINT (SSI 57-21-29)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.		N/A	11192	FC	531/631	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-22-00-210-801-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 1-WING STUB ATTACHMENT (SSI 57-22-44)		N/A	10000	FC	531/631	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-61

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-22-00-210-806-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 1 CAP (SSI 57-22-41)	30000	FC	10000	FC	531/631 541/641 551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-22-00-220-802-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR 1 WEB CUTOUTS (SSI 57-22-42)		N/A	10000	FC	551/651	ALL
57-22-00-220-804-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 1 - LEADING EDGE ATTACHMENTS (SSI 57-22-43)		N/A	10000	FC	531/631 541/641 551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-22-00-220-808-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR 1 - LEADING EDGE ATTACHMENTS (SSI 57-22-43)		N/A	5000	FC	531/631 541/641 551/651	ALL
57-22-00-220-809-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR 1-WEB AND STIFFENERS (SSI 57-22-40)	30000	FC	10000	FC	531/631 541/641 551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-62

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-22-00-250-803-A00	SDE	EXTERNALLY INSPECT THE WING COMPONENTS BY USING EDDY CURRENT INSPECTION METHOD:- SPAR I WEB CUTOUTS (SSI 57-22-42)		N/A	16279	FC	551/651	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-23-00-210-801-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR 2-WING STUB ATTACHMENTS (SSI 57-23-48)		N/A	5000	FC	531/631	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-23-00-210-805-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 2 CAP (SSI 57-23-46)	30000	FC	10000	FC	531/631 541/641 551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-23-00-220-802-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR 2- WEB CUTOUTS (SSI 57-23-47)		N/A	10000	FC	531/631 541/641 551/651	ALL
57-23-00-220-805-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS: - SPAR 2- WEB AND STIFFENERS (SSI 57-23-45)		N/A	10000	FC	551/651	ALL

01-Ago-2019

Re-edición 02

SEC 4-63

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-23-00-220-806-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 2-WEB AND STIFFENERS (SSI 57-23-45)	30000	FC	10000	FC	531/631 541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-23-00-220-807-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 2-WEB CUTOUTS (SSI 57-23-47)	30000	FC	10000	FC	531/631 541/641 551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-24-00-210-802-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR 3- WING STUB ATTACHMENT (SSI 57-24-52)		N/A	5000	FC	532/632	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-24-00-210-803-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 3 CAP (SSI 57-24-50)	30000	FC	5000	FC	532/632	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-64

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-26-00-220-802-A01	DET	EXTERNALLY INSPECT THE WING COMPONENTS: - FWD AFT SIDE BRACE FITTINGS - MLG (SSI 57-26-56)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-57-0018.		N/A	2500	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135LR EMB-135KE EMB-135KL
57-26-00-220-802-A04	DET	EXTERNALLY INSPECT THE WING COMPONENTS: -FWD AFT SIDE BRACE FITTINGS - MLG (SSI 57-26-56) NOTE: APPLICABLE TO AIRCRAFT POST-MOD SB 145-57-0018.		N/A	5000	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR EMB-135LR EMB-135KE EMB-135KL
57-26-00-220-804-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS: - LOWER BEARING CAP (SSI 57-26-94)		N/A	5000	FC	532/632	ALL
57-26-00-220-805-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- AFT UPPER TRUNNION (SSI 57-26-95)		N/A	5000	FC	532/632	ALL
57-26-00-220-806-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- FWD UPPER TRUNNION (SSI 57-26-96)		N/A	5000	FC	532/632	ALL
57-26-00-250-802-A00	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- FWD AFT SIDE BRACE FITTINGS (SSI 57-26-56)		N/A	16399	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-65

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-26-00-250-812-A00	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- LOWER BEARING CAP (SSI 57-26-94)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.		N/A	12751	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-26-00-250-812-A01	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- LOWER BEARING CAP (SSI 57-26-94)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.		N/A	21620	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-26-00-250-813-A00	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- AFT UPPER TRUNNION (SSI 57-26-95)NOTE 1: APPLICABLE ONLY TO TRUNNION P-N 145-67014-001-002-003-004-005-006-007-008.NOTE 2: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	17800	FC	16459	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-26-00-250-813-A01	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- AFT UPPER TRUNNION (SSI 57-26-95)NOTE 1: APPLICABLE ONLY TO TRUNNION P-N 145-67014-001-002-003-004-005-006-007-008.NOTE 2: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	12985	FC	11927	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-26-00-250-813-A02	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- AFT UPPER TRUNNION (SSI 57-26-95)NOTE 1: APPLICABLE ONLY TO TRUNNION P-N 145-67014-011-012.NOTE 2: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	11000	FC	10413	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-26-00-250-813-A03	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- AFT UPPER TRUNNION (SSI 57-26-95)NOTE 1: APPLICABLE ONLY TO TRUNNION P-N 145-67014-011-012.NOTE 2: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	6564	FC	6179	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

01-Ago-2019

Re-edición 02

SEC 4-66

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-26-00-250-813-A04	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- AFT UPPER TRUNNION (SSI 57-26-95)NOTE 1: APPLICABLE ONLY TO TRUNNION P-N 145-67014-009-010-013-014.NOTE 2: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	22200	FC	20000	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-26-00-250-813-A05	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- AFT UPPER TRUNNION (SSI 57-26-95)NOTE 1: APPLICABLE ONLY TO TRUNNION P-N 145-67014-009-010-013-014.NOTE 2: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	16936	FC	15409	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-26-00-250-814-A00	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- FWD UPPER TRUNNION (SSI 57-26-96)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-00-0032.	30000	FC	20000	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-26-00-250-814-A01	SDE	EXTERNALLY INSPECT THE WING COMPONENTS USING EDDY CURRENT INSPECTION METHOD:- FWD UPPER TRUNNION (SSI 57-26-96)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-00-0032 UNDER ANAC-FAA CERTIFICATIONS.	26000	FC	21620	FC	532/632	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-28-00-210-802-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR ATTACHMENT TORQUE BOX (SSI 57-28-57)		N/A	10000	FC	541/641	ALL
57-28-00-210-803-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - RIBS TORQUE BOX (SSI 57-28-60)		N/A	7229	FC	541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-67

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-28-00-210-804-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - LOWER SKIN TORQUE BOX (SSI 57-28-58)		N/A	5000	FC	541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-28-00-210-805-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - SPAR 3 ATTACHMENT TORQUE BOX (SSI 57-28-63)		N/A	10000	FC	541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-28-00-210-806-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS: - LOWER SKIN TORQUE BOX (SSI 57-28-58)		N/A	10000	FC	541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-68

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-28-00-210-807-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 3 ATTACHMENT TORQUE BOX 2 (SSI 57-28-63)		N/A	10000	FC	541/641	ALL
57-28-00-210-808-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - OUTBOARD FLAP CENTER TRACK ATTACHMENT (SSI 57-28-68).		N/A	3912	FC	541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-28-00-210-813-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- RIBS TORQUE BOX (SSI 57-28-60)		N/A	10000	FC	541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-28-00-210-815-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN TORQUE BOX (SSI 57-28-61)		N/A	5445	FC	532/632 541/641 551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-28-00-220-801-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- TRACKS-RIBS ATTACHMENT TORQUE BOX (SSI 57-28-62)		N/A	10000	FC	532/632 541/641	ALL
57-28-00-220-805-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- RIBS TORQUE BOX 3 (SSI 57-28-64)		N/A	6306	FC	551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-28-00-220-806-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS: - RIBS TORQUE BOX 3 (SSI 57-28-64)		N/A	6306	FC	551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-28-00-220-807-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS: - CENTER TRACK AND RIB 15 TRAILING EDGE (SSI 57-28-69)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD SB 145-57-0008		N/A	2000	FC	541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-28-00-220-807-A01	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- CENTER TRACK AND RIB 15 TRAILING EDGE (SSI 57-28-69)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-57-0008.		N/A	3275	FC	541/641	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-71

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-28-00-220-813-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR ATTACHMENT TORQUE BOX (SSI 57-28-57)	30000	FC	20000	FC	551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR
57-28-00-250-803-A00	SDE	EXTERNALLY INSPECT THE WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD: - SPAR ATTACHMENT TORQUE BOX (SSI 57-28-57)		N/A	30000	FC	532/632	ALL
57-28-00-250-804-A00	SDE	INTERNALLY INSPECT THE WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD: - SPAR ATTACHMENT TORQUE BOX (SSI 57-28-57).		N/A	30000	FC	532/632	ALL
57-28-00-250-805-A00	SDE	EXTERNALLY INSPECT THE WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD: - FLAP TRACK TORQUE BOX (SSI 57-28-59)		N/A	22633	FC	532/632 541/641 551/651	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-28-00-250-806-A00	SDE	EXTERNALLY INSPECT THE WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD: - RIBS TORQUE BOX (SSI 57-28-60)		N/A	15824	FC	532/632	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-28-00-250-807-A00	SDE	INTERNALLY INSPECT THE WING COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD: - RIBS TORQUE BOX (SSI 57-28-60).		N/A	15824	FC	532/632	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-29-00-210-801-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS: - RIBS MAIN LANDING GEAR BAY (SSI 57-29-71)		N/A	5000	FC	532/632	ALL
57-29-00-210-802-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS: - SKIN-RIB ATTACHMENT MLGB (SSI 57-29-72)		N/A	2500	FC	532/632	ALL
57-29-00-210-803-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SKIN-RIB ATTACHMENT MLGB (SSI 57-29-72)		N/A	5000	FC	532/632	ALL



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-41-00-220-801-A00	DET	INTERNALLY INSPECT THE WING LEADING EDGE COMPONENTS:- MACHINED RIB FLANGE (SSI 57-41-98)		N/A	10000	FC	511/611	ALL
57-42-00-220-801-A00	DET	INTERNALLY INSPECT THE WING LEADING EDGE COMPONENTS: - MACHINED RIB FLANGE (SSI 57-42-98)		N/A	10000	FC	512/612	ALL
57-43-00-220-801-A00	DET	INTERNALLY INSPECT THE WING LEADING EDGE COMPONENTS: - MACHINED RIB FLANGE (SSI 57-43-98)		N/A	10000	FC	513/613	ALL
57-50-00-220-801-A00	DET	EXTERNALLY INSPECT THE FLAP COMPONENTS: - FITTING ROOT SPAR FLAPS (SSI 57-50-74)		N/A	10000	FC	571/671 572/672	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-50-00-220-802-A00	DET	INTERNALLY INSPECT THE FLAP COMPONENTS: - FITTING ROOT SPAR FLAPS (SSI 57-50-74)		N/A	10000	FC	571/671 572/672	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-50-00-220-803-A00	DET	EXTERNALLY INSPECT THE FLAP COMPONENTS: - ROLLER ATTACHMENT (SSI 57-50-76)		N/A	5000	FC	571/671 572/672	ALL
57-50-00-220-804-A00	DET	EXTERNALLY INSPECT THE FLAP COMPONENTS: - FLAP ROLLERS AND TORQUE BOXES ROLLERS (SSI 57-50-78)		N/A	10000	FC	571/671 572/672	ALL
57-50-00-240-801-A00	SDE	EXTERNALLY INSPECT THE FLAP COMPONENTS BY THE MAGNETIC PARTICLE INSPECTION METHOD: - FLAP ROLLERS AND TORQUE BOXES ROLLERS (SSI 57-50-78)		N/A	30000	FC	571/671 572/672	ALL
57-50-00-250-801-A00	SDE	EXTERNALLY INSPECT THE FLAP COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD: - ROLLER ATTACHMENT (SSI 57-50-76)		N/A	30000	FC	571/671 572/672	ALL
57-50-00-250-802-A00	SDE	EXTERNALLY INSPECT THE FLAP COMPONENTS BY THE EDDY CURRENT INSPECTION METHOD: - TRACKS FLAPS (SSI 57-50-80)		N/A	22633	FC	571/671 572/672	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-52-00-210-802-A00	GVI	INTERNALLY INSPECT THE FLAP COMPONENTS: - RIBS-SKIN ATTACHMENT INBOARD FLAP (SSI 57-52-79)		N/A	10000	FC	571/671	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-75

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-52-00-210-803-A00	GVI	EXTERNALLY INSPECT THE FLAP COMPONENTS: - RIBS-SKIN ATTACHMENT INBOARD FLAP (SSI 57-52-79)		N/A	2500	FC	571/671	ALL
57-52-00-210-804-A00	GVI	EXTERNALLY INSPECT THE FLAP COMPONENTS: - VANE INBOARD-OUTBOARD FITTINGS INBOARD FLAP (SSI 57-52-81)		N/A	2500	FC	571/671	ALL
57-52-00-220-802-A00	DET	INTERNALLY INSPECT THE FLAP COMPONENTS:- FITTING TIP INBOARD FLAP (SSI 57-52-73)		N/A	16797	FC	571/671	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-52-00-220-803-A00	DET	EXTERNALLY INSPECT THE FLAP COMPONENTS:- VANE CENTER FITTING INBOARD FLAP (SSI 57-52-78)		N/A	3447	FC	571/671	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-76

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-53-00-210-802-A00	GVI	INTERNALLY INSPECT THE FLAP COMPONENTS: - RIBS-SKIN ATTACHMENT OUTBOARD FLAP (SSI 57-53-86)		N/A	10000	FC	572/672	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-53-00-210-803-A00	GVI	EXTERNALLY INSPECT THE FLAP COMPONENTS: - RIBS-SKIN ATTACHMENT OUTBOARD FLAP (SSI 57-53-86)		N/A	2500	FC	572/672	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-53-00-210-804-A00	GVI	EXTERNALLY INSPECT THE FLAP COMPONENTS: - VANE INBOARD-OUTBOARD FITTINGS OUTBOARD FLAP (SSI 57-53-88)		N/A	2500	FC	572/672	ALL

01-Ago-2019

Re-edición 02

SEC 4-77

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-53-00-210-805-A00	GVI	INTERNALLY INSPECT THE FLAP COMPONENTS: - CENTER RIBS ATTACHMENT OUTBOARD FLAP (SSI 57-53-87)		N/A	20000	FC	572/672	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-53-00-220-801-A00	DET	EXTERNALLY INSPECT THE FLAP COMPONENTS: - FITTING TIP SPAR OUTBOARD FLAP (SSI 57-53-83)		N/A	10000	FC	572/672	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-53-00-220-802-A00	DET	INTERNALLY INSPECT THE FLAP COMPONENTS: - FITTING TIP SPAR OUTBOARD FLAP (SSI 57-53-83)		N/A	16797	FC	572/672	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 4-78

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral		Intervalo		Zona	Efectividad
57-53-00-220-805-A00	DET	EXTERNALLY INSPECT THE FLAP COMPONENTS:- VANE CENTER FITTING OUTBOARD FLAP (SSI 57-53-85)		N/A	3447	FC	572/672	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-61-00-220-801-A00	DET	EXTERNALLY INSPECT THE AILERON COMPONENTS: - ACTUATOR ATTACHMENT AILERON (SSI 57-61-90)		N/A	5000	FC	573/673	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-61-00-220-802-A00	DET	INTERNALLY INSPECT THE AILERON COMPONENTS: - ACTUATOR ATTACHMENT AILERON (SSI 57-61-90)		N/A	10000	FC	573/673	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR

SECCIÓN 5
REQUERIMIENTOS DE
INSPECCIÓN PROGRAMA
DE CONTROL Y
PREVENCIÓN DE LA
CORROSIÓN
(CORROSION PREVENTION
& CONTROL PROGRAM)

REQUERIMIENTOS DE INSPECCIÓN PROGRAMA DE CONTROL Y PREVENCIÓN DE CORROSIÓN (CPCP)

Esta sección contiene los requerimientos de una inspección para la prevención de la corrosión, resultado del análisis MSG-3. Los requerimientos consisten en tareas asociadas a intervalos desarrollados para prevenir la degradación estructural causada por el medio ambiente causada durante la vida operacional de la aeronave.

Los requisitos de prevención de corrosión están basados en una evaluación de información de diseño y experiencia de servicio en estructuras similares, así como resultados relacionados.

Definición de los Niveles de Corrosión

Nivel de Corrosión 1

Daños ocurridos entre inspecciones consecutivas que los daños se encuentran dentro de los límites permisibles;
ó
Daños ocurridos entre inspecciones consecutivas que no requieren un refuerzo estructural, reemplazo o inspecciones basadas en nuevas tolerancias;
ó
Corrosión que se produce entre inspecciones consecutivas que exceden los límites permitidos pero que no son atribuidos a un suceso no típico del uso por parte del operador de otras aeronaves de la misma flota;
ó
Corrosión ligera que ocurre repetidamente entre inspecciones que requieren de manera eventual un refuerzo estructural, reemplazo o inspecciones basadas en nuevas tolerancias.

Nivel de Corrosión 2

El Nivel de corrosión 2 es cualquier daño encontrado que excede el nivel 1, y que requiere una revisión de la efectividad del CPCP del operador pero que no es determinado como nivel 3.

Nivel de Corrosión 3

El Nivel 3 Nivel de corrosión 3 es la corrosión ocurrida durante el primer o siguientes cumplimientos de una tarea inspección de corrosión que determine el operador sea urgente, concerniente a la aeronavegabilidad.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
32-10-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS:- LEG STRUCTURE EQUIPPED (LEFT) - MLG (SSI 32-10-01)		60 MO	731	ALL
32-10-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS:- SHOCK ABSORBER PISTON TUBE ASSY - MLG (SSI 32-10-05)		30 MO	721/731	
32-10-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS:- LEG STRUCTURE EQUIPPED (RIGHT) - MLG (SSI 32-10-02)		60 MO	721	ALL
32-10-00-210-C04-A00	GVI	EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS:- UPPER SECONDARY SIDE STRUT ASSY - MLG (SSI 32-10-09)		60 MO	721/731	ALL
32-10-00-210-C05-A00	GVI	EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS:- LOWER SECONDARY SIDE STRUT ASSY - MLG (SSI 32-10-10)		60 MO	721/731	ALL
32-10-00-210-C06-A00	GVI	EXTERNALLY INSPECT THE MAIN LANDING GEAR COMPONENTS:- SHOCK ABSORBER CYLINDER ASSY - MLG (SSI 32-10-06)		30 MO	721/731	ALL
32-20-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE NOSE LANDING GEAR COMPONENTS:- MAIN DRAG STRUT BOTTON STAY - NLG (SSI 32-20-14)		30 MO	711	ALL
52-10-00-220-C02-A00	DET	EXTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- ATTACHMENT FITTINGS-TO-FUSELAGE INTERFACE PARTS (SSI 52-10-05)		30 MO	811	ALL
52-10-00-220-C06-A00	DET	EXTERNALLY INSPECT THE MAIN DOOR (STANDARD MODEL) COMPONENTS:- STRUCTURE (SSI 52-10-01)	48	30 MO	811	ALL
52-10-00-220-C01-A01	DET	INTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- ATTACHMENT FITTINGS-TO-FUSELAGE INTERFACE PARTS (SSI 52-10-05).		120 MO	811	ALL
52-10-00-220-C02-A01	DET	EXTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- ATTACHMENT FITTINGS-TO-FUSELAGE INTERFACE PARTS (SSI 52-10-05)		60 MO	811	ALL
52-10-00-220-C04-A01	DET	INTERNALLY INSPECT THE MAIN DOOR COMPONENTS: - WINDOW FRAME (SSI 52-10-06).NOTE: APPLICABLE TO SIDE-HINGED DOOR ONLY.		120 MO	811	ALL
52-10-00-220-C05-A01	DET	EXTERNALLY INSPECT THE MAIN DOOR COMPONENTS:- WINDOW FRAME (SSI 52-10-06)NOTE: APPLICABLE TO SIDE-HINGED DOOR ONLY.	96	60 MO	811	ALL
52-10-00-220-C06-A01	DET	EXTERNALLY INSPECT THE MAIN DOOR (SIDE-HINGED MODEL) COMPONENTS:- STRUCTURE (SSI 52-10-01)	48	30 MO	811	ALL

01-Ago-2019

Re-edición 02

SEC 5-3

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
52-30-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE BAGGAGE DOOR COMPONENTS:- BAGGAGE DOOR STRUCTURE (SSI 52-30-08)	48	30 MO	813	ALL
52-30-00-210-C02-A00	GVI	INTERNALLY INSPECT THE BAGGAGE DOOR COMPONENTS:- BAGGAGE DOOR STRUCTURE (SSI 52-30-08)		120 MO	813	ALL
52-43-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR STRUCTURE (SSI 52-43-10)	72	30 MO	821	ALL
52-43-00-210-C02-A00	GVI	INTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR STRUCTURE (SSI 52-43-10)	96	60 MO	821	ALL
52-43-00-220-C01-A00	DET	EXTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR-TO-FUSELAGE ATTACHMENT FITTINGS INTERFACE PARTS (SSI 52-43-15)	96	60 MO	821	ALL
52-43-00-220-C02-A00	DET	INTERNALLY INSPECT THE SERVICE DOOR COMPONENTS:- SERVICE DOOR-TO-FUSELAGE ATTACHMENT FITTINGS INTERFACE PARTS (SSI 52-43-15)		120 MO	821	ALL
53-11-00-210-C01-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- BULKHEAD 1 STRUCTURE (SSI 53-10-23)		120 MO	113/114	ALL
53-11-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES- BULKHEADS AND SPLICES (SSI 53-10-07)	96	60 MO	113/114 213/214	ALL
53-11-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- NOSE LANDING GEAR BAY STRUCTURE (SSI 53-10-24)	96	60 MO	113/114	ALL
53-11-00-210-C05-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- NOSE LANDING GEAR BAY STRUCTURE (SSI 53-10-24)	96	60 MO	113/114	ALL
53-11-00-210-C06-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- BATTERY COMPARTMENT CUTOUT STRUCTURE (SSI 53-10-44)		120 MO	113/114	ALL
53-11-00-210-C07-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- HYDRAULIC COMPARTMENT CUTOUT STRUCTURE (SSI 53-10-45)		120 MO	113/114	ALL
53-11-00-210-C08-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- LONGERONS (SSI 53-10-46)		120 MO	113/114	ALL
53-11-00-220-C01-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- NOSE LANDING GEAR FITTING INCLUDING BEARING CAP AND TRUNNION FITTING (SSI 53-10-25)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-32-0063.		15 MO	113/114	ALL

01-Ago-2019

Re-edición 02

SEC 5-4

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-11-00-220-C01-A01	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS: - NOSE LANDING GEAR FITTING INCLUDING BEARING CAP AND TRUNNION FITTING (SSI 53-10-25)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-32-0063.		30 MO	113/114	ALL
53-11-00-220-C02-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES- BULKHEADS AND SPLICES (SSI 53-10-07)		120 MO	113/114	ALL
53-11-00-220-C03-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE (SSI 53-10-14)		120 MO	113/114 213/214	ALL
53-11-00-220-C04-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI 53-10-15)		120 MO	113/114 213/214	ALL
53-11-00-220-C05-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-10-43)		120 MO	113/114 213/214	ALL
53-11-00-220-C07-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI 53-10-15)	96	60 MO	113/114 213/214	ALL
53-12-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES- BULKHEADS AND SPLICES (SSI 53-10-07)	96	60 MO	225/226	ALL
53-12-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD CUTOUT STRUCTURE (SSI 53-10-17)	96	60 MO	223/224 225/226	ALL
53-12-00-210-C04-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD CENTER POST INCLUDING ITS ATTACHMENTS AND LOWER FITTING (SSI 53-10-19)	96	60 MO	223/224	ALL
53-12-00-210-C05-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- MAINTENANCE DOOR CUTOUT STRUCTURE (SSI 53-10-49)	96	60 MO	123/124	ALL
53-12-00-210-C07-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD PANEL (SSI 53-10-21)		120 MO	223/224	ALL
53-12-00-210-C10-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- COCKPIT WINDOW CUTOUT STRUCTURE (SSI 53-10-18)	96	60 MO	223/224 225/226	ALL
53-12-00-210-C11-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- WINDSHIELD PANEL (SSI 53-10-21)	96	60 MO	223/224	ALL
53-12-00-210-C12-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- COCKPIT WINDOW REAR POST AND ITS ATTACHMENT (SSI 53-10-22)	96	60 MO	223/224	ALL

01-Ago-2019

Re-edición 02

SEC 5-5

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-12-00-220-C01-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-10-07)		120 MO	123/124 223/224 225/226	ALL
53-12-00-220-C02-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-10-08)		120 MO	123/124 213/214 223/224	ALL
53-12-00-220-C03-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE (SSI 53-10-14)		120 MO	123/124 223/224 225/226	ALL
53-12-00-220-C04-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- COCKPIT FLOOR BEAMS AND COLUMNS (SSI 53-10-27)		120 MO	123/124	ALL
53-12-00-220-C06-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI 53-10-15)		120 MO	123/124 223/224	ALL
53-12-00-220-C07-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-10-43)		120 MO	123/124 223/224 225/226	ALL
53-12-00-220-C08-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- MAINTENANCE DOOR CUTOUT STRUCTURE (SSI 53-10-49)		120 MO	123/124	ALL
53-12-00-220-C09-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI 53-10-15)	96	60 MO	123/124 223/224	ALL
53-21-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- MAIN DOOR ATTACHMENTS FITTINGS AND INTERFACE PARTS (SSI 53-20-04)	72	30 MO	231	ALL
53-21-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- SERVICE DOOR ATTACHMENT FITTINGS AND INTERFACE PARTS (SSI 53-20-05)	72	30 MO	232	ALL
53-21-00-220-C03-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- STOPS AND BACKUP STRUCTURES FOR SERVICE DOOR (SSI 53-20-02)		30 MO	232	ALL
53-21-00-220-C05-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)		30 MO	131/132	ALL
53-21-00-220-C06-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)		60 MO	231/232 131/132	ALL
53-21-00-220-C07-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS INCLUDING UPPER SEAT TRACK SUPPORTS (SSI 53-20-11).NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-53-0026 OR SB 145-53-0039 OR SB 145-53-0041.		24 MO	131/132/ 231/232	ALL

01-Ago-2019

Re-edición 02

SEC 5-6

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-21-00-220-C07-A01	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS INCLUDING UPPER SEAT TRACK SUPPORTS (SSI 53-20-11).NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-53-0026 SB 145-53-0039 AND SB 145-53-0041.		30 MO	131/132/ 231/232	ALL
53-22-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06).		60 MO	241/242	ALL
53-22-00-220-C01-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES- BULKHEADS AND SPLICES (SSI 53-20-07)		60 MO	141/142 241/242	ALL
53-22-00-220-C02-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS INCLUDING UPPER SEAT TRACK SUPPORTS (SSI 53-20-11).NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-53-0041.		48 MO	141/142/ 241/242	ALL
53-22-00-220-C02-A01	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS INCLUDING UPPER SEAT TRACK SUPPORTS (SSI 53-20-11).NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-53-0041.		60 MO	141/142/ 241/242	ALL
53-22-00-220-C03-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)		60 MO	241/242	ALL
53-22-00-220-C04-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)		60 MO	141/142 241/242 243/244	ALL
53-22-00-220-C05-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE (SSI 53-20-14)		60 MO	141/142 241/242	ALL
53-22-00-220-C06-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)		60 MO	141/142 241/242	ALL
53-23-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)		60 MO	251/252	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 5-7

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-23-00-210-C04-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)		60 MO	251/252	ALL
53-23-00-220-C01-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES- BULKHEADS AND SPLICES (SSI 53-20-07)		60 MO	151/152 153/154	ALL
53-23-00-220-C02-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)		60 MO	151/152 153/154 251/252	ALL
53-23-00-220-C03-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)		60 MO	251/252	ALL
53-23-00-220-C04-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS INCLUDING UPPER SEAT TRACK SUPPORTS (SSI 53-20-11).NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-53-0041.		48 MO	151/152/ 153/154/ 251/252	ALL
53-23-00-220-C04-A01	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS INCLUDING UPPER SEAT TRACK SUPPORTS (SSI 53-20-11).NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-53-0041.		60 MO	151/152/ 153/154/ 251/252	ALL
53-23-00-220-C05-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- SKIN AND REINFORCEMENT AROUND ESCAPE HATCH CUTOUT (SSI 53-20-51)	96	60 MO	251/252	ALL
53-23-00-220-C06-A00	DET	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADSAND SPLICES (SSI 53-20-07)		60 MO	151/152 153/154	ALL
53-24-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)		30 MO	261/262	ALL
53-24-00-210-C02-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)		60 MO	261/262	ALL
53-24-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN WINDOW FRAME (SSI 53-20-06)		60 MO	261/262	ALL

01-Ago-2019

Re-edición 02

SEC 5-8

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-24-00-210-C04-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE (SSI 53-20-14)		60 MO	161/162 261/262	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-24-00-210-C08-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENTS:- TOILET WASTE VALVE SUPPORT (SSI 53-20-29)		30 MO	161/162	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR EMB-135KE EMB-135KL
53-24-00-220-C01-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-20-07)		60 MO	161/162 261/262	ALL
53-24-00-220-C02-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS INCLUDING UPPER SEAT TRACK SUPPORTS (SSI 53-20-11).NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-53-0026 OR SB 145-53-0041.		48 MO	161/162 /261/26 2	ALL
53-24-00-220-C02-A01	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- PASSENGER CABIN FLOOR BEAMS AND COLUMNS INCLUDING UPPER SEAT TRACK SUPPORTS (SSI 53-20-11).NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-53-0026 AND SB 145-53-0041.		60 MO	161/162 /261/26 2	ALL

01-Ago-2019

Re-edición 02

SEC 5-9

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-24-00-220-C03-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-20-08)		60 MO	161/162 261/262	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-24-00-220-C04-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-20-43)		60 MO	161/162 261/262	ALL
53-24-00-220-C06-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- TOILET WASTE VALVE SUPPORT (SSI 53-20-29)		30 MO	161/162	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR EMB-135KE EMB-135KL
53-31-00-220-C01-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICES (SSI 53-30-07)		30 MO	171/172	ALL
53-31-00-220-C02-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES- BULKHEADS AND SPLICES (SSI 53-30-07)	96	60 MO	271/272	ALL
53-31-00-220-C03-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI 53-30-15)	96	60 MO	273/274	ALL

01-Ago-2019

Re-edición 02

SEC 5-10

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-31-00-220-C04-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE (SSI 53-30-14)		30 MO	171/172 271/272 273/274	ALL
53-31-00-220-C05-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT PRESSURE BULKHEAD (SSI 53-30-15)		30 MO	171/172	ALL
53-31-00-220-C07-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- REAR PRESSURE BULKHEAD (SSI 53-30-36)		30 MO	275/276	ALL
53-31-00-220-C08-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-30-43)		30 MO	171/172	ALL
53-31-00-220-C09-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-30-08).	96	60 MO	271/272 273/274	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR EMB-135ER EMB-135LR EMB-135KE EMB-135KL
53-31-00-220-C10-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- REAR PRESSURE BULKHEAD (SSI 53-30-36)		60 MO	271/272	ALL
53-32-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE FUSELAGE COMPONENT:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES-BULKHEADS AND SPLICE (SSI 53-30-07)	96	60 MO	311/312	ALL
53-32-00-210-C02-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN PANEL AT STRINGERS FRAMES- BULKHEADS AND SPLICES (SSI 53-30-07)	96	60 MO	311/312	ALL
53-32-00-210-C05-A00	GVI	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- TAIL CONE FRAME AT APU MOUNTING ATTACHMENT (SSI 53-30-39)	96	60 MO	311/312	ALL
53-32-00-220-C01-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- REAR PRESSURE BULKHEAD (SSI 53-30-36)	48	30 MO	311/312	ALL

01-Ago-2019

Re-edición 02

SEC 5-11

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-32-00-220-C02-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FRAMES (SSI 53-30-43)	96	60 MO	311/312	ALL
53-32-00-220-C03-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN LONGITUDINAL SPLICE (SSI 53-30-08).	96	60 MO	311/312	ALL
53-32-00-220-C04-A00	DET	INTERNALLY INSPECT THE FUSELAGE COMPONENTS:- FUSELAGE SKIN CIRCUMFERENTIAL SPLICE (SSI 53-30-14).	96	60 MO	311/312	ALL
54-50-00-220-C01-A00	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- PYLON YOKES III AND IV (SSI 54-50-02)		30 MO	414/424	ALL
54-50-00-220-C02-A00	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- PYLON YOKES I AND II (SSI 54-50-05)		30 MO	414/424	ALL
54-50-00-220-C03-A00	DET	INTERNALLY INSPECT THE PYLON COMPONENTS:- PYLON YOKES I AND II UPPER FLANGE (SSI 54-50-06)		30 MO	414/424	ALL
55-10-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- U SHAPE L SHAPE AND BOX STRUCTURE - ELEVATOR COMMAND (SSI 55-10-22)		60 MO	337	ALL
55-10-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENT:- PIN INTERNAL AND EXTERNAL HINGE STABILIZER (SSI 55-10-24)		30 MO	337	ALL
55-10-00-210-C05-A00	GVI	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- SUPPORT QUADRANT ASSY STABILIZER (SSI 55-10-23)	96	60 MO	337	ALL
55-10-00-210-C06-A00	GVI	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- SKIN FROM RIB STA. YH 990 TO RIB STA. YH2965-LOWER SURFACE (SSI 55-10-08)		60 MO	333/334	ALL
55-10-00-220-C01-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- RIBS FROM RIB STA. YH 990 TO RIB STA. YH 2965 (SSI 55-10-05)		60 MO	333/334	ALL
55-10-00-220-C02-A00	DET	EXTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- SKIN FROM RIB STA. YH 990 TO RIB STA. YH 2965 - UPPER SURFACE (SSI 55-10-03)		60 MO	333/334	ALL
55-10-00-220-C03-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- FRONT SPAR WEB AND CAP FROM RIB STA. YH 350 TO RIB STA. YH 2965 (SSI 55-10-10)		60 MO	333/334	ALL
55-10-00-220-C04-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- FRONT SPAR WEB AND CAP FROM FIN TO RIB STA. YH 350 INCLUDING CENTER FITTING- SPAR ATTACHMENT (SSI 55-10-09)		60 MO	333/334	ALL

01-Ago-2019

Re-edición 02

SEC 5-12

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
55-10-00-220-C05-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- REAR SPAR WEB CAP FROM RIB STA. YH 350 TO RIB STA. YH 2965 INCLUDING FITTING HINGE STABILIZER ATTACH TO ELEVATOR (SSI 55-10-13)		60 MO	333/334	ALL
55-10-00-220-C06-A00	DET	INTERNALLY INSPECT THE HORIZONTAL STABILIZER COMPONENTS:- RIBS FROM RIB STA. YH 30 TO RIB STA. YH 990 (SSI 55-10-04)		60 MO	333/334	ALL
55-20-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE ELEVATOR COMPONENTS:- SKIN BETWEEN ROOT AND STA. YH 160 (SSI 55-20-26)	96	60 MO	335/336	ALL
55-20-00-210-C02-A00	GVI	INTERNALLY INSPECT THE ELEVATOR COMPONENTS:- SPARS BETWEEN ROOT AND STA. YH 160 (SSI 55-20-25)	96	60 MO	335/336	ALL
55-20-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE ELEVATOR COMPONENTS:- SKIN BETWEEN STA. YH 160 AND STA. YH 3320 (SSI 55-20-28)	96	60 MO	335/336	ALL
55-20-00-210-C04-A00	GVI	EXTERNALLY INSPECT THE ELEVATOR COMPONENTS:- TAB (SSI 55-20-37)		60 MO	335/336	ALL
55-20-00-210-C05-A00	GVI	INTERNALLY INSPECT THE ELEVATOR COMPONENTS:- SPARS BETWEEN STA. YH 160 AND STA. YH 3320 (SSI 55-20-27)	96	60 MO	335/336	ALL
55-20-00-220-C02-A00	DET	INTERNALLY INSPECT THE ELEVATOR COMPONENTS:- RIBS BETWEEN ROOT AND STA. YH160 (SSI 55-20-29)	96	60 MO	335/336	ALL
55-20-00-220-C03-A00	DET	EXTERNALLY INSPECT THE ELEVATOR COMPONENTS:- TAB HINGE FITTINGS (SSI 55-20-36)	72	30 MO	335/336	ALL
55-20-00-220-C05-A00	DET	INTERNALLY INSPECT THE ELEVATOR COMPONENTS:- RIBS BETWEEN STA. YH 160 AND STA. YH 983.4 (SSI 55-20-30)	96	60 MO	335/336	ALL
55-20-00-220-C06-A00	DET	INTERNALLY INSPECT THE ELEVATOR COMPONENTS:- RIBS BETWEEN STA. YH 3001 AND STA YH 3320 (SSI 55-20-33)	96	60 MO	335/336	ALL
55-20-00-290-C01-A00	SDE	INTERNALLY INSPECT THE ELEVATOR COMPONENTS USING A BOROSCOPE:- RIBS BETWEEN STA. YH 9834 AND STA YH 1898 (SSI 55-20-31)		60 MO	335/336	ALL
55-20-00-290-C02-A00	SDE	INTERNALLY INSPECT THE ELEVATOR COMPONENTS USING A BOROSCOPE:- RIBS BETWEEN STA. YH 1898 AND STA YH 3001 (SSI 55-20-32)		60 MO	335/336	ALL
55-30-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT SPARS 1 2 AUXILIARY SPAR 41 AND STRINGERS 20 35. 5 BETWEEN FUSELAGE RIB STA. ZV 1169 (SSI 55-30-38)	96	60 MO	324	ALL

01-Ago-2019

Re-edición 02

SEC 5-13

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
55-30-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT SPAR 3 AUXILIARY SPAR 52 AND STRINGERS 46.5 57.65 BETWEEN FUSELAGE RIB STA. ZV 1169 (SSI 55-30-39)	72	30 MO	325	ALL
55-30-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT RIBS FROM FUSELAGE TO STA. ZV 1169 (SSI 55-30-47)	96	60 MO	325	ALL
55-30-00-210-C04-A00	GVI	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- RIBS (STA. ZV 3461 ZV 2538 ZV 1677 ZV 1550.5 ZV 1430.5 ZV 1423 ZV 1302 ZV 1169 AND ZV 915) (SSI 55-30-73)	96	60 MO	325	ALL
55-30-00-210-C05-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT SPARS 1 2 AUXILIARY SPAR 41 AND STRINGERS 20 35.5 BETWEEN RIBS STA. ZV 1169 STA. ZV 2799 (SSI 55-30-40)	96	60 MO	324	ALL
55-30-00-210-C06-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT SPARS 1 2 AUXILIARY SPAR 41 AND STRINGERS 20 35.5 BETWEEN RIB STA. ZV 2799 HORIZONTAL STABILIZER (SSI 55-30-42)	96	60 MO	324	ALL
55-30-00-210-C07-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT WINDOWS FROM FUSELAGE TO STA. ZV 1169 (SSI 55-30-44)	96	60 MO	324	ALL
55-30-00-210-C08-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT WINDOWS BETWEEN STA. ZV 2799 AND HORIZONTAL STABILIZER (SSI 55-30-46)	96	60 MO	324	ALL
55-30-00-210-C09-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT SPAR 3 AUXILIARY SPAR 52 AND STRINGERS 46.5 57.65 BETWEEN RIBS STA. ZV 1169 STA. ZV 2799 (SSI 55-30-41)	72	30 MO	325	ALL
55-30-00-210-C10-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT SPAR 3 AUXILIARY SPAR 52 AND STRINGERS 46.5 57.65 BETWEEN RIB STA. ZV 2799 HORIZONTAL STABILIZER (SSI 55-30-43)	72	30 MO	325	ALL
55-30-00-210-C11-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT WINDOWS BETWEEN STA. ZV 1169 STA. ZV 2799 (SSI 55-30-45)	72	30 MO	325	ALL
55-30-00-210-C12-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT RIBS BETWEEN STA. ZV 1169 AND STA. ZV 2799 (SSI 55-30-48)	72	30 MO	325	ALL
55-30-00-210-C13-A00	GVI	EXTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- SKIN AT RIBS BETWEEN STA. ZV 2799 AND HORIZONTAL STABILIZER (SSI 55-30-49)	72	30 MO	325	ALL
55-30-00-220-C01-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- ROOT RIB INCLUDING BOLTS (SSI 55-30-70)	96	60 MO	325	ALL

01-Ago-2019

Re-edición 02

SEC 5-14

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
55-30-00-220-C02-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- RIBS OF HORIZONTAL STABILIZER ACTUATORS (STA. ZV 3145 ZV 3015 AND ZV 2799) (SSI 55-30-71)	96	60 MO	325	ALL
55-30-00-220-C03-A00	DET	INTERNALLY INSPECT THE VERTICAL STABILIZER COMPONENTS:- RIBS OF ACTUATOR AREA (STA. ZV 1932 AND ZV 2277) (SSI 55-30-72)	96	60 MO	325	ALL
55-40-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE RUDDER COMPONENTS:- FRONT SPAR - SKIN ATTACHMENT (RUDDER I) (SSI 55-40-81)	96	60 MO	326	ALL
55-40-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE RUDDER COMPONENTS:- SPAR - SKIN ATTACHMENT (RUDDER II) (SSI 55-40-86)	96	60 MO	327	ALL
55-40-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE RUDDER COMPONENTS:- REAR SPAR - SKIN ATTACHMENT (RUDDER I) (SSI 55-40-82)	96	60 MO	326	ALL
55-40-00-210-C04-A00	GVI	EXTERNALLY INSPECT THE RUDDER COMPONENTS:- LT RT SKIN - SPAR CAP ATTACHMENT (RUDDER I) (SSI 55-40-83)	96	60 MO	326	ALL
55-40-00-210-C05-A00	GVI	EXTERNALLY INSPECT THE RUDDER COMPONENTS:- RIBS - SKIN ATTACHMENT (RUDDER I) (SSI 55-40-84)	96	60 MO	326	ALL
55-40-00-210-C06-A00	GVI	EXTERNALLY INSPECT THE RUDDER COMPONENTS:- HINGES - RUDDER I (SSI 55-40-85)	96	60 MO	326	ALL
55-40-00-210-C07-A00	GVI	EXTERNALLY INSPECT THE RUDDER COMPONENTS:- LT RT SKIN - SPAR CAP ATTACHMENT (RUDDER II) (SSI 55-40-87)	96	60 MO	327	ALL
55-40-00-210-C08-A00	GVI	EXTERNALLY INSPECT THE RUDDER COMPONENTS:- RIBS - SKIN ATTACHMENT (RUDDER II) (SSI 55-40-88)	96	60 MO	327	ALL
55-40-00-210-C09-A00	GVI	EXTERNALLY INSPECT THE RUDDER COMPONENTS:- HINGES - RUDDER II (SSI 55-40-89)	96	60 MO	327	ALL
55-40-00-220-C03-A00	DET	INTERNALLY INSPECT THE RUDDER COMPONENTS:- FRONT SPAR - SKIN ATTACHMENT (RUDDER I) (SSI 55-40-81)	96	60 MO	326	ALL
55-40-00-220-C04-A00	DET	INTERNALLY INSPECT THE RUDDER COMPONENTS:- SPAR - SKIN ATTACHMENT (RUDDER II) (SSI 55-40-86)	96	60 MO	327	ALL
55-40-00-220-C05-A00	DET	INTERNALLY INSPECT THE RUDDER COMPONENTS:- REAR SPAR - SKIN ATTACHMENT (RUDDER I) (SSI 55-40-82)	96	60 MO	326	ALL

01-Ago-2019

Re-edición 02

SEC 5-15

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
55-40-00-220-C06-A00	DET	INTERNALLY INSPECT THE RUDDER COMPONENTS:- LT RT SKIN - SPAR CAP ATTACHMENT (RUDDER I) (SSI 55-40-83)	96	60 MO	326	ALL
55-40-00-220-C07-A00	DET	INTERNALLY INSPECT THE RUDDER COMPONENTS:- RIBS - SKIN ATTACHMENT (RUDDER I) (SSI 55-40-84)	96	60 MO	326	ALL
55-40-00-220-C08-A00	DET	INTERNALLY INSPECT THE RUDDER COMPONENTS:- HINGES - RUDDER I (SSI 55-40-85)	96	60 MO	326	ALL
55-40-00-220-C09-A00	DET	INTERNALLY INSPECT THE RUDDER COMPONENTS:- LT RT SKIN - SPAR CAP ATTACHMENT (RUDDER II) (SSI 55-40-87)	96	60 MO	327	ALL
55-40-00-220-C10-A00	DET	INTERNALLY INSPECT THE RUDDER COMPONENTS:- RIBS - SKIN ATTACHMENT (RUDDER II) (SSI 55-40-88)	96	60 MO	327	ALL
55-40-00-220-C11-A00	DET	INTERNALLY INSPECT THE RUDDER COMPONENTS:- HINGES - RUDDER II (SSI 55-40-89)	96	60 MO	327	ALL
57-01-00-220-C01-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- WING STUB - LOWER SKIN - RIB 2A ATTACHMENT (SSI 57-01-15)		120 MO	155/156 157	ALL
57-01-00-220-C05-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- WING STUB - SPAR 2 - BRACKETS RIBS 2A ATTACHMENTS (SSI 57-01-17)		120 MO	155/156 157	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
57-01-00-220-C06-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- WING STUB - SPAR 1 - BRACKETS RIBS 2A ATTACHMENTS (SSI 57-01-16)		120 MO	155/156 157	ALL
57-01-00-220-C07-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- WING STUB - UPPER SKIN - RIB 2A ATTACHMENTS (SSI 57-01-19)		60 MO	155/156 157	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145XR EMB-145MK EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 5-16

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-10-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- UPPER SKIN - TIRE COMPARTMENT COMPOSITE PANEL (SSI 57-10-14)		120 MO	155/156 157	ALL
57-10-00-220-C02-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 3 - LOWER SKIN ATTACHMENTS (SSI 57-10-09)		30 MO	155/156 157	ALL
57-01-00-220-C02-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- WING STUB - RIB 2A SKIN SUPPORTS AND THEIR ATTACHMENTS TO WEB LOWER FLANGE AND FWD AFT WEB SUPPORTS (SSI 57-01-18)		60 MO	155/156 157	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
57-01-00-220-C03-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- WING STUB - LOWER SKIN - RIB 2A ATTACHMENT (SSI 57-01-15)		120 MO	155/156 157	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
57-01-00-220-C04-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- WING STUB - UPPER SKIN - RIB 2A ATTACHMENT (SSI 57-01-19)		60 MO	155/156 157	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
57-10-00-220-C03-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 1 - BRACKETS RIBS 1 AND 3 ATTACHMENTS (SSI 57-10-04)		60 MO	155/156 157	ALL

01-Ago-2019

Re-edición 02

SEC 5-17

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-10-00-220-C04-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- UPPER SKIN - RIB 1 ATTACHMENTS AND SPANWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-13)		120 MO	155/156 157	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
57-10-00-220-C05-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- UPPER SKIN - RIB 1 ATTACHMENTS AND SPAINWISE SPLICE OF INTEGRAL PANEL (SSI 57-10-13)		30 MO	155/156 157	ALL
57-10-00-220-C09-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- RIB 4 - LOWER FLANGE AND WEB (SSI 57-10-11)		60 MO	155/156 157	ALL
57-10-00-220-C10-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 3 - CENTER BRACKET AND RIB 2 ATTACHMENTS (SSI 57-10-10)		60 MO	155/156 157	EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-145XR EMB-135LR EMB-135KE EMB-135KL
57-10-00-220-C11-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- RIB 4 - LOWER FLANGE AND WEB (SSI 57-10-11)		30 MO	155/156 157	ALL
57-10-00-220-C12-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- RIB 2 - LONGITUDINAL STRINGER-TO-WEB ATTACHMENTS (SSI 57-10-12)		30 MO	155/156 157	ALL
57-10-00-220-C13-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- UPPER SKIN - TIRE COMPARTMENT COMPOSITE PANEL (SSI 57-10-14)		30 MO	155/156 157	ALL
57-10-00-220-C14-A00	DET	INTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 2 - CENTER BRACKETS RIB 2 ATTACHMENTS AND RIBS 1 3 WEB ATTACHMENTS (SSI 57-10-07)		60 MO	155/156 157	ALL

01-Ago-2019

Re-edición 02

SEC 5-18

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-10-00-220-C15-A00	DET	EXTERNALLY INSPECT THE WING STUB COMPONENTS:- SPAR 3 - LOWER SKIN ATTACHMENTS (SSI 57-10-09)		30 MO	155/156 157	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
57-21-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN- SPAR ATTACHMENT (SSI 57-21-37)	72	30 MO	531/631	ALL
57-21-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- SKIN PANELS (SSI 57-21-26)	96	60 MO	531/631 541/641 551/651	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-21-00-210-C05-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN- SPAR ATTACHMENT (SSI 57-21-37)	96	60 MO	541/641 551/651	ALL
57-21-00-210-C06-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN PANEL CHORDWISE JOINT (SSI 57-21-29)		60 MO	531/631	ALL

01-Ago-2019

Re-edición 02

SEC 5-19

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-21-00-210-C07-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)		60 MO	532/632	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-21-00-210-C08-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN PANEL SPANWISE JOINT (SSI 57-21-31)		60 MO	532/632 541/641	ALL
57-21-00-210-C09-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SKIN PANELS (SSI 57- 21-26)	96	60 MO	551/651	ALL
57-21-00-210-C10-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN- SPAR STUB ATTACHMENT (SSI 57-21-39)		60 MO	531/631	ALL
57-21-00-210-C11-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SKIN PANELS (SSI 57-21-26)		120 MO	531/631 541/641	ALL
57-21-00-210-C12-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN PANEL SPANWISE JOINT (SSI 57-21-31)		120 MO	531/631 551/651	ALL
57-21-00-210-C14-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER VENT HOLE (SSI 57-21-33)		120 MO	541/641	ALL
57-21-00-210-C15-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)		120 MO	551/651	ALL
57-21-00-210-C16-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN- SPAR ATTACHMENT (SSI 57-21-37)		120 MO	541/641 551/651	ALL
57-21-00-210-C17-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN- WING STUB ATTACHMENT (SSI 57-21-38)		120 MO	531/631	ALL
57-21-00-210-C18-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN- WING STUB ATTACHMENT (SSI 57-21-39)		30 MO	531/631	ALL

01-Ago-2019

Re-edición 02

SEC 5-20

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-21-00-210-C19-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN PANEL SPANWISE JOINT (SSI 57-21-30)		60 MO	531/631 541/641 551/651	ALL
57-21-00-210-C20-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN PANEL SPANWISE JOINT (SSI 57-21-31)		60 MO	531/631 541/641 551/651	ALL
57-21-00-210-C21-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN ACCESS HOLES (SSI 57-21-32)	96	60 MO	531/631 541/641	ALL
57-21-00-210-C22-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- GRAVITY FUEL HOLE (SSI 57-21-35)	96	60 MO	541/641	ALL
57-21-00-210-C23-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN- WING STUB ATTACHMENT (SSI 57-21-38)		60 MO	531/631	ALL
57-21-00-210-C24-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- GRAVITY FUEL HOLE (SSI 57-21-35)		120 MO	541/641	ALL
57-21-00-210-C25-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN- SPAR ATTACHMENT (SSI 57-21-37)		120 MO	531/631	ALL
57-22-00-220-C01-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 1 WEB AND STIFFENERS (SSI 57-22-40)		120 MO	531/631 541/641 551/651	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR
57-23-00-210-C01-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 2- WING STUB ATTACHMENTS (SSI 57-23-48)		60 MO	531/631	ALL
57-23-00-220-C01-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR 2 WEB AND STIFFENERS (SSI 57-23-45)		60 MO	531/631 541/641 551/651	ALL

01-Ago-2019

Re-edición 02

SEC 5-21

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-24-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR 3 WEB AND STIFFENERS (SSI 57-24-49)		60 MO	532/632	ALL
57-24-00-210-C03-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 3 WEB AND STIFFENERS (SSI 57-24-49)		60 MO	532/632	ALL
57-24-00-210-C04-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR 3 WEB CUTOUTS (SSI 57-24-51)		60 MO	532/632	ALL
57-24-00-210-C05-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR 3 WEB CUTOUTS (SSI 57- 24- 51)		60 MO	532/632	ALL
57-25-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN- RIB ATTACHMENT (SSI 57-25-54)	96	60 MO	531/631 541/641 551/651	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135ER EMB-135LR EMB-135KE EMB-135KL
57-25-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN- RIB ATTACHMENT (SSI 57-25-55)	96	60 MO	531/631 541/641 551/651	ALL
57-25-00-210-C03-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- RIBS MAIN BOX (SSI 57-25-53)		120 MO	531/631 541/641 551/651	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 5-22

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-25-00-210-C04-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN- RIB ATTACHMENT (SSI 57-25-54)		120 MO	531/631 541/641 551/651	ALL
57-25-00-210-C05-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN- RIB ATTACHMENT (SSI 57-25-55)		120 MO	531/631 541/641 551/651	ALL
57-26-00-220-C01-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- FWD AFT SIDE BRACE FITTINGS - MLG (SSI 57-26-56)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-32-0063.		15 MO	532/632	ALL
57-26-00-220-C01-A01	DET	INTERNALLY INSPECT THE WING COMPONENTS:- FWD AFT SIDE BRACE FITTINGS MLG (SSI 57-26-56)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-32-0063.		30 MO	532/632	ALL
57-26-00-220-C02-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER BEARING CAP(SSI 57-26-94)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-32-0063.		15 MO	532/632	ALL
57-26-00-220-C02-A01	DET	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER BEARING CAP (SSI 57-26-94)NOTE 1: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-32-0063.NOTE 2: IF CORROSION IS DETECTED ON THE LOWER BEARING CAP INTERNAL SURFACE PERFORM INTERNAL INSPECTION ON THE CORRESPONDING UPPER TRUNNION BEARING SURFACE.		30 MO	532/632	ALL
57-26-00-220-C03-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- AFT UPPER TRUNNION (SSI 57-26-95)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-32-0063.		15 MO	532/632	ALL
57-26-00-220-C03-A01	DET	INTERNALLY INSPECT THE WING COMPONENTS:- AFT UPPER TRUNNION (SSI 57-26-95)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-32-0063.		60 MO	532/632	ALL
57-26-00-220-C04-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- FWD UPPER TRUNNION (SSI 57-26-96)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-32-0063.		15 MO	532/632	ALL
57-26-00-220-C04-A01	DET	INTERNALLY INSPECT THE WING COMPONENTS:- FWD UPPER TRUNNION (SSI 57-26-96)NOTE: APPLICABLE TO AIRCRAFT POST-MOD. SB 145-32-0063.		60 MO	532/632	ALL
57-28-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN TORQUE BOX (SSI 57-28-58)		30 MO	551/651	ALL
57-26-00-220-C01-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- FWD AFT SIDE BRACE FITTINGS - MLG (SSI 57-26-56)NOTE: APPLICABLE TO AIRCRAFT PRE-MOD. SB 145-32-0063.		15 MO	532/632	ALL

01-Ago-2019

Re-edición 02

SEC 5-23

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-28-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR ATTACHMENT TORQUE BOX (SSI 57-28-57)	48	30 MO	541/641	ALL
57-28-00-210-C03-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR ATTACHMENT TORQUE BOX (SSI 57-28-57)	96	60 MO	532/632	ALL
57-28-00-210-C06-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- ATTACHMENT LUGS AILERON (SSI 57-28-66)		60 MO	551/651	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR
57-28-00-210-C07-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- FLAP ACTUATOR ATTACHMENT FITTINGS (SSI 57-28-67)	96	60 MO	532/632 541/641	ALL
57-28-00-210-C08-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN TORQUE BOX (SSI 57-28-58)		60 MO	551/651	ALL
57-28-00-210-C09-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN TORQUE BOX (SSI 57-28-61)	96	60 MO	532/632	ALL
57-28-00-210-C10-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- SPAR ATTACHMENT TORQUE BOX (SSI 57-28-57)		120 MO	532/632	ALL
57-28-00-210-C11-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- UPPER SKIN TORQUE BOX (SSI 57-28-61)		120 MO	541/641 551/651	ALL
57-28-00-210-C13-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN TORQUE BOX (SSI 57-28-58)		60 MO	532/632	ALL
57-28-00-210-C14-A00	GVI	INTERNALLY INSPECT THE WING COMPONENTS: - TRACKS-RIBS ATTACHMENT TORQUE BOX (SSI 57-28-62)		120 MO	532/632 541/641	ALL
57-28-00-210-C15-A00	GVI	EXTERNALLY INSPECT THE WING COMPONENTS:- LOWER SKIN TORQUE BOX (SSI 57-28-58)		30 MO	532/632	ALL

01-Ago-2019

Re-edición 02

SEC 5-24

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-28-00-220-C01-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- SPAR ATTACHMENT TORQUE BOX (SSI 57-28-57)	72	30 MO	551/651	ALL
57-28-00-220-C03-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- FLAP TRACK TORQUE BOX (SSI 57-28-59)	96	60 MO	532/632 541/641 551/651	ALL
57-28-00-220-C05-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- TRACKS- RIB ATTACHMENT TORQUE BOX 3 (SSI 57-28-65)		60 MO	551/651	ALL
57-28-00-220-C07-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- ATTACHMENT ACTUATOR LUGS INBOARD- OUTBOARD SPOILERS (SSI 57-28-70)		60 MO	532/632	ALL
57-28-00-220-C09-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- TRACKS- RIB ATTACHMENT TORQUE BOX 3 (SSI 57-28-65)		120 MO	551/651	ALL
57-28-00-220-C11-A00	DET	INTERNALLY INSPECT THE WING COMPONENTS:- RIBS TORQUE BOX (SSI 57-28-60)	96	60 MO	532/632	ALL
57-28-00-220-C12-A00	DET	EXTERNALLY INSPECT THE WING COMPONENTS:- RIBS TORQUE BOX (SSI 57-28-60)	96	60 MO	532/632	ALL
57-41-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE WING LEADING EDGE COMPONENTS:- WING LEADING EDGE 1 SKIN (SSI 57-41-94)	48	30 MO	511/611	ALL
57-42-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE WING LEADING EDGE COMPONENTS:- WING LEADING EDGE 2 SKIN (SSI 57-42-95)	48	30 MO	512/612	ALL
57-42-00-220-C01-A00	DET	EXTERNALLY INSPECT THE WING LEADING EDGE COMPONENTS:- WING LEADING EDGE 2 BOTTOM SKIN AT CONNECTIONS TO LOWER REAR GIRDER WING LOWER SPAR CAP (SSI 57-42-97)		30 MO	512/612	ALL
57-43-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE LEADING EDGE COMPONENTS:- WING LEADING EDGE 3 SKIN (SSI 57-43-96)	48	30 MO	513/613	ALL
57-50-00-220-C01-A00	DET	EXTERNALLY INSPECT THE FLAP COMPONENTS:- TRACKS- RIB ATTACHMENT FLAPS (SSI 57-50-77)	96	60 MO	571/671 572/672	ALL
57-50-00-220-C02-A00	DET	EXTERNALLY INSPECT THE FLAP COMPONENTS:- TRACKS FLAPS (SSI 57-50-80)	96	60 MO	571/671 572/672	ALL
57-52-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE FLAP COMPONENTS:- PIN AND ACTUATOR LUGS INBOARD FLAP (SSI 57-52-75)	96	60 MO	571/671	ALL

01-Ago-2019

Re-edición 02

SEC 5-25

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
57-52-00-220-C01-A00	DET	EXTERNALLY INSPECT THE FLAP COMPONENTS:- FITTING TIP SPAR INBOARD FLAP (SSI 57-52-73)	96	60 MO	571/671	ALL
57-53-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE FLAP COMPONENTS:- PIN AND ACTUATOR LUGS OUTBOARD FLAP (SSI 57-53-84)	96	60 MO	572/672	ALL
57-53-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE FLAP COMPONENTS:- CENTER RIBS ATTACHMENT OUTBOARD FLAP (SSI 57-53-87)	96	60 MO	572/672	ALL
57-61-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE AILERON COMPONENTS:- HINGES ATTACHMENT AILERON (SSI 57-61-89)	96	60 MO	573/673	EMB-145EU EMB-145EP EMB-145ER EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR
57-61-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE AILERON COMPONENTS:- SPAR CAP AILERON (SSI 57-61-91)	96	60 MO	573/673	ALL
57-70-00-210-C01-A00	GVI	EXTERNALLY INSPECT THE SPOILER COMPONENTS:- HINGES ATTACHMENT SPOILERS (SSI 57-70-92)		60 MO	5712/6712 5713/6713	ALL
57-70-00-210-C02-A00	GVI	EXTERNALLY INSPECT THE SPOILER COMPONENTS:- ACTUATOR ATTACHMENT SPOILERS (SSI 57-70-93)		60 MO	5712/6712 5713/6713	ALL

01-Ago-2019

Re-edición 02

SEC 5-26

Link Conexión Aérea S.A. de C.V.

SECCIÓN 6

REQUERIMIENTOS DE

INSPECCIÓN ZONAL

(ZONAL INSPECTION

REQUIREMENTS)

REQUERIMIENTOS DE INSPECCIÓN ZONAL

Esta sección contiene los requerimientos de las inspecciones por zonas resultado del análisis MSG-3. Estos requerimientos constan de una serie de tareas de inspección visual general desarrolladas a de manera individual a cada zona de la aeronave. Estas inspecciones son con la intención de las verificaciones de instalación de los sistemas y sistema de plata motriz de la aeronave, así como su estructura y condición general.

Cuando se necesario se podrán remover los asientos, alfombras, cabeceras, etc., para tener acceso y completar las inspecciones.

Criterio para las Inspecciones por Zona

Una inspección visual general (GVI) es una examinación visual de un área interna y/o externa, instalación o ensamble para detectar daños obvios, irregularidades o fallas. Este nivel de inspección es desarrollado bajo condiciones de iluminación normales como la luz solar, iluminación de hangar o linterna y puede requerir la remoción y/o apertura de puertas o accesos, así como la utilización de plataformas y escaleras para obtener distancia adecuada para realizar la inspección.

Una GVI comprende lo siguiente:

- Examinación de componentes por instalación correcta o sujeción al soporte indicado o equipo adyacente.
- Esto incluye juego excesivo, desalineación, retenes sueltos o flojos, remaches y tornillos faltantes, conexiones sueltas, etc.
- Inspección de partes estructurales como marcos, mamparos, carenados, largueros, soportes y retenes por falta de tornillos, corrosión, abolladuras, agujeros, hendiduras, erosión, deformación, sobrecalentamiento, falta de tratamiento protector, separación de gomas, etc.
- Inspección de ductos, líneas y componentes de sistemas de suministro por abolladuras, roturas, suciedad, dobleces, fugas, deformaciones, desprendimiento de material, corrosión, cortes, sobrecalentamiento, etc.
- Inspección del cableado eléctrico-electrónico por erosión, malformación, cortes, bajo aislamiento, suciedad, sobrecalentamiento, soldadura defectuosa, incluyendo cables sueltos, conectores flojos, terminales defectuosas, etc.
- Inspección de partes fabricadas de materiales compuestos, plástico, telas, etc. por de laminación, rayones, suciedad, cortes, deterioro, erosión, desgaste, protección defectuosa, pérdida de flexibilidad, sobrecalentamiento, contaminación, etc.
- Inspección de las partes de los mecanismos de control de vuelo por alineación correcta, distorsión, suciedad, cortes, separación, desgaste, rasgaduras, desgaste de cables, separación de gomas, corrosión, etc..

Tareas EWIS

Las tareas con nota de "EWIS" (Electrical Wiring Interconnection System) son requerimientos definidos de mantenimiento periódico, siguiendo las instrucciones por continuidad de la aeronavegabilidad, usando un proceso de análisis zonal mejorado (EZAP).

Estos requerimientos están incluidos en la sección 3 Sistemas con las tareas con código ATA 20.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
53-Z111-213-001-A00	GVI	RADOME - ZONE 111 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
53-Z111-214-001-A00	GVI	RADOME - ZONE 111 - INTERNAL GENERAL VISUAL INSPECTION.	2C	111	ALL
53-Z113-213-001-A00	GVI	FORWARD FUSELAGE I - ZONES 113 114 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
53-Z113-214-001-A00	GVI	FORWARD FUSELAGE I - ZONE 113 - INTERNAL GENERAL VISUAL INSPECTION.	2C	113DL 113EL	ALL
53-Z114-214-001-A00	GVI	FORWARD FUSELAGE I - ZONE 114 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	114CR	ALL
53-Z213-213-001-A00	GVI	FORWARD FUSELAGE I - ZONES 213 214 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
53-Z213-214-001-A00	GVI	FORWARD FUSELAGE I - ZONES 113 114 213 214 215 216 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	113AZ 113BZ 113CZ 114AZ 114BZ	ALL
53-Z123-213-001-A00	GVI	FORWARD FUSELAGE II - ZONES 123 124 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
53-Z123-214-001-A00	GVI	FORWARD FUSELAGE II - ZONES 121 122 123 124 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	123BL 221AF/BF/CF/DF/ EF/FF/GF 222AF/BF/CF/DF/ EF/FF/GF	ALL
53-Z223-213-001-A00	GVI	FORWARD FUSELAGE I - ZONES 223 224 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
53-Z223-214-001-A00	GVI	FORWARD FUSELAGE II - ZONES 221 222 223 224 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	223AZ/BZ/CLW/ DLW/ELW/FLW/GZ/ HZ/IZ/JLW/KLW/ LZ/MZ/NZ/OZ/ PZ/QZ/RZ/SZ/ TZ/UZ 224CRW/DRW/ ERW/FRW/GZ/ HZ/JRW/KRW/ 224MZ/NZ	ALL

01-Ago-2019

Re-edición 02

SEC 6-3

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
53-Z225-213-001-A00	GVI	FORWARD FUSELAGE II - ZONES 225 226 - EXTERNAL GENERAL VISUAL INSPECTION.	4C		ALL
53-Z225-214-001-A00	GVI	FORWARD FUSELAGE II - ZONES 225 226 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: PERFORM AT THE OPPORTUNITY OF CPCP TASK 53-12-00-220-C01-A00 ACCOMPLISHMENT.	4C	225ALC/BLC/ CTC/DTC/ETC 226ARC/ 226BRC	ALL
53-Z131-213-001-A00	GVI	CENTER FUSELAGE I - ZONES 131 132 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
53-Z131-214-001-A00	GVI	CENTER FUSELAGE I - ZONES 131 132 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	C	231AF 231BF 231CF 231DF 231EF 231FF 231GF 231HF 231JF 232AF 232BF 232CF 232DF	ALL
53-Z231-213-001-A00	GVI	CENTER FUSELAGE I - ZONES 231 232 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
53-Z231-214-001-A00	GVI	CENTER FUSELAGE I - ZONES 231 232 - INTERNAL GENERAL VISUAL INSPECTION.	2C	231ALW 231BLW 231CLW 241ALW 241DLW 242ARW 242BRW 242DRW	ALL
53-Z233-213-001-A00	GVI	CENTER FUSELAGE I - ZONES 233 234 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL

01-Ago-2019

Re-edición 02

SEC 6-4

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
53-Z233-214-001-A00	GVI	CENTER FUSELAGE I - ZONES 233 234 - INTERNAL GENERAL VISUAL INSPECTION.	4C	233ALC 233BLC 233CLC 234ARC 243ALC	ALL
53-Z141-213-001-A00	GVI	CENTER FUSELAGE II - ZONES 141 142 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
53-Z141-214-001-A00	GVI	CENTER FUSELAGE II - ZONES 141 142 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	231GF 231HF 241AF 241BF 241CF 241DF 241EF 242AF 242BF 242CF 242DF 251BF	ALL
53-Z241-213-001-A00	GVI	CENTER FUSELAGE II - ZONES 241 242 - EXTERNAL GENERAL VISUAL INSPECTION.	4C		ALL
53-Z241-214-001-A00	GVI	CENTER FUSELAGE II - ZONES 241 242 - INTERNAL GENERAL VISUAL INSPECTION.	3C	231BLW 231CLW 241ALW/ BLW/CLW/ DLW/ELW 242ARW/ BRW/CRW/ DRW/ERW 251ALW 251ELW 252ARW 252ERW	ALL

01-Ago-2019

Re-edición 02

SEC 6-5

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
53-Z243-213-003-A00	GVI	CENTER FUSELAGE II - ZONES 243 244 - EXTERNAL GENERAL VISUAL INSPECTION.	4C		ALL
53-Z243-214-001-A00	GVI	CENTER FUSELAGE II - ZONES 243 244 - INTERNAL GENERAL VISUAL INSPECTION.	4C	243ALC/BLC/ CLC/DLC 253ALC	ALL
53-Z151-214-002-A00	GVI	CENTER FUSELAGE III - ZONES 151 152 153 154 155 156 157 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	241DF 251AF 251BF 251CF 251DF 251EF 251FF 251GF 251HF 251JF 252AF 252BF 252CF 252DF	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
53-Z155-214-001-A00	GVI	CENTER FUSELAGE III - ZONES 155 156 157 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	155BZ/CZ/DZ/ EZ/FZ/GZ/KZ/ LZ/MZ/NZ/QZ 156BZ/CZ/DZ/ EZ/FZ/GZ/KZ/ LZ/MZ/NZ/QZ 192AL 192BR	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145XR EMB-135LR EMB-135KE EMB-135KL
53-Z251-213-001-A00	GVI	CENTER FUSELAGE III - ZONES 251 252 - EXTERNAL GENERAL VISUAL INSPECTION	4C		ALL

01-Ago-2019

Re-edición 02

SEC 6-6

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
53-Z251-214-001-A00	GVI	CENTER FUSELAGE III - ZONES 251 252 - INTERNAL GENERAL VISUAL INSPECTION.	3C	241CLW 251ALWBLW/ CLW/DLW/ELW/ FLW/GLW 252ARW/BRW/ CRW/DRW/ERW/ FRW/GRW 261ALW/CLW 262ARW/CRW	ALL
53-Z253-213-001-A00	GVI	CENTER FUSELAGE III - ZONES 253 254 - EXTERNAL GENERAL VISUAL INSPECTION.	4C		ALL
53-Z253-214-001-A00	GVI	CENTER FUSELAGE III - ZONES 253 254 - INTERNAL GENERAL VISUAL INSPECTION.	4C	253ALC/BLC/CLC/ DLC/ELC 263ALC	ALL
53-Z161-214-001-A00	GVI	CENTER FUSELAGE IV - ZONES 161 162 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	251JF/HF 252DF 261AF/BF/CF/DF 262AF/BF/CF	ALL
53-Z261-213-001-A00	GVI	CENTER FUSELAGE IV - ZONES 261 262 - EXTERNAL GENERAL VISUAL INSPECTION.	4C		ALL
53-Z261-214-001-A00	GVI	CENTER FUSELAGE IV - ZONES 261 262 - INTERNAL GENERAL VISUAL INSPECTION.	2C	261ALW/ BLW/CLW/ DLW 262ARW/ BRW/CRW/ DRW	ALL
53-Z263-213-002-A00	GVI	CENTER FUSELAGE IV - ZONES 263 264 - EXTERNAL GENERAL VISUAL INSPECTION.	4C		ALL
53-Z263-214-001-A00	GVI	CENTER FUSELAGE IV - ZONES 263 264 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	4C	263ALC/BLC	ALL
53-Z171-213-001-A00	GVI	REAR FUSELAGE I - ZONES 171 172 - EXTERNAL GENERAL VISUAL INSPECTION.	C		ALL

01-Ago-2019

Re-edición 02

SEC 6-7

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
53-Z171-214-001-A00	GVI	REAR FUSELAGE I - ZONES 171 172 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	C	271AF 271BF 271CF 271DF 271EF 271FF 272AF 272BF 272CF 272DR	ALL
53-Z271-213-001-A00	GVI	REAR FUSELAGE I - ZONES 271 272 - EXTERNAL GENERAL VISUAL INSPECTION.	C		ALL
53-Z271-214-002-A00	GVI	REAR FUSELAGE I - ZONES 271 272 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	271ALW/BLW 272ARW/BRW/ CRW/DR	ALL
53-Z273-213-002-A00	GVI	REAR FUSELAGE I - ZONES 273 274 - EXTERNAL GENERAL VISUAL INSPECTION.	4C		ALL
53-Z273-214-001-A00	GVI	REAR FUSELAGE I - ZONES 273 274 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	272DR 273ATC 273BTC 273CTC	ALL
53-Z275-214-001-A00	GVI	REAR FUSELAGE I - ZONES 275 276 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	272DR	ALL
53-Z191-213-001-A00	GVI	WING-TO-FUSELAGE ATTACHMENT FAIRING - ZONES 191 192 193 194 195 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145EU EMB-145EP EMB-145ER EMB-135LR EMB-135KE EMB-135KL EMB-135ER

01-Ago-2019

Re-edición 02

SEC 6-8

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
53-Z191-214-001-A00	GVI	WING-TO-FUSELAGE ATTACHMENT FAIRING - ZONES 191 192 193 194 195 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	191ZB 192LB 193ABB 194ER 195EL	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-135LR EMB-135KE EMB-135KL
53-Z311-213-001-A00	GVI	REAR FUSELAGE II - ZONES 311 312 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
53-Z311-214-001-A00	GVI	REAR FUSELAGE II - ZONES 311 312 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	312AR	ALL
53-Z313-213-001-A00	GVI	TAIL CONE FAIRING - ZONE 313 - EXTERNAL GENERAL VISUAL INSPECTION.	C		ALL
53-Z313-214-001-A00	GVI	TAIL CONE FAIRING - ZONE 313 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	C	313 313AL 313BL 313CL 313DR 313GR 312AR	ALL
55-Z321-213-001-A00	GVI	VERTICAL STABILIZER AND RUDDERS - ZONES 321 322 323 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
55-Z321-214-001-A00	GVI	VERTICAL STABILIZER AND RUDDERS - ZONES 321 322 323 337 - INTERNAL GENERAL VISUAL INSPECTION.	2C	321 322 323 337AZ 337BZ 337CZ	ALL

01-Ago-2019

Re-edición 02

SEC 6-9

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
55-Z324-213-001-A00	GVI	VERTICAL STABILIZER AND RUDDERS - ZONES 324 325 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
55-Z324-214-001-A00	GVI	VERTICAL STABILIZER AND RUDDERS - ZONES 324 325 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	324AL 324BL 324CL 324DL 324EL 324FR 325AL 325BL 325CL 325DL 325EL 325FL 325FR 325GR 325HR 325JR 325KR 325LR	ALL
55-Z326-213-001-A00	GVI	VERTICAL STABILIZER AND RUDDERS - ZONES 326 327 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL

01-Ago-2019

Re-edición 02

SEC 6-10

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
55-Z326-214-001-A00	GVI	VERTICAL STABILIZER AND RUDDERS - ZONES 326 327 - INTERNAL GENERAL VISUAL INSPECTION.	2C	326AL 326BL 326CL 326DL 326EL 326FL 326GL 326HL 327AL 327BL 327CL 327DL 327ER 327FR 327GR 327HR	ALL
55-Z333-213-001-A00	GVI	HORIZONTAL STABILIZER AND ELEVATOR - ZONES 333 334 331 332 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
55-Z333-214-001-A00	GVI	HORIZONTAL STABILIZER AND ELEVATOR - ZONES 333 334 331 332 - INTERNAL GENERAL VISUAL INSPECTION.	2C	333AB 333BB 333CB 333DL 334AB 334BB 334CB 334DR	ALL
55-Z335-213-001-A00	GVI	HORIZONTAL STABILIZER AND ELEVATOR - ZONES 335 336 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL

01-Ago-2019

Re-edición 02

SEC 6-11

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
55-Z335-214-001-A00	GVI	HORIZONTAL STABILIZER AND ELEVATOR - ZONES 335 336 - INTERNAL GENERAL VISUAL INSPECTION.	2C	335AB 335BB 335CB 335DB 335EB 335FB 335GB 335HB 336AB 336BB 336CB 336DB 336EB 336FB 336GB 336HB	ALL
71-Z411-213-001-A00	GVI	POWERPLANT - ZONES 411 412 413 AND 421 422 423 - EXTERNAL GENERAL VISUAL INSPECTION.	C		ALL
71-Z411-214-001-A00	GVI	POWERPLANT - ZONES 411 412 413 415 AND 421 422 423 425 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	C	411 412 413 421 422 423	ALL
54-Z414-213-001-A00	GVI	ENGINE PYLONS ZONES 414 - 424 EXTERNAL GENERAL VISUAL INSPECTION.	C		ALL
54-Z414-214-001-A00	GVI	ENGINE PYLONS ZONES 414 - 424 INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	C	414AB/BB/CB/DB/ EB/FT/GT 424AB 424BB 424CB 424DB 424EB 424FT 424GT	ALL

01-Ago-2019

Re-edición 02

SEC 6-12

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
78-Z416-213-001-A00	GVI	THRUST REVERSER MODULE - ZONES 416 426 - EXTERNAL GENERAL VISUAL INSPECTION.	C		ALL
78-Z416-214-001-A00	GVI	THRUST REVERSER MODULE - ZONES 416 426 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	C	416AB/BB/CB/DB/ EB/FB/GB/HT/IZ/ JT/KT/LT/MT/NT/ PR/QL/RR/SL/ TR/UL/VZ/XZ/ WZ/YZ/ZZ 426AB/BB/CB/DB/ EB/FB/GB/HT/JT/KT/ LT/MT/NT/PR/IZ/QL/ RR/SL/TR/UL/VZ/ XZ/WZ/YZ/ZZ	ALL
78-Z416-213-001-A01	GVI	PLAIN EXHAUST NOZZLE - ZONES 416 426 - EXTERNAL GENERAL VISUAL INSPECTION.NOTE: FOR AIRCRAFT WITHOUT THRUST REVERSERS ONLY.	2C		ALL
78-Z416-214-001-A01	GVI	PLAIN EXHAUST NOZZLE - ZONES 416 426 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: FOR AIRCRAFT WITHOUT THRUST REVERSERS ONLY	2C	416 426	ALL
57-Z511-213-001-A00	GVI	WING LEADING EDGE - ZONES 511 611 512 612 513 613 - EXTERNAL GENERAL VISUAL INSPECTION.	C		ALL
57-Z511-214-001-A00	GVI	WING LEADING EDGE - ZONES 511 611 512 612 513 613 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	511 512 513 611 612 613 561 661 191EL 191FR	ALL
57-Z531-213-001-A00	GVI	WING - ZONES 531 631 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL

01-Ago-2019

Re-edición 02

SEC 6-13

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
57-Z531-214-001-A00	GVI	WING - ZONES 531 631 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	531AB 531BB 531CB 531DB 631AB 631BB 631CB 631DB	ALL
57-Z532-213-001-A00	GVI	WING - ZONES 532 632 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
57-Z532-214-001-A00	GVI	WING - ZONES 532 632 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	532AB 532BB 632AB 632BB	ALL
57-Z541-213-001-A00	GVI	WING - ZONES 541 641 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
57-Z541-214-001-A00	GVI	WING - ZONES 541 641 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	541AB/BB/CB/DB/ EB/FT/ 541GB 641AB/BB/CB/DB/ EB/FT/ 641GB	ALL
57-Z551-213-001-A00	GVI	WING - ZONES 551 651 561 661 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145EU EMB-145EP EMB-145ER EMB-135LR EMB-135KE EMB-135KL EMB-135ER

01-Ago-2019

Re-edición 02

SEC 6-14

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
57-Z551-214-001-A00	GVI	WING - ZONES 551 651 561 661 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	551AB 551BB/ 551CB 551DB/ 551EB 551FT/ 651AB 651BB/ 651CB 651DB 651EB 651FT 561 661	EMB-145LR EMB-145LU EMB-145MR EMB-145MP EMB-145MK EMB-145EU EMB-145EP EMB-145ER EMB-135LR EMB-135KE EMB-135KL EMB-135ER
57-Z571-213-001-A00	GVI	WING TRAILING EDGE - ZONES 571 671 5711 6711 5712 6712 5713 6713 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
57-Z571-214-001-A00	GVI	WING TRAILING EDGE - ZONES 571 671 5711 6711 5712 6712 5713 6713 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	5711 6711 5712 5713 6712 6713 571AB/BB 671AB/BB	ALL
57-Z572-213-001-A00	GVI	WING TRAILING EDGE - ZONES 572 672 5721 6721 5722 6722 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
57-Z572-214-001-A00	GVI	WING TRAILING EDGE - ZONES 572 672 5721 6721 5722 6722 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	5721 5722 6721 6722 572AB/BB 672AB/BB	ALL

01-Ago-2019

Re-edición 02

SEC 6-15

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
57-Z573-213-001-A00	GVI	WING TRAILING EDGE - ZONES 573 673 5731 6731 5732 6732 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
57-Z573-214-001-A00	GVI	WING TRAILING EDGE - ZONES 573 673 5731 6731 5732 6732 - INTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	2C	5731 5732 6731 6732 573AT 673AT	ALL
32-Z711-213-001-A00	GVI	NOSE LANDING GEAR AND DOORS - FORWARD FUSELAGE I (NLG BAY AREA)ZONES 711 713 714 113 114 115 116 - EXTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	C		ALL
32-Z721-213-001-A00	GVI	MAIN LANDING GEAR AND DOORS - WING (MLG BAY AREA)- ZONES 721 731 722 732 532 632 - EXTERNAL GENERAL VISUAL INSPECTION.NOTE: EWIS	C		ALL
52-Z811-213-001-A00	GVI	MAIN DOOR - ZONE 811 -EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
52-Z811-214-001-A00	GVI	MAIN DOOR - ZONE 811 - INTERNAL GENERAL VISUAL INSPECTION.	C	811AW/ BW/CW/ DW/EW/ FW/GW/ HW/JW/ KW/LW/ MW/NW/ PW/QW/ RW/SW/ TW/UW/ VW	ALL
52-Z811-214-002-A00	GVI	MAIN DOOR - ZONE 811 - INTERNAL GENERAL VISUAL INSPECTION.(APPLICABLE FOR SIDE HINGED MAIN DOOR ONLY).	C	811AAW/ABW/ ACW/ ADW/ AEW/XW/ YW/ZW	ALL
52-Z812-213-001-A00	GVI	ESCAPE HATCH - ZONES 812 822 - EXTERNAL GENERAL VISUAL INSPECTION.	4C		ALL

01-Ago-2019

Re-edición 02

SEC 6-16

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Acceso	Efectividad
52-Z812-214-001-A00	GVI	ESCAPE HATCH - ZONES 812 822 - INTERNAL GENERAL VISUAL INSPECTION.	4C	812AW 822AW	ALL
52-Z813-213-001-A00	GVI	BAGAGGE DOOR - ZONE 813 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
52-Z813-214-001-A00	GVI	BAGAGGE DOOR - ZONE 813 - INTERNAL GENERAL VISUAL INSPECTION.	C	813AW	ALL
52-Z821-213-001-A00	GVI	SERVICE DOOR - ZONE 821 - EXTERNAL GENERAL VISUAL INSPECTION.	2C		ALL
52-Z821-214-001-A00	GVI	SERVICE DOOR - ZONE 821 - INTERNAL GENERAL VISUAL INSPECTION.	C	821AW/ BW/CW	ALL

01-Ago-2019

Re-edición 02

SEC 6-17

Link Conexión Aérea S.A. de C.V.

SECCIÓN 7

REQUERIMIENTOS DE

CERTIFICACIÓN DE

MANTENIMIENTO

(CERTIFICATION

MAINTENANANCE

REQUIREMENTS)

REQUERIMIENTOS DE CERTIFICACIÓN DE MANTENIMIENTO (CMR)

Esta sección contiene los requerimientos de certificación de mantenimiento, mismos que son resultado de la AC 25-19 que fueron establecidos por el Comité Coordinación de Certificación de Mantenimiento (CMCC). Las CMR's son inspecciones establecidas a través del proceso análisis de seguridad desarrollado de acuerdo con RBHA/FAR/JAR, dirigido a detectar fallas latentes que involucren la seguridad, misma que en combinación con uno o mas fallas específicas o eventos resulten en una condición falla peligrosa.

Las CMR's y sus intervalos están listados en esta sección, los cuales son mandatorios y no pueden cambiar el intervalo indicado o eliminado sin previa autorización del fabricante y la autoridad. Todo cambio de las CMR's debe ser revisado por el CMCC y debe ser aprobado por la autoridad regulatoria que aprobó el diseño tipo.

Las CMR's están categorizadas por uno o dos asteriscos.

Un asterisco (*): las tareas e intervalos especificados con un asterisco son mandatorias y no pueden ser cambiadas, escaladas ni eliminadas sin la aprobación de la autoridad.

Dos asteriscos (**): los intervalos pueden ser ajustados de acuerdo a la aprobación de las practicas para escalar las tareas de mantenimiento aprobadas en los manuales relativos, pero no pueden ser escaladas ni eliminadas sin la aprobación de la autoridad.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Cat.	Descripción	Intervalo	Efectividad
27-25-00-710-001-A00	OPC	(*)	Operationally Check Rudder Pedals Auto Shutoff and Rudder Manual Shutoff Functions	2500 FH	ALL
27-31-05-220-001-A00	DVI	(*)	Inspect (Detailed Inspection) Servo Tab Failsafe Actuation Link	5000 FH	ALL
27-62-00-720-001-A00	FNC	(*)	Functionally Check G. Spoiler/Speed Brake Valves, Control Circuit and Associated Messages	10000 FH	ALL
30-11-00-720-001-A00	FNC	(*)	Functionally Check Pressure Sensors of the Wing Thermal Anti-Icing System (Bench Test)	5000 FH	ALL
30-12-00-720-001-A00	FNC	(*)	Functionally Check Pressure Sensors of the Horizontal Stabilizer Thermal Anti-Icing System (Bench Test)	5000 FH	ALL
30-21-00-720-001-A00	FNC	(*)	Functionally Check Pressure Sensors of the Engine Thermal Anti-Icing System (Bench Test)	5000 FH	ALL
32-63-00-710-001-A00	OPC	(*)	Operationally Check Air/Ground System	500 FH	ALL
78-33-00-710-001-A00	OPC	(*)	Operationally Check Air/Ground Input Signal to Thrust Reverser System	1000 FH	ALL
78-33-00-710-002-A00	OPC	(*)	Operationally Check Wheel Speed Input Signal to Thrust Reverser System	1000 FH	ALL
78-33-01-710-001-A00	OPC	(*)	Operationally Check Isolation Control Unit	1000 FH	ALL
78-34-00-710-001-A00	OPC	(*)	Operationally Check Thrust Reverser Indicating System	10000 FH	ALL

01-Ago-2019

Re-edición 02

SEC 7-3

Link Conexión Aérea S.A. de C.V.

SECCIÓN 8

REQUERIMIENTOS DE

LIMITACIONES DE

AERONAVEGABILIDAD

(AIRWORTHINESS

LIMITATION

REQUIREMENTS)

REQUERIMIENTOS DE LIMITACIONES DE AERONAVEGABILIDAD (ALI)

Estas limitaciones de aeronavegabilidad son acciones mandatorias, y son derivadas de las actividades de certificación, a saber, el análisis de tolerancia del daños y pruebas por fatiga.

Esta sección establece acciones de mantenimiento para comenzar con cumplimiento total de los requerimientos de RBAC25.1529 apéndice H, 14 CFR 25.1529 y por lo tanto es necesario cumplir estrictamente con los límites de vida, límites de intervalo máximo métodos de inspección las SSI establecidas.

Limite de Vida de Componentes

ATA 27

DESCRIPTION	PART NUMBER	SUPPLIER	LIFE LIMIT (*)	EFFECTIVITY (**)
Flap Drive Motor Unit	363250-1003 (*)	Bertea Control	1500FH	EMB-145 (ALL)

(*) Note: This life limit is applicable “only” for the motors with serial numbers 00101, 00102, 00103, 00104, 00105, 00106, 00107, 00108, 00109, 00110.

MLG Leg Strut Eleb

Descripción	Note	Parte Numer	Life Limits (FC) EMB-145 LR
Leg Strut left (LH)	N/P	2309-3006-501	60000 (**)
		2309-3006-503	60000 (**)
		2309-3006-505	60000 (**)
		2309-3006-507	60000 (**)
		2309-3006-601	60000 (**)
Leg Strut right (RH)	N/P	2309-3006-502	60000 (**)
		2309-3006-504	60000 (**)
		2309-3006-506	60000 (**)
		2309-3006-508	60000 (**)
		2309-3006-602	60000 (**)
Trunnion axle	P	2309-3025-001	60000 (**)
Shock absorber attachment axle	P	2309-2029-001	60000 (**)
Main side strut attachment axle (Pivot Pin)	P	2309-3032-001	60000 (**)
		2309-3032-003	60000 (**)
		2309-3032-005	60000 (**)
Trailing arm axle (left)	P	2309-3055-001	60000 (**)
Trailing arm axle (right)	P	2309-3055-002	60000 (**)
Trailing arm	N/P	2309-2038-001	40000 (**)
		2309-2038-003	40000 (**)
		2309-3009-501	40000 (**)
		2309-3009-503	60000 (**)
		2309-3009-505	60000 (**)
		2309-3009-507	60000 (**)

Wheel Axle	P	2309-3040-001	60000 (**)
Pivot	P	2309-2050-001	60000 (**)
		2309-2050-003	60000 (**)
		2309-2050-601	60000 (**)
Cardan Joint	N/P	2309-2048-001	15760(**)
		2309-2048-003	35365(**)
		2309-2048-005	60000 (**)

MLG Shock Absorber Eleb

Piston Tube	N/P	2309-2058-001	60000 (**)
Cylinder	N/P	2309-2056-001	60000 (**)
		2309-2056-003	60000 (**)
		2309-2056-005	60000 (**)
Bearing Cap	P	2309-2066-001	60000 (**)
		2309-2082-001	60000 (**)

MLG Secondary Side Strut Eleb

Upper secondary side strut	-	2309-2609-001	60000 (**)
	N/P	2309-2611-001	60000 (**)
		2309-2611-003	60000 (**)
Lower secondary side strut	-	2309-2603-001	60000 (**)
	N/P	2309-2624-001	60000 (**)
Cardan	N/P	2309-2618-001	60000 (**)
Shaft	P	2309-2621-001	60000 (**)
Bolt	P	2309-2626-001	60000 (**)
Pivot Pin	P	2309-2613-001	60000 (**)
Spring	P	2309-2651-001	20000 (**)
		2309-2651-003	20000 (**)
		2309-2651-005	60000 (**)

MLG Main Side Strut Eleb

Upper Main Side Strut	-	2309-2503-001	60000 (**)
		2309-2504-001	60000 (**)
	N/P	2309-2524-001	60000 (**)
Lower Main Side Strut	-	2309-2511-001	60000 (**)
	N/P	2309-2532-001	60000 (**)
		2309-2532-003	60000 (**)
		2309-2532-005	60000 (**)
Shaft	P	2309-3515-001	60000 (**)
Pivot Pin	P	2309-3516-001	60000 (**)

NLG Leg Strut Liebherr

Sliding Tube	N/P	1170-1401	60000 (**)
Wheel Axle	P	1170-1402	60000 (**)
		1170-1403	60000 (**)
		1170-1431	60000 (**)
		1170-1432	60000 (**)
		1170-1433	60000 (**)
		1170-1434	60000 (**)
Steering Cup	N/P	1170A2300-01	60000 (**)
		1170A2500-01	60000 (**)
		1170A3200-01	60000 (**)
Torque Link	N/P	1170-0301	60000 (**)
Torque Link pin	P	1170-0001	60000 (**)
Torque Link central bolt	P	1170-0002	60000 (**)
Main Fitting	N/P	1170-1301	20000 (**)
		1170-1302	60000 (**)
		1170-1303	60000 (**)
		1170-1304	60000 (**)
		1170-1305	60000 (**)
		2233-0101	60000 (**)
		2233-0103	60000 (**)
Main Drag Strut Attachment Pin	P	1170-0070	60000 (**)
Pintle Pin	P	1170-0032	60000 (**)

NLG Main Drag Strut Liebherr

Main drag strut top stay	N/P	1172-0501	6000 (**)
		1172-0601	60000 (**)
Main drag strut bottom stay	N/P	1172-0201	60000 (**)
Pintle pin	N/P	1172-0007	6000 (**)
	P	1172-0037	60000 (**)
Hinge point bolt	P	1172-0001	60000 (**)

NLG Auxiliary Drag Strut Liebherr

Upper aux. Drag strut	N/P	1173-0201	60000 (**)
Lower aux. Drag strut	N/P	1173-0101	60000 (**)
Hinge point bolt	P	1173-0001	60000 (**)
Cardan joint	P	KSL113608V	60000 (**)
	P	2000A0830K01	60000 (**)
Downlock Spring	–	1173A0300-01	20000 (**)
	N/P	1173A0600-01	30901(**)
	P	1173A0700-01	60000(**)
Auxiliary Drag Strut Assy	N/P	(***)	6000 (***)

NOTES

The column "NOTE" indicates if the P/N is Procurable (P) or Non-procurable (N/P);

(*) The definitive life limits will be based on fatigue tests being concluded. The current status of these fatigue tests assure a minimum of the above flight cycles of safe operation.

(**) Permanent life limit.

(***) The life limit is applicable "only" for Part Numbers 1173B0000-02, Auxiliary Drag Strut Assy, which are engraved with serial numbers SP010-96, SP011-96, SP012-96 and SP013-96.

ATA 35

Description	Part Number	Supplier	Life Limit	Effectivity
Oxygen Cylinder	176700-50	B/E AEROSPACE	180 MO	ALL

ATA 36

Description	Part Number	Supplier	Life Limit	Effectivity
Low Pressure Bleed-Air Check Valve	816603-1	Hamilton Standard	1600 FH	
	816603-2		1600 FH	

ATA 49

Description	Part Number	Supplier	Life Limit	Effectivity
Non-Silenced APU C-14 (APS 500R) Exhaust Duct	145-63730-401	Embraer	2500 FH	ALL
	145-63730-601		2500 FH	ALL

ATA 49

Description	Part Number	Supplier	Life Limit (*)	Effectivity
Primary Door Lock Actuator	TY2038-01A	LUCAS	60,250 TRC	ALL
Primary Door Lock Actuator	TY2038-02A	LUCAS	60,250 TRC	ALL
Pivot Door Actuator	TY2039-03A	LUCAS	1,800 TRC	ALL
Pivot Door Actuator	TY2039-03B	LUCAS	1,800 TRC	ALL
Pivot Door Actuator	TY2039-03C	LUCAS	1,800 TRC	ALL
Pivot Door Actuator	TY2039-05B	LUCAS	15,000 TRC	ALL
Pivot Door Actuator	TY2039-05B-629	LUCAS	15,000 TRC	ALL
Pivot Door Actuator	TY2039-05B-629-7	LUCAS	60,250 TRC	ALL
Pivot Door Actuator	TY2039-05B-7	LUCAS	60,250 TRC	ALL
Pivot Door Actuator	TY2039-10A	LUCAS	15000 TRC	ALL
Pivot Door Actuator	TY2039-11A	LUCAS	60,250 TRC	ALL
Pivot Door Actuator	TY2039-14A	LUCAS	60,250 TRC	ALL
Directional Control Unit	TY2040-01A	LUCAS	60,250TRC	ALL
Lock Sequencer	TY2047-02A	LUCAS	60,250 TRC	ALL
Lock Sequencer	TY2047-03A	LUCAS	60,250 TRC	ALL
Lock Sequencer	TY2047-03B	LUCAS	60,250 TRC	ALL
Tertiary Lock	TY2037-02A	LUCAS	1,500 TRC	ALL
Tertiary Lock	TY2138-01A	LUCAS	13,100 TRC	ALL
Tertiary Lock	TY2138-01B	LUCAS	13,100 TRC	ALL
Tertiary Lock	TY2560-01A	LUCAS	61,500 TRC	ALL
Isolation Control Unit	TY2041-03A	LUCAS	60,250 TRC	ALL
Isolation Control Unit	TY2041-02B	LUCAS	1,932 TRC	ALL
Isolation Control Unit	TY2041-02A	LUCAS	1,932 TRC	ALL
Isolation Control Unit	TY2041-01A	LUCAS	1,932 TRC	ALL

*Note: Every time the Thrust Reverser is operated must be considered one Thrust Reverser Cycle (TRC), either in Normal operation or Power Back operation in the authorized aircraft.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
53-12-00-210-802-A00	GVI	Internally inspect the FUSELAGE components: -Windshield lateral post and its attachment (SSI 53-10-20) NOTE: Applicable to aircraft Post-Mod. SB 145-53-0079.	22060 FC	22060 FC	223	ALL
53-12-00-250-802-A00	SDE	Externally inspect the FUSELAGE components using Eddy Current method: - Windshield lateral post and its attachment (SSI 53-10-20) NOTE: Applicable to aircraft Pre-Mod.SB 145-53-0079.	11590 FC	11590 FC	223	ALL
53-12-00-250-802-A01	SDE	Externally inspect the FUSELAGE components using Eddy Current method: - Windshield lateral post and its attachment (SSI 53-10-20) NOTE: Applicable to aircraft Post-Mod.SB 145-53-0079.	22060 FC	22060 FC	223	ALL
53-12-00-250-803-A00	SDE	Internally inspect the FUSELAGE components using Eddy Current method: - Windshield lateral post and its attachment (SSI 53-10-20) NOTE: Applicable to aircraftPre-Mod.SB 145-53-0079.	11590 FC	11590 FC	223	ALL
53-31-00-250-801-A00	SDE	Externally inspect the FUSELAGE components using Eddy Current method: Fuselage skin panel at stringers, frames/bulkheads, and splices (SSI 53-30-07). NOTE: Applicable to aircraft PRE-MODSB 145-53-0080.	N/A	6000 FC	273/ 274	ALL
53-31-00-250-802-A00	SDE	Externally inspect the FUSELAGE components using Eddy Current method: - Fuselage skin panel at stringers, frames/bulkheads, and splices (SSI 53-30-07). NOTE: Applicable to aircraft POST-MODSB 145-53-0080.	N/A	20000 FC	273/ 274	ALL
53-31-00-210-824-A00	GVI	Externally inspect the FUSELAGE components: - Fuselage skin panel at stringers, frames/bulkheads, and splices (SSI 53-30-07). NOTE: Applicable to aircraft PRE-MOD SB 145-53-0081.	N/A	9000 FC	311/ 312	ALL
53-31-00-210-825-A00	GVI	Externally inspect the FUSELAGE components: - Fuselage skin panel at stringers, frames/bulkheads, and splices (SSI 53-30-07). NOTE: Applicable to aircraft POST-MODSB 145-53-0081.	N/A	20000 FC	311/ 312	ALL
54-50-00-220-812-A00	DET	Internally inspect the PYLON components: - Pylon Yokes I and II (SSI 54-50-05) NOTE: Applicable to aircraft Pre-Mod.SB 145-54-0011 or Pre-Mod. SB 145-54-0013.	20000 FC	20000 FC	414/ 424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

01-Ago-2019

Re-edición 02

SEC 8-7

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
54-50-00-220-812-A01	DET	Internally inspect the PYLON components: - Pylon Yokes I and II (SSI 54-50-05) NOTE: Applicable to aircraft Post-Mod.SB 145-54-0011 and Post-Mod. SB 145-54-0013.	30000 FC	30000 FC	414/ 424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

SECCIÓN 9

LIMITACIONES DE SISTEMA

DE COMBUSTIBLE

(FUEL SYSTEM

LIMITATIONS)

LIMITACIONES DE SISTEMA DE COMBUSTIBLE

Estas limitaciones son acciones mandatorias derivado de una evaluación de seguridad de la fuente de ignición de l tanque de combustible y el cumplimiento de los requerimientos de RBHA-E 88, SFAR 88 y el memorándum de FAA ANM112-05-011.

Estas limitaciones son para mantener el cumplimiento de los requerimientos de prevención de futuras fallas que afecten la seguridad e impedir la existencia o el desarrollo de fuentes de ignición en el sistema del tanque de combustibles a lo largo de la vida operativa del avión.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Zona	Efectividad
28-11-00-720-001-A00	FNC	Functionally Check critical bonding integrity of selected conduits inside the wing tank, Fuel Pump and FQIS connectors at tank wall by conductivity measurements	30000 FH	531/631 541/641	ALL
28-21-01-220-001-A00	DET	Inspect Electric Fuel Pump Connector	10000 FH	531/631	ALL
28-23-03-220-001-A00	DET	Inspect Pilot Valve harness inside the conduit	20000 FH	531/631 541/641	ALL
28-23-04-220-001-A00	DET	Inspect Vent Valve harness inside the conduit	20000 FH	531/631 541/641	ALL
28-41-01-720-001-A01		Functional Check of the Safe Life Features of the Fuel Conditioning Unit (FCU): - Initial Functional Check; - External Visual Inspection; - Internal Visual Inspection; - Functional Check of the Safe-Life Feature; - Final Functional Check. NOTE: The flight hours accumulated shall be based on the fuel conditioning unit component.	10000 FH	132	ALL
28-41-03-220-001-A00		Inspect FQIS harness for clamp and wire jacket integrity	20000 FH	531/631 541/641	ALL

01-Ago-2019

Re-edición 02

SEC 9-3

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Umbral	Intervalo	Zona	Efectividad
54-50-00-220-812-A01	DET	Internally inspect the PYLON components: - Pylon Yokes I and II (SSI 54-50-05) NOTE: Applicable to aircraft Post-Mod.SB 145-54-0011 and Post-Mod. SB 145-54-0013.	30000 FC	30000 FC	414/ 424	EMB-145EP EMB-145ER EMB-145EU EMB-145LR EMB-145LU EMB-145MK EMB-145MP EMB-145MR EMB-135ER EMB-135LR EMB-135KE EMB-135KL

SECCIÓN 10
REQUERIMIENTOS DE
MANTENIMIENTO
REDUCCIÓN MINIMA DE
SEPARACIÓN VERTICAL
(RVSM)
(REDUCE VERTICAL
SEPARATION MINIMUM)



REQUERIMIENTOS DE MANTENIMIENTO REDUCCIÓN MINIMA DE SEPARACIÓN VERTICAL (RVSM)

Esta sección contiene las tareas necesarias de mantenimiento adicionales para asegurar el nivel de desempeño y confiabilidad de los sistemas relacionados, para el cumplimiento de los requisitos de desempeño para la operación de RVSM prescritos en el memorándum 91 de la FAA.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Cat.	Descripción	Intervalo	Efectividad
22-11-00-720-004-A00	FNC	6	Functionally Check AFCS Altitude Hold Mode and Altitude Pre-Select mode	5000 FH	ALL
34-13-04-280-001-A00	SDI	6	Inspect (Special Inspection) RVSM Critical Region (Skin) for Waviness (aircraft identified in and have not accomplished SB 145-34-0110).	24MO	ALL
34-13-04-280-001-A01	SDI	6	Inspect (Special Inspection) RVSM Critical Region (Skin) for Waviness (including aircraft identified in and are Post-Mod SB 145-34-0110).	C	ALL
34-13-04-280-002-A00	SDI	6	Inspect (Special Inspection) Static Port Surrounding Plate for Flushness and Integrity (aircraft identified in and have not accomplished SB145-34-0110).	24MO	ALL
34-13-04-280-002-A01	SDI	6	Inspect (Special Inspection) Static Port Surrounding Plate for Flushness and Integrity (including aircraft identified in and are Post-Mod SB 145-34-0110).	C	ALL
34-13-04-280-003-A00	SDI	6	Inspect (Special Inspection) Passenger Gaseous Oxygen Service Panel (panel P/N 145-51705-001, attached by livelock stud xnut) installed in RVSM Critical Region for Flushness and Integrity (aircraft identified in and have not accomplished SB 145-34-0110).	24MO	ALL
34-13-04-280-003-A01	SDI	6	Inspect (Special Inspection) Passenger Gaseous Oxygen Service Panel (panel P/N 145-51705-001, attached by livelock stud xnut) installed in RVSM Critical Region for Flushness and Integrity (including aircraft identified in and are Post-Mod SB 145-34-0110).	C	ALL

01-Ago-2019

Re-edición 02

SEC 10-3

Link Conexión Aérea S.A. de C.V.

**SECCIÓN 11
TAREAS DE
MANTENIMIENTO
RECOMENDADAS
(RECOMENDED
MAINTENANCE TASKS**

TAREAS DE MANTENIMIENTO RECOMENDADAS

Esta sección contiene las tareas recomendadas por Embraer, proveedores, MSG-3 ISC y grupos de trabajo enfocados a complementar las tareas contenidas en el MRB. Las tareas propuestas están relacionadas principalmente con los efectos económicos de las fallas y que se proponen ser consideradas para fines de planificación del mantenimiento.

Las tareas contenidas en esta sección podrán ser efectuadas de acuerdo a las necesidades y/o conveniencia de la empresa, por lo que el intervalo propuesto por parte de Embraer no es considerado como obligatorio.

Estas tareas se podrán mandar su realización solas o junto con alguna o algunas otras tareas opcionales o internas manejadas por TAR Aerolíneas.

La programación de las tareas en esta sección podrá ser enviadas a través de Guías de mantenimiento (formato base MGM-519) o de manera independiente a través de una TNR (trabajos no rutinarios MGM-520), o a través de una orden de trabajo (orden de trabajo MGM-522).

El taller está obligado a realizar los trabajos de los formatos relacionados a las tareas contenidas en esta sección, cada vez que la empresa los mande como servicio de mantenimiento; por lo que deberán llenar cada uno de los campos contenidos en cada uno de los formatos correspondientes.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Efectividad
12-15-02-610-001-A00	SVC	Sterilize Water Reservoir	C	ALL
21-23-05-710-001-A00	OPC	Operationally Check Toilet Gasper Hose Filter (if installed). (* NOTE: Initial inspection since new, "C" check.	5A (*)	ALL
21-25-01-211-001-A00	VCK	Visually Check Ram Air Flap Valve	2A	ALL
21-51-02-170-002-A00	RST	Clean Dual Heat Exchanger on the Aircraft.	3A	ALL
21-51-13-211-001-A00	VCK	Visually Check Water Spray Nozzles	A	ALL
21-60-08-960-001-A00	DIS	Replace Torque Motor Dual Valve Air Filter Element Post-Mod SB 145-21-0039 or Post-Mod SB 145-21-0046	C	ALL
23-12-04-212-001-A00	GVI	Visual Inspection of the VHF Antenna	C	ALL
23-31-00-710-002-A00	OPC	Operationally Check Back-up/Emergency Cabin Interphone System	C	ALL
23-31-00-710-003-A00	OPC	Operationally Check Loudspeakers	C	ALL
24-34-01-900-002-A00	RST	Restore APU Starter Generator	800AH	ALL
25-40-01-220-001-A00	DET	Inspect (Detailed Inspection) Lavatory Waste Disposal Door	A	ALL
29-10-00-280-001-A00	SDI	Check Hydraulic Fluid (Analysis)	C	ALL
32-10-07-212-001-A00	GVI	Inspect (Visual Inspection) the Main Landing Gear Doors Polyurethane Film for integrity. NOTE: Zones 722 and 732.	5A	ALL
32-20-07-212-001-A00	GVI	Inspect (Visual Inspection) the Nose Landing Gear Doors Polyurethane Film for integrity. NOTE: Zones 713 and 714.	5A	ALL
35-10-00-910-001-A00	FNC	Leak Test Crew Oxygen System Lines (*) NOTE: Together with Task 35-10-07-720-002-A00	(*)	ALL
52-31-00-710-001-A00	OPC	Operational Check Baggage Door Actuating and Locking Mechanism.	5A	ALL
53-11-01-220-001-A00	DVI	Inspect (Detailed Inspection) the Presence of Water on the Radome	C	ALL
53-04-02-212-001-A00	GVI	Inspect (Visual Inspection) the Naca-Air-Intake at Forward Wing-To- Fuselage Fairing Polyurethane Film for Integrity. NOTE: Zone 191.	5A	ALL
53-11-05-212-001-A00	GVI	Inspect (Visual Inspection) the Radome Polyurethane Film	A	ALL
53-11-06-212-001-A00	GVI	Inspect (Visual Inspection) the Naca-Air-Intake at Forward Fuselage I Polyurethane Film for Integrity. NOTE: Zones 113 and 114.	5A	ALL
55-10-00-212-001-A00	GVI	Inspect (Visual Inspection) the Horizontal Stabilizer Leading-Edge Root-Fairing and Horizontal Stabilizer-Tip Polyurethane Film for Integrity. NOTE: Zones 333 and 334.	5A	ALL

01-Feb-2020

Revisión 1

SEC 11-3

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Efectividad
55-30-00-212-001-A00	GVI	Inspect (Visual Inspection) the Vertical Stabilizer Leading-Edge Polyurethane Film for Integrity. NOTE: Zone 323.	5A	ALL
56-10-01-720-001-A00	FNC	Functionally Check Torque of Windshield Attaching Bolts Pre-Mod. SB 145-56-0006	5A	ALL
56-10-01-720-001-A01	FNC	Functionally Check Torque of Windshield Attaching Bolts Post-Mod SB 145-56-0006. NOTE: First Check at 500 FH after windshield installation	2C	ALL
56-10-01-720-002-A00	FNC	Functionally Check Windshield Anti-Static Coating for Continuity	2C	ALL
56-20-01-220-001-A00	DVI	Inspect (Detailed Inspection) Passenger Cabin Windows for Delamination except p/n P03014-1.	C	ALL
57-43-00-212-001-A00	GVI	Inspection (Visual Inspect) the Wing-Tip Polyurethane Film for Integrity. NOTE: Zones 561 and 661.	5A	ALL
76-12-01-212-001-A00	GVI	Inspect (Visual Inspection) Resolver Attachments to the Thrust Levers	2C	ALL
30-11-05-710-001-A00	OPC	Operationally Check Wing Leak Thermostat	TASKS PRIOR TO THE WINTER	ALL
30-12-00-710-001-A00	OPC	Operationally Check Electrical Hardware of the Horizontal Stabilizer Thermal Anti-icing System	TASKS PRIOR TO THE WINTER	ALL
30-12-05-710-001-A00	OPC	Operationally Check Horizontal Stabilizer Leak Thermostat	TASKS PRIOR TO THE WINTER	ALL
30-20-00-220-001-A00	DVI	Inspect (Detailed Inspection) Thermal Anti-ice (Tai) Exhaust Duct for Condition and Security of Installation	TASKS PRIOR TO THE WINTER	ALL
30-20-01-720-001-A00	FNC	Functionally Check Thermal Anti-ice (Tai) Interbulkhead Assembly for Leakage	TASKS PRIOR TO THE WINTER	ALL
30-31-00-710-002-A00	OPC	Operationally Check Pressurization Static Port Heating	TASKS PRIOR TO THE WINTER	ALL
30-42-00-710-001-A00	OPC	Operationally Check Windshield Heating	TASKS PRIOR TO THE WINTER	ALL
52-21-00-710-001-A00	OPC	Operationally Check Passenger Cabin Escape Hatch Mechanism	TASKS PRIOR TO THE WINTER	ALL

01-Feb-2020

Revisión 1

SEC 11-4

Link Conexión Aérea S.A. de C.V.

**SECCIÓN 12
TAREAS DE
MANTENIMIENTO
OPCIONALES
(OPTIONAL MAINTENANCE
TASKS**

TAREAS DE MANTENIMIENTO OPCIONALES

Esta sección contiene las tareas sugeridas por Embraer para comenzar a incrementar los niveles de despacho. Toda la información aquí contenida no es mandatoria y pueden realizarse las tareas a discreción de la empresa.

Estas tareas se podrán mandar su realización solas o junto con alguna o algunas otras tareas internas o recomendadas manejadas por TAR Aerolíneas.

La programación de las tareas en esta sección podrá ser enviadas a través de Guías de mantenimiento (formato base MGM-519) o de manera independiente a través de una TNR (trabajos no rutinarios MGM-520) o a través de una orden de trabajo (orden de trabajo MGM-522).

El taller está obligado a realizar los trabajos de los formatos relacionados a las tareas contenidas en esta sección, cada vez que la empresa los mande como servicio de mantenimiento; por lo que deberán llenar cada uno de los campos contenidos en cada uno de los formatos correspondientes.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Efectividad
11-00-01-211-001-A00	VCK	Visually Check Mandatory Placards NOTE:-RefertoIPC,FrontMatter, Introduction,AdditionalCross-Reference Section, Required Placards for Dispatch List.	A	ALL
11-00-01-211-001-A01	VCK	Visually Check Non-Mandatory Placards	C	ALL
21-51-03-212-001-A00	GVI	Inspect(GeneralVisualInspection)Air Cycle Machine	2C	ALL
21-60-02-140-001-A00	RST	Clean Ambient Temperature Sensors	C	ALL
26-14-01-140-001-A00	RST	Clean Lavatory Smoke Detector NOTE 1: This task is applicable to aircraft Pre-Mod SB 145-26-0014. NOTE 2: Or 3 MO, whichever occurs first.	A NOTE 2	ALL
32-10-08-212-002-A00	GVI	Inspect(GeneralVisualInspection)MLG Wheel Axle for general condition NOTE 1: – Inspect axle non-chrome-plated area for damage (magnifying lenses aid); – Inspectaxlechrome-platedareafor damage; –Inspectinternalboreoftheaxlefor corrosion (borescope aid); –Inspect bearing seats for damage and signs of overheating. NOTE 2 : At each Brake Replacement.	NOTE 2	ALL
32-33-08-020-001-A00	DVI	Inspect(DetailedVisualInspection)MLG ManoeuvringActuatorAssemblyfor corrosion NOTE: – Inspect threads of the Rod End, Piston Rod and Nut for corrosion	C	ALL
32-60-00-910-001-A00	RST	Protection and Restoration of the Proximity Switches and harness Electrical Connectors	C	ALL
52-00-04-212-001-A00	GVI	Inspect (General Visual) Rubber Trim Seal	5A	ALL
52-10-04-960-001-A00	DIS	Discard Main-door Rubber Trim	C	ALL
52-11-00-640-002-A00	LUB	LubricateStandardMainDoorActuating and Locking Mechanism	5A	ALL
52-18-00-640-002-A00	LUB	Lubricate Side-Hinged Main Door Actuating and Locking Mechanism	5A	ALL
52-18-00-720-001-A00	FNC	Functionally check Side-Hinged Main-door Internal Actuating Handle	5A	ALL
52-18-04-960-001-A00	DIS	Discard Side-hinged Main-door Rubber Trim Seal	C	ALL
52-73-01-720-002-A00	FNC	FunctionallycheckMainDoorWarning Microswitches (Standard Main Door Model)	5A	ALL
52-73-01-720-003-A00	FNC	FunctionallycheckMainDoorWarning Microswitches(Side-HingedMainDoor Model)	5A	ALL
53-21-01-212-001-A00	GVI	Inspect (General Visual) Frame Rubber Seal	5A	ALL

01-Ago-2019

Re-edición 02

SEC 12-3

Link Conexión Aérea S.A. de C.V.



PROGRAMA DE MANTENIMIENTO EMB-145LR

Número de tarea MRB	Tipo Insp.	Descripción	Intervalo	Efectividad
53-21-01-960-001-A00	DIS	Discard Main-door Frame Rubber Seal	C	ALL
78-30-00-720-002-A00	FNC	FunctionallyCheckThrustReverser (Rigging)	2C	ALL

01-Ago-2019

Re-edición 02

SEC 12-4

Link Conexión Aérea S.A. de C.V.

SECCIÓN 13

TAREAS DE

MANTENIMIENTO INTERNAS

(INTERNAL MAINTENANCE

TASKS

TAREAS DE MANTENIMIENTO INTERNAS

Esta sección contiene las tareas internas, estas son a conveniencia de TAR Aerolíneas, por lo que no tiene un intervalo fijo y tampoco será obligatoria su programación.

Las tareas mostradas en la presente sección, pueden incrementarse de acuerdo a las necesidades de la empresa,

El código de identificación de las tareas contenidas en la presente sección puede ser indicado, por ejemplo:

- Número de tarea del AMM de Embraer
- Número de tarea del AMM de Rolls Royce
- Número de documento de alguno de los fabricantes, ya sea planeador, motor o APU.
- Código asignado por la empresa.

Así mismo, las tareas podrán ser enviadas a través de Guías de mantenimiento o de manera independiente a través de una guía de tarea independiente (formato base MGM-519) o una TNR (trabajos no rutinarios MGM-520) o a través de una orden de trabajo (orden de trabajo MGM-522).

Las guías de mantenimiento denominadas TAR-INT-XXXX podrán ser modificadas de acuerdo a las necesidades de la empresa, no requiriendo autorización por la autoridad debido a que no son obligatorias por parte de los fabricantes.

El taller está obligado a realizar los trabajos de los formatos relacionados a las tareas contenidas en esta sección, cada vez que la empresa los mande como servicio de mantenimiento; por lo que deberán llenar cada uno de los campos contenidos en cada uno de los formatos correspondientes.

Internas	
Código de Guía	Descripción
TAR-INT-20	Inspección, reemplazo y retorqueo de tornillería en carenado
TAR-INT-20-1	Wing to fuselage Nut Plate Cleaning and Attachment
TAR-INT-21	Válvulas y air cycle machine de aire acondicionado
TAR-INT-21-1	Dual heat exchanger
TAR-INT-32	Inspección de tren de nariz
TAR-INT-32-1	Inspection, Hose assy MLG for leak
TAR-INT-36	Inspección a sistema neumático
TAR-INT-36-1	Prueba operacional a sistema de aire de purga
TAR-INT-49	Verificación de mantenimiento preventivo
TAR-INT-56	Retorqueo Winshield
TAR-INT-AH-01 APU FADEC	APU FADEC – DATA READOUT
TAR-INT-AH-03 (800 AH)	Inspección a chip detector
TAR-INT-Disinfection	Disinfection
TAR-INT-ECW	Lavado de compresor de motor
TAR-INT-RIAPU	Remoción e instalación de APU
TAR-INT-RIM	Remoción e instalación de Motor
TAR-INT-AH-01	Lectura de FADEC
TAR-INT-AH-03	Magnetic plug inspection

SECCIÓN 14

GUÍAS DE MANTENIMIENTO (MAINTENANCE GUIDES)

GUIAS DE MANTENIMIENTO

Esta sección contiene los listados de las guías de mantenimiento de acuerdo a su clasificación (APU, Ciclos, Horas, Meses, Rutina e Internas), así como los formatos empleados. Cada guía agrupa varias de las tareas de mantenimiento descritas en las secciones anteriores, tomando como base el MRB, según:

- La actividad de mantenimiento que se realiza.
- El área de la aeronave donde se realiza la actividad.
- El intervalo en que la tarea debe realizarse.

Las guías de mantenimiento en esta sección se encuentran separadas en las siguientes categorías:

- APU: Guías programadas según las horas de operación del APU.
- Ciclos: Guías programadas según los ciclos de vuelo de la aeronave.
- Horas: Guías programadas según las horas de vuelo de la aeronave u horas de operación de motor.
- Meses: Guías programadas según los meses de operación de la aeronave.
- RT: Guías de inspección rutinaria
- Internas: Guías contienen tareas recomendadas, opcionales y/o procedimientos de propios de TAR (basados en los manuales de mantenimiento de los fabricantes), realizadas a la conveniencia de TAR aerolíneas



PROGRAMA DE MANTENIMIENTO EMB-145LR

APU	
Código de Guía	Descripción
TAR-AH-02	400 horas de APU
TAR-AH-04	1200 horas de APU
TAR-AH-05	2000 horas de APU

Ciclos	
Código de Guía	Descripción
TAR-FC-001	2000 ciclos de vuelo
TAR-FC-002	2465 ciclos de vuelo
TAR-FC-003	2500 ciclos de vuelo
TAR-FC-004	2571 ciclos de vuelo
TAR-FC-005	2764 ciclos de vuelo
TAR-FC-006	2979 ciclos de vuelo
TAR-FC-007	3275 ciclos de vuelo
TAR-FC-008	3388 ciclos de vuelo
TAR-FC-009	3447 ciclos de vuelo
TAR-FC-010 R3	3670 ciclos de vuelo
TAR-FC-011	3735 ciclos de vuelo
TAR-FC-012	3825 ciclos de vuelo
TAR-FC-013	3912 ciclos de vuelo
TAR-FC-014 R3	4000 ciclos de vuelo
TAR-FC-015	4417 ciclos de vuelo
TAR-FC-016	4447 ciclos de vuelo
TAR-FC-017	4591 ciclos de vuelo
TAR-FC-018	4640 ciclos de vuelo
TAR-FC-019	4725 ciclos de vuelo
TAR-FC-020	4932 ciclos de vuelo
TAR-FC-021	4975 ciclos de vuelo
TAR-FC-022 R2	5000 ciclos de vuelo
TAR-FC-023	5445 ciclos de vuelo
TAR-FC-024	5574 ciclos de vuelo
TAR-FC-025	5700 ciclos de vuelo
TAR-FC-026	5896 ciclos de vuelo
TAR-FC-027	6000 ciclos de vuelo
TAR-FC-028	6060 ciclos de vuelo
TAR-FC-029	6306 ciclos de vuelo
TAR-FC-030	6333 ciclos de vuelo
TAR-FC-031	6666 ciclos de vuelo
TAR-FC-032	7091 ciclos de vuelo
TAR-FC-033	7120 ciclos de vuelo

01-Ago-2019

Re-edición 02

SEC 14-3

Link Conexión Aérea S.A. de C.V.

Ciclos (cont.)	
Código de Guía	Descripción
TAR-FC-034	7229 ciclos de vuelo
TAR-FC-035	7342 ciclos de vuelo
TAR-FC-036	8101 ciclos de vuelo
TAR-FC-037	8193 ciclos de vuelo
TAR-FC-038	8416 ciclos de vuelo
TAR-FC-039	8444 ciclos de vuelo
TAR-FC-040	8759 ciclos de vuelo
TAR-FC-041	8778 ciclos de vuelo
TAR-FC-042	9000 ciclos de vuelo
TAR-FC-043	9342 ciclos de vuelo
TAR-FC-044	9521 ciclos de vuelo
TAR-FC-045 R2	9569 ciclos de vuelo
TAR-FC-046	9583 ciclos de vuelo
TAR-FC-047	9635 ciclos de vuelo
TAR-FC-048	9816 ciclos de vuelo
TAR-FC-049	9933 ciclos de vuelo
TAR-FC-050 R3	10000 ciclos de vuelo
TAR-FC-051 R2	10413 ciclos de vuelo
TAR-FC-052	11192 ciclos de vuelo
TAR-FC-053	11560 ciclos de vuelo
TAR-FC-054 R3	11590 ciclos de vuelo
TAR-FC-055	11927 ciclos de vuelo
TAR-FC-056	12606 ciclos de vuelo
TAR-FC-057	12751 ciclos de vuelo
TAR-FC-058	15000 ciclos de vuelo
TAR-FC-059	15409 ciclos de vuelo
TAR-FC-060	15824 ciclos de vuelo
TAR-FC-061	16279 ciclos de vuelo
TAR-FC-062	16399 ciclos de vuelo
TAR-FC-063	16797 ciclos de vuelo
TAR-FC-064	17395 ciclos de vuelo
TAR-FC-065	17598 ciclos de vuelo
TAR-FC-066	18298 ciclos de vuelo
TAR-FC-067	19737 ciclos de vuelo
TAR-FC-068	19811 ciclos de vuelo
TAR-FC-069	20000 ciclos de vuelo
TAR-FC-070	21620 ciclos de vuelo
TAR-FC-071	22000 ciclos de vuelo
TAR-FC-072	22633 ciclos de vuelo
TAR-FC-073 R2	24000 ciclos de vuelo
TAR-FC-074	29600 ciclos de vuelo
TAR-FC-075	30000 ciclos de vuelo
TAR-FC-076	328 ciclos de vuelo
TAR-FC-077 R1	2672 ciclos de vuelo
TAR-FC-078	4318 ciclos de vuelo



PROGRAMA DE MANTENIMIENTO EMB-145LR

Ciclos (cont.)	
Código de Guía	Descripción
TAR-FC-079	5049 ciclos de vuelo
TAR-FC-080	6256 ciclos de vuelo
TAR-FC-081	11723 ciclos de vuelo
TAR-FC-082	12000 ciclos de vuelo
TAR-FC-083	18000 ciclos de vuelo
TAR-FC-084	20000 ciclos de vuelo
TAR-FC-085 R1	22060 ciclos de vuelo
TAR-FC-086	23000 ciclos de vuelo
TAR-FC-087	25000 ciclos de vuelo
TAR-FC-088	26000 ciclos de vuelo
TAR-FC-089	27000 ciclos de vuelo
TAR-FC-090	30000 ciclos de vuelo
TAR-FC-091	6179 ciclos de vuelo
TAR-FC-092	13000 ciclos de vuelo
TAR-FC-093	16459 ciclos de vuelo
TAR-FC-094	5337 ciclos de vuelo
TAR-FC-095	20200 ciclos de vuelo
TAR-FC-096	29000 ciclos de vuelo
TAR-FC-097	10000 ciclos de vuelo
TAR-FC-098	7093 ciclos de vuelo

Horas	
Código de Guía	Descripción
TAR-FH-001 R3	400 horas de vuelo
TAR-FH-002 R5	500 horas de vuelo
TAR-FH-003	800 horas de vuelo Formato eliminado
TAR-FH-004 R3	1000 horas de vuelo
TAR-FH-005 R3	1200 horas de vuelo
TAR-FH-006 R2	1500 horas de vuelo
TAR-FH-007 R3	2000 horas de vuelo
TAR-FH-008 R2	2350 horas de vuelo
TAR-FH-009 R3	2500 horas de vuelo
TAR-FH-010 R3	3000 horas de vuelo
TAR-FH-011 R2	3200 horas de vuelo
TAR-FH-012 R4	4000 horas de vuelo
TAR-FH-013 R6	5000 horas de vuelo
TAR-FH-014 R3	6000 horas de vuelo
TAR-FH-015 R2	7500 horas de vuelo
TAR-FH-016 R3	8000 horas de vuelo
TAR-FH-017 R4	10000 horas de vuelo
TAR-FH-018 R2	15000 horas de vuelo
TAR-FH-019 R2	20000 horas de vuelo
TAR-FH-020 R2	30000 horas de vuelo
TAR-FH-024	15000 horas de vuelo Se elimina formato

01-Feb-2020

Revisión 1

SEC 14-5

Link Conexión Aérea S.A. de C.V.

Horas (cont.)	
Código de Guía	Descripción
TAR-EH-21	2000 horas de motor
TAR-EH-22	4000 horas de motor
TAR-EH-23	10000 horas de motor

Meses	
Código de Guía	Descripción
TAR-DC-001	1 mes de operación (Equipo de emergencia)
TAR-DC-002 R2	6 meses de operación
TAR-DC-003 R4	12 meses de operación
TAR-DC-004 R2	15 meses de operación
TAR-DC-005 R2	18 meses de operación
TAR-DC-006 R3	24 meses de operación
TAR-DC-007 R2	30 meses de operación
TAR-DC-008 R1	36 meses de operación
TAR-DC-009 R1	48 meses de operación
TAR-DC-010 R1	60 meses de operación
TAR-DC-011 R2	72 meses de operación
TAR-DC-012 R3	120 meses de operación
TAR-DC-013 R3	96 meses de operación
TAR-DC-014 R3	180 meses de operación
TAR-DC-015 R1	48 meses de operación
TAR-DC-016 R1	144 meses de operación
TAR-W&B R1	36 meses de operación (Balanceo y pesado)

RT	
Código de Guía	Descripción
TAR-2 Dias R original	Servicio de 48 horas
TAR-FDR-HH R3	Descarga de FDR con Handheld
TAR-FMS-H R4	Carga de base de datos para FMS
TAR-FMS-U R4	Carga de base de datos
TAR-MQ R3	Descarga de miniQAR
TAR-RT R3	Servicio de 14 días
TAR-RVSM R4	Prueba e inspecciones de altímetros
TAR-AH-02	Verificación de FADEC y aceite
TAR-AH-04	Inspect igniter plug
TAR-AH-05	Cambio de aceite



**Página intencionalmente en
blanco**